



Neptune Analytics User Guide

# Neptune Analytics



## Neptune Analytics: Neptune Analytics User Guide

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

<b>What is Neptune Analytics? .....</b>	<b>1</b>
Features .....	1
Neptune Analytics vs. Neptune Database .....	2
<b>Latest updates .....</b>	<b>3</b>
<b>Getting started .....</b>	<b>13</b>
Create an empty Neptune graph .....	13
Create a Neptune graph from existing sources .....	19
Connecting to a graph .....	21
AWS PrivateLink .....	22
Connecting from the same VPC .....	27
Connecting from a different VPC .....	27
Accessing the graph .....	29
Best practices .....	39
<b>Using notebooks .....</b>	<b>41</b>
Sample notebooks .....	42
Create a notebook with CloudFormation .....	42
Create a notebook on the console .....	44
Create an IAM role .....	44
Local hosting .....	45
<b>Create a graph .....</b>	<b>46</b>
<b>Loading data .....</b>	<b>48</b>
Data formats .....	49
Using CSV data .....	49
Using Parquet data .....	51
Using RDF data .....	53
Batch load .....	58
Request .....	58
Response .....	60
Bulk import .....	61
Create a graph from Amazon S3, a Neptune cluster, or a snapshot .....	62
Bulk import data into an existing Neptune Analytics graph .....	76
Checking the details and progress of an import task .....	79
Canceling an import task .....	80
Troubleshooting .....	81

neptune.read()	85
Query examples using Parquet	86
Supported Parquet column types	87
Sample Parquet output	88
Query examples using CSV	90
Property column headers	92
Supported CSV column types	92
Sample CSV output	94
<b>Exporting data</b>	<b>97</b>
SDK/CLI commands	97
Permission setup	97
start-export-task	97
Syntax	98
Inputs	98
Output	99
get-export-task	99
Syntax	100
Inputs	100
Output	100
list-export-task	101
Syntax	101
Inputs	101
Output	102
cancel-export-task	102
Syntax	102
Inputs	103
Output	103
Structure of exported files	104
CSV	104
Parquet	104
Specifying a filter	105
Filter syntax	106
Sample filters	107
<b>Graph snapshots</b>	<b>113</b>
Creating a snapshot	113
Listing snapshots	115

Restoring a snapshot .....	116
Deleting snapshots .....	118
<b>Managing your graphs .....</b>	<b>120</b>
Modifying .....	120
Maintaining .....	121
Deleting .....	121
Stopping .....	122
Starting .....	123
Tagging .....	124
Working with ARNs .....	126
<b>Monitoring .....</b>	<b>128</b>
Neptune Analytics information in CloudTrail .....	128
Monitoring Neptune Analytics using AWS CloudTrail .....	129
Control plane events .....	129
Data plane events .....	130
Understanding log file entries .....	131
Monitoring your graphs .....	138
Viewing CloudWatch data .....	138
Neptune CloudWatch metrics .....	140
<b>Security .....</b>	<b>142</b>
Data protection .....	143
Identity and access management .....	143
Audience .....	144
Authenticating with identities .....	144
Managing access using policies .....	146
Working with IAM .....	147
Identity-based policy examples .....	152
Troubleshooting .....	155
Compliance validation .....	157
Resilience .....	157
Infrastructure Security .....	158
Cross-service confused deputy prevention .....	158
Service-linked roles .....	159
For Graphs .....	159
Creating an SLR .....	162
Editing an SLR .....	162

Deleting an SLR .....	162
Import/export permissions .....	163
Create and configure IAM role and AWS KMS key .....	163
<b>Queries .....</b>	<b>167</b>
Query APIs .....	167
ExecuteQuery .....	168
ListQueries .....	173
GetQuery .....	175
CancelQuery .....	176
GraphSummary .....	178
IAM role mappings .....	183
Query plan cache .....	184
Mitigation for query plan cache issue .....	187
Query explain .....	188
Inputs .....	188
Outputs .....	189
Examples .....	194
Statistics .....	196
Exceptions .....	197
Data model .....	198
Vertices .....	198
OpenCypher specification compliance .....	202
Vertex and edge IDs .....	202
IRIs and language-tagged literals .....	203
OpenCypher reduce() function .....	203
Isolation levels .....	205
<b>Algorithms .....</b>	<b>207</b>
Path-finding algorithms .....	211
BFS algorithms .....	211
SSSP algorithms .....	231
Egonet algorithms .....	282
Centrality algorithms .....	298
.degree .....	300
.degree.mutate .....	305
.degreeDistribution .....	308
.pageRank .....	311

.pageRank.mutate .....	321
.closenessCentralicity .....	325
.closenessCentralicity.mutate .....	331
Similarity algorithms .....	335
.neighbors.common .....	336
.neighbors.total .....	340
.jaccardSimilarity .....	344
.overlapSimilarity .....	348
Community detection .....	353
.wcc .....	355
.wcc.mutate .....	360
.labelPropagation .....	363
.labelPropagation.mutate .....	369
.scc .....	373
.scc.mutate .....	377
.louvain .....	380
.louvain.mutate .....	387
Misc. graph procedures .....	390
Property graph information .....	391
Property graph schema .....	393
<b>Vector similarity .....</b>	<b>400</b>
Vector indexing .....	404
Vector index transaction support .....	404
Loading vectors .....	404
Loading errors .....	406
Vector algorithms .....	406
VSS algorithms .....	407
.vectors.distance (deprecated) .....	410
.vectors.distance.byNode .....	415
.vectors.distanceByEmbedding (deprecated) .....	420
.vectors.distance.byEmbedding .....	425
.vectors.get .....	429
.vectors.topKByEmbedding (deprecated) .....	449
.vectors.topK.byEmbedding .....	454
.vectors.topKByNode (deprecated) .....	461
.vectors.topK.byNode .....	466

.vectors.upsert .....	471
.vectors.remove .....	491
<b>Best practices .....</b>	<b>493</b>
openCypher query best practices .....	493
Use the SET clause to remove multiple properties at once .....	493
Use parameterized queries .....	494
Use flattened maps instead of nested maps in UNWIND clause .....	495
Place more restrictive nodes on the left side in Variable-Length Path (VLP) expressions ....	496
Avoid redundant node label checks by using granular relationship names .....	497
Specify edge labels where possible .....	498
Avoid using the WITH clause when possible .....	499
Place restrictive filters as early in the query as possible .....	499
Explicitly check whether properties exist .....	500
Do not use named path (unless it is required) .....	500
Avoid COLLECT(DISTINCT()) .....	501
Prefer the properties function over individual property lookup when retrieving all property values .....	502
Perform static computations outside of the query .....	502
Batch inputs using UNWIND instead of individual statements .....	503
Prefer using custom IDs for node .....	504
Avoid doing ~id computations in the query .....	505
<b>Tools and utilities .....</b>	<b>506</b>
Nodestream .....	506
<b>Limits .....</b>	<b>508</b>
Regions .....	508
Quotas .....	508
Node counting limit .....	508
No parameterized algorithm calls .....	509
Size limits on properties, labels and strings .....	509
Labelless vertices with only embeddings are not supported .....	509
<b>API reference .....</b>	<b>510</b>

# What is Neptune Analytics?

Neptune Analytics is a memory-optimized graph database engine for analytics. With Neptune Analytics, you can get insights and find trends by processing large amounts of graph data in seconds. To analyze graph data quickly and easily, Neptune Analytics stores large graph datasets in memory. It supports a library of optimized graph analytic algorithms, low-latency graph queries, and vector search capabilities within graph traversals.

Neptune Analytics is an ideal choice for investigatory, exploratory, or data-science workloads that require fast iteration for data, analytical and algorithmic processing, or vector search on graph data. It complements [Amazon Neptune Database](#), a popular managed graph database. To perform intensive analysis, you can load the data from a Neptune Database graph or snapshot into Neptune Analytics. You can also load graph data that's stored in Amazon S3.

You can get started by [creating a new Neptune Analytics graph](#) and loading data into it in a number of ways.

## Topics

- [Neptune Analytics Features](#)
- [When to use Neptune Analytics and when to use Neptune Database](#)

## Neptune Analytics Features

Neptune Analytics operates in a managed environment that can load data extremely fast into memory and run graph algorithms natively. With Neptune Analytics, you can perform in-database analytics on large graphs.

This functionality lets you perform business intelligence and custom analytical queries, and use pre-built graph algorithms with the openCypher language. For example, with Neptune Analytics you can ingest text from cybersecurity reports to analyze relationships within security environments and calculate vulnerability mitigations using graph algorithms or openCypher queries.

Neptune Analytics offers a graph as a service experience by managing graphs instead of infrastructure, so you can focus on queries and workflows to solve problems. It automatically provisions the compute resources necessary to run analytics workloads based on the size of the graph.

You can load graph data into Neptune Analytics from Amazon S3 or from a Neptune Database endpoint. You can then run graph analytics queries using pre-built or custom graph queries.

## When to use Neptune Analytics and when to use Neptune Database

Amazon Neptune makes it easy to work with graph data in the AWS Cloud. Amazon Neptune includes both Neptune Database and Neptune Analytics.

[Neptune Database](#) is a serverless graph database designed for optimal scalability and availability. It provides a solution for graph database workloads that need to scale to 100,000 queries per second, Multi-AZ high availability, and multi-Region deployments. You can use Neptune Database for social networking, fraud alerting, and Customer 360 applications.

Neptune Analytics is an analytics database engine that can quickly analyze large amounts of graph data in memory to get insights and find trends. Neptune Analytics is a solution for quickly analyzing existing graph databases or graph datasets stored in a data lake. It uses popular graph analytic algorithms and low-latency analytic queries.

You can use Neptune Analytics to analyze and query graphs in data science workflows that build targeted content recommendations, assist with fraud investigations, and detect network threats.

By providing a simple API for loading, querying, and analyzing graph data, Neptune Analytics also removes the overhead of building and managing complex data-analytics pipelines.

Neptune Analytics makes it easy to apply powerful algorithms both to the data in your Neptune Database and to graph data that's stored externally. Because Neptune Analytics can load a large dataset very quickly into memory, it becomes possible to analyze graphs with tens of billions of relationships and to process thousands of analytic queries per second using popular graph analytics algorithms.

# Changes and updates to Neptune Analytics

The following table lists important releases relating to Neptune Analytics.

Change	Description	Date
<a href="#"><u>Performance Improvement</u></a>	Improved <code>vectors.t</code> <code>opK.byEmbedding</code> algorithm performance	December 22, 2025
<a href="#"><u>Issue fix</u></a>	Fixed an issue where queries returned an <code>Operation</code> terminated (internal error) in some cases.	December 22, 2025
<a href="#"><u>Performance Improvement</u></a>	Reduced the memory requirement for all Neptune Analytics graphs. With this release, graph analytics may be performed in smaller capacity units (m-NCUs).	November 10, 2025
<a href="#"><u>Performance Improvement</u></a>	Improvements to the running time of queries using distinct aggregation. Improvements to the memory use of many queries, particularly those using "CALL" and "DISTINCT".	November 10, 2025
<a href="#"><u>Graph algorithm updates</u></a>	Added <code>degreeDistribution</code> algorithm . Added support for multiple vertex label filtering for <code>.degree</code> , <code>.degree.mutate</code> , <code>.louvain</code> , and <code>.louvain.mutate</code> algorithms. Added	November 10, 2025

```
vectors.distance.b  
yNode , vectors.d  
istance.byEmbeddin  
g , vectors.topK.byNod  
e , algorithms.Deprecate  
d vectors.distance ,  
vectors.distanceby  
Embedding , vectors.t  
opKbyNode , vectors.t  
opKbyEmbedding  
algorithms.
```

<a href="#"><u>Data operations bug fix</u></a>	Fixed bug causing engine crash for some queries using “OPTIONAL MATCH” or “DISTINCT”.	November 10, 2025
<a href="#"><u>Neptune Analytics is now available in two new regions</u></a>	Neptune Analytics available in the ca-central-1 Canada (Central) and ap-southe ast-2 Asia Pacific (Sydney) regions.	October 10, 2025
<a href="#"><u>Neptune Analytics available in Asia Pacific (Mumbai) region</u></a>	Neptune Analytics is now available in the ap-south- 1 Asia Pacific (Mumbai) region.	September 26, 2025
<a href="#"><u>Start/Stop API</u></a>	Neptune Analytics now offers Start graph API and Stop graph API. For more information see <a href="#"><u>Managing your Neptune Analytics graph.</u></a>	August 25, 2025

---

<a href="#"><u>Query update</u></a>	Resolved an issue where using a WITH clause that contained an asterisk (*) and aliasing expressions caused incorrect query parsing in OpenCypher.	April 28, 2025
<a href="#"><u>Graph algorithm updates</u></a>	Neptune Analytics now offers the Louvain algorithm. Additionally, the personalization parameter has been added to the pageRank algorithm.	April 28, 2025
<a href="#"><u>Graph algorithm bug fix</u></a>	Resolved an issue in pg_info where labelless vertices were being counted incorrectly.	April 28, 2025
<a href="#"><u>Data operations bug fix</u></a>	Resolved an issue in the bulk loader that caused failOnError to behave incorrectly when parsing embeddings.	April 28, 2025
<a href="#"><u>Data operations bug fix</u></a>	The error messages in bulk load are now more user friendly.	April 28, 2025
<a href="#"><u>Data operations bug fix</u></a>	Neptune Analytics is now reporting an error message if the csv lines are too long to load. Example error message: [ETL] Could not form a complete line for parsing. Please check if you are loading lines longer than 65535.	April 28, 2025

---

<a href="#"><u>Data operations bug fix</u></a>	An issue was resolved that caused the database to be shut down when users tried to access files in Amazon S3 without the proper permissions.	April 28, 2025
<a href="#"><u>Query REDUCE function</u></a>	Added support for the OpenCypher REDUCE function, allowing a list of values to be combined using a user-defined expression.	February 26, 2025
<a href="#"><u>Improved memory management in Closeness Centrality algorithm</u></a>	In the Closeness Centrality algorithm, a memory/performance tradeoff has been added to enable execution on smaller instances.	February 26, 2025
<a href="#"><u>Fixed incorrect results while setting Map properties from a nested map</u></a>	An issue has been resolved where incorrect results occurred when setting map properties from nested maps in Amazon Neptune (e.g. <code>WITH {struct: {prop: "val"}} as row MATCH (n:label) SET n +=row.struct RETURN n</code> ). This fix ensures that map properties are correctly assigned and retrieved, providing accurate and reliable data handling when working with complex nested structures in graph queries.	February 26, 2025

<a href="#"><u>Vertex lookup</u></a>	Improved vertex lookup performance and memory footprint.	November 15, 2024
<a href="#"><u>Snapshot creation issue</u></a>	Fixed an issue that prevented statistics from being included in graph snapshots. Graphs created by restoring such a snapshot will not initially have statistics available, and may experience degraded query performance.	November 15, 2024
<a href="#"><u>Query plan cache update</u></a>	Disabled query plan cache by default for parameterized mutation queries to avoid potential InternalFailureException.	November 15, 2024
<a href="#"><u>Query improvement - Internal failure</u></a>	Fixed an issue where using COLLECT(DISTINCT()) returned an InternalFailureException in some cases.	November 15, 2024
<a href="#"><u>Query improvement - Internal failure</u></a>	Fixed InternalFailureException when user uses a value of unsupported type with aggregation functions (ie sum(<string>)).	November 15, 2024

---

<a href="#"><u>Query improvement - ID match</u></a>	Correct <code>~id</code> match behavior. Invalid <code>~id</code> values like <code>null</code> or non-string types lead to zero match for <code>MATCH</code> (ie. <code>MATCH (n {`~id`: null})</code> ) or type error thrown for <code>MERGE/CREATE</code> (ie. <code>CREATE (n {`~id`: null})</code> ).	November 15, 2024
<a href="#"><u>Query improvement</u></a>	Fixed an issue where some limit queries only return partial results during execution.	November 15, 2024
<a href="#"><u>Property support over mixed type entities</u></a>	Support for property/properties over ambiguous/mixed type entities. This avoids the error for queries failing with "Property access/properties over ambiguous type not supported in this release".	November 15, 2024
<a href="#"><u>Performance improvement</u></a>	Improved performance for queries that use numeric algorithm output for result ordering.	November 15, 2024

---

<u>Performance improvement</u>	Improved performance for queries which use large static lists or maps. Certain queries related to vector upsert or search algorithms, where a static list of float values is passed as an embedding, have seen significant performance enhancements. A sample vector.upsert query can be seen <a href="#">here</a> .	November 15, 2024
<u>CALL subquery support</u>	Added Support for CALL subquery, allowing execution of operations within a defined scope. A CALL subquery is executed once for each incoming row and the variables returned in a subquery are available to the outer scope of the enclosing query. Variables from outer scope can be imported into a CALL subquery using an importing WITH clause.	November 15, 2024
<u>Algorithm parameter handling fix</u>	Fixed an issue where passing concurrency=0 to algorithms returned an error.	November 15, 2024

<a href="#"><u>Byte handling</u></a>	Previously, when data was loaded using the Byte data type it was erroneously stored as an unsigned byte, this has been updated to store the data a signed byte. Previousl y loaded data and queries will not be impacted.	July 29, 2024
<a href="#"><u>Updated float serialization</u></a>	Float serialization changed to use a lesser number of digits for higher precision. This will change the float values that are returned from the server.	June 20, 2024
<a href="#"><u>UNWIND performance improvement</u></a>	Improved the UNWIND operations (e.g. transform a list of values within a property into individual vertices or edges) to help prevent out of memory (OOM) situations.	June 20, 2024
<a href="#"><u>Query plan cache update</u></a>	Fixed an issue in query plan cache when skip or limit is used in an inner WITH clause and parameterized. This fix ensures that parameter values for SKIP and LIMIT are now properly handled, providing accurate results for every execution. If you disabled the query plan cache, you can now remove the query hint QUERY:PLA NCACHE "disabled" when submitting a query.	June 20, 2024

<u><a href="#">Increased efficiency when handling special characters</a></u>	Fixed an issue with handling of node and relationship labels, node identifiers, and property names containing the “Ā” character (Latin uppercase letter A with Macron, unicode code point U +0100).	June 20, 2024
<u><a href="#">Datetime formats</a></u>	Extended support for datetime formats.	June 20, 2024
<u><a href="#">Condition key - neptune-graph:PublicConnectivity</a></u>	<code>neptune-graph:PublicConnectivity</code> filters access by the value of the public connectivity parameter provided in the request or its default value, if unspecified. All access to graphs is IAM authenticated.	April 29, 2024
<u><a href="#">StartImportTask available</a></u>	Neptune Analytics now allows you to efficiently import large datasets into an already provisioned graph database using the <code>StartImportTask</code> API. This API facilitates the direct loading of data from an Amazon S3 bucket into an <b>empty</b> Neptune Analytics graph. This is designed for loading data into existing empty clusters.	March 30, 2024
<u><a href="#">Neptune Analytics available in Europe (London) region</a></u>	Neptune Analytics is now available in the eu-west-2 Europe (London) region.	March 14, 2024

<u><a href="#">Column delimiter ; is now supported in values</a></u>	When a column delimiter presents in the values, e.g. for 'two;words' , two values {'two','words'} will be inserted. However, if the column delimiter is escaped by a backslash '\', the value will be inserted as a whole with the escape character removed, e.g. 'one\;word' will be inserted as 'one;word'.	February 27, 2024
<u><a href="#">Graph provisioning time reduced to five minutes or less</a></u>	Neptune Analytics graphs are now provisioned and ready to be used in five minutes or less.	February 19, 2024
<u><a href="#">Query improvements - Data Plane SDK</a></u>	The Neptune Analytics data API provides support for data operations including query execution, query status checking, query cancellation, and graph summarizing via the HTTPS endpoint, the AWS CLI, and the SDK.	February 2, 2024
<u><a href="#">Initial release</a></u>	Initial release of Neptune Analytics.	November 29, 2023

# Getting started

To get started using Neptune Analytics, you need to create a graph using the AWS console, the AWS CLI, or CloudFormation. You can load data into a graph from another Neptune database, Neptune database cluster snapshot, or from files located in Amazon S3.

## Topics

- [Create an empty Neptune graph](#)
- [Create a Neptune graph from existing sources](#)
- [Connecting to a graph](#)

## Create an empty Neptune graph

Neptune allows you to create and manage graph databases. This step-by-step guide outlines the process of creating an empty Neptune graph using the AWS management console, the AWS CLI, and CloudFormation. The guide covers the necessary configurations, such as setting the graph name, size, replica configuration, and network connectivity options.

### AWS console

1. Sign in to the AWS Management Console, and open the Amazon Neptune console at <https://eus-c-de-east-1.console.amazonaws-eus-c.eu/neptune/>.
2. In the upper right corner of the console, choose the AWS region in which you want to create the graph.
3. In the navigation pane, choose **Graphs** in the **Analytics** section.
4. Choose the **Create graph** button.
5. In **settings**, input the **graph name**, size, and replica configuration.
6. In the **data source** section, choose the **empty graph** option.

 **Note**

Additional charges equivalent to the m-NCUs selected for the graph apply for each replica.

## Create graph

You can create a graph by specifying the graph name, the source of the data, network configuration, and the IAM roles to load the data into.

### Settings

#### Graph name

Specify a unique name for the graph.

The name must be unique cross all graphs owned by your AWS account in the current AWS Region, case-insensitive, 1 to 60 alphanumeric characters or hyphens, first character must be a letter, it can't contain two consecutive hyphens, it can't end with a hyphen.

### Data source

#### Graph import task



Create empty graph

Create Graph from existing source

You can create a new graph by directly importing data into it from Neptune, an S3 bucket or a Neptune Database snapshot.

#### Memory-Optimized Neptune Credit Units (m-NCU) [Info](#)

Number of m-NCUs to be allocated to your graph



### Availability settings

#### Replicas configuration

A replica of your graph in another AZ provides warm failover capabilities.



Default replicas

One replica will be created in another AZ by default.



Use custom number of replicas

You can specify the number of replicas for your graph.

7. You can connect to a Neptune graph from a public endpoint or a private endpoint. Select your network configuration accordingly.

**Note**

If you're creating a private graph endpoint, the following permissions are required:

- ec2:CreateVpcEndpoint
- ec2:DescribeAvailabilityZones
- ec2:DescribeSecurityGroups
- ec2:DescribeSubnets
- ec2:DescribeVpcAttribute
- ec2:DescribeVpcEndpoints
- ec2:DescribeVpcs
- ec2:ModifyVpcEndpoint

• route53:AssociateVPCWithHostedZone

For more information about required permissions, see [Actions defined by Neptune Analytics](#).

## Network and security

### Enable public connectivity

Allows your graph to be reachable over the Internet. All access to the graph requires IAM authentication.

Your data is encrypted by default with a key that AWS owns and manages for you. To choose a different key, customize your encryption settings. [Info](#)

Customize encryption settings (advanced)

### Private endpoint

Set up Private Endpoint

You can access a graph from within a VPC by creating a private graph endpoint, which ensures that the traffic is never exposed to the internet. You can further attach security groups, tags, or enable flow logs on the graph endpoints. Standard VPC interface endpoint charges apply.

### Virtual Private Cloud (VPC)

Select the VPC in which the private graph endpoint should be created.

Default `vpc-a7ff95c1`



### Subnets

Select the subnets from which the endpoint will have access.

Choose option



subnet-9eaf8ab3 us-east-1d

### VPC security groups

Security groups have rules authorizing connections from all the EC2 instances and devices that need to access the graph.

Choose existing

Choose existing VPC security groups

Create new

Create new VPC security group

### Existing VPC security groups

Select a list of EC2 VPC security groups to associate with the new graph endpoint.

Choose option



default   
VPC `vpc-a7ff95c1` ID `sg-49045b35`

8. Additionally, you can select vector search configuration for the graph. For more information on vector search configuration, see [Vector indexing](#).

## 9. Choose **Create graph**.

### AWS CLI

Create a Neptune graph using the AWS [CLI](#).

Create a public graph endpoint:

```
aws neptune-graph create-graph --graph-name 'test-neptune-graph' \
--region us-east-1 --provisioned-memory 128 --public-connectivity \
--replica-count 0 --vector-search '{"dimension": 384}'
```

Create a private graph endpoint:

```
aws neptune-graph create-private-graph-endpoint --vpc-id vpc-0a9b7a5b15 \
--subnet-ids subnet-06a4b41a6221b subnet-0840a4b327ab77 subnet-0353627ab123 \
--vpc-security-group-ids sg-0ab7abab56ab \
--graph-identifier g-146a51b7a151ba --region us-east-1
```

Check the status of graph creation:

```
aws neptune-graph get-graph --graph-identifier <graph-id>
```

List all graphs in the default region:

```
aws neptune-graph list-graphs
```

### CloudFormation

Instead of using the console to create your Neptune graph, you can use CloudFormation to provision AWS resources by treating infrastructure as code. To help you organize your AWS resources into smaller and more manageable units, you can use the CloudFormation nested stack functionality. For more information, see [Creating a stack on the AWS CloudFormation console](#) and [working with nested stacks](#).

CloudFormation is free, but the resources that CloudFormation creates are live. You incur the standard usage fees for these resources until you terminate them. The total charges will be minimal. For information about how you might minimize any charges, see [AWS free tier](#).

To create your resources using the CloudFormation console, complete the following steps:

1. Create the CloudFormation template.
2. Configure your resources using CloudFormation.

The following sample template will create a Neptune graph with a public endpoint.

```
AWSTemplateFormatVersion: 2010-09-09
Description: NeptuneGraph Graph Create Demo using CloudFormation
Resources:
  NeptuneGraph:
    Type: AWS::NeptuneGraph::Graph
    DeletionPolicy: Delete
    Properties:
      DeletionProtection: false
      GraphName: neptune-graph-demo
      ProvisionedMemory: 128
      ReplicaCount: 1
      PublicConnectivity: true
    Tags:
      - Key: stage
        Value: test
```

The following sample template will create a Neptune graph with a private endpoint.

```
AWSTemplateFormatVersion: 2010-09-09
Description: NeptuneGraph Graph Create Demo using CloudFormation
Resources:
  NeptuneGraph:
    Type: AWS::NeptuneGraph::Graph
    DeletionPolicy: Delete
    Properties:
      DeletionProtection: false
      GraphName: neptune-graph-demo
      ProvisionedMemory: 128
      ReplicaCount: 1
      PublicConnectivity: false
    Tags:
      - Key: stage
        Value: test
  NeptuneGraphPrivateEndpoint:
    Type: AWS::NeptuneGraph::PrivateGraphEndpoint
```

```
DeletionPolicy: Delete
Properties:
  GraphIdentifier: NeptuneGraph
  VpcId: myVpc
```

### **Important**

You can't change the graph name, VPC, subnet ids and vector search configuration. After starting the graph creation, the graph has a status of **Creating** until the graph is ready to use. When the status of the graph changes to **Available**, you can connect to the DB cluster at that time. Depending on the configuration, it can take up to 20 minutes before the new graph is available.

## Create a Neptune graph from existing sources

You can load data into a Neptune graph from another Neptune database, Neptune database cluster snapshot, or from Amazon S3 files. Select the data sources and an IAM role for the data import accordingly. For more information about loading data, see [Create a graph from Amazon S3, a Neptune cluster, or a snapshot](#).

## AWS console

## Data source

Graph import task

Create empty graph

Create Graph from existing source

You can create a new graph by directly importing data into it from Neptune, an S3 bucket or a Neptune Database snapshot.

Minimum Memory-Optimized Neptune Credit Units (m-NCU) | [Info](#)

Minimum number of m-NCUs to be allocated to your graph

Default ▾

Maximum Memory-Optimized Neptune Credit Units (m-NCU) | [Info](#)

Maximum number of m-NCUs to be allocated to your graph

Default ▾

i If min and max m-NCUs are selected, Neptune Analytics uses the maximum of the two values to load the graph. If no value is specified, 128 m-NCUs are used to load the graph.

Load role ARN

Specify the ARN of role with permissions to load data from the selected source into the graph.

GraphExecutionRole ▾ [C](#)

Select the type of source

Neptune cluster

When you import your data from an existing Neptune cluster, Neptune Analytics automatically exports the data from your cluster and stores it in the user specified S3 bucket and encrypts it with a user specified KMS key.

Neptune cluster snapshot

When you import your data from an existing Neptune snapshot, Neptune Analytics automatically exports the data from your snapshot and stores it in the user specified S3 bucket and encrypts it with a user specified KMS key.

S3

Import task format

CSV ▾

S3 Bucket location

Resource URI

[X](#) [View](#) [Browse S3](#)

Path must be in the form s3://bucket/prefix/. It must end with a slash (/) and not include any files.

## AWS CLI

The following example creates a graph and loads data from Amazon S3.

```
aws neptune-graph create-graph-using-import-task \
--graph-name "neptune-graph-from-s3-source" \
--region "us-east-1" \
--format "CSV" \
--role-arn "arn:aws:iam::1234567890124:role/GraphExecutionRole" \
--source "s3://neptune-demo-test-us-east-1/test-data-csv/" \
--public-connectivity \
--min-provisioned-memory 256 \
--max-provisioned-memory 256
```

## Connecting to a graph

In Neptune Analytics, you can provision your graph to be accessed publicly over the internet or have a private endpoint to access the graph within a VPC. If your graph is not configured for public connectivity, then you must create a private endpoint for your Neptune Analytics graph that allows access to the graph only from within the same Amazon Virtual Private Cloud (VPC) and availability zones associated with the subnet associated with the graph's private endpoint (You must ensure the subnets belong to all the availability zones in the VPC). This means that applications using Neptune Analytics must be deployed in the same VPC; or For applications which are deployed in different VPC but uses techniques like VPC peering, AWS Site-to-Site VPN connections, or AWS Direct Connect connections might face issues with DNS resolution to connect to private graph endpoint.

If your graph is configured for public connectivity, you can connect to your graph from multiple VPCs and from the internet. This allows you to access a Neptune Analytics graph without also setting up additional supporting AWS services. The simplicity of setting up public connectivity-enabled graphs makes it useful for initial exploration of the service.

Graphs are created with public connectivity disabled by default. However, this can be configured by enabling public connectivity at [graph creation](#) or by [updating the graph configuration](#) post-creation.

**Note**

All Neptune Analytics graphs are configured to use AWS Identity and Access Management ([IAM](#)) for authentication and authorization. This means that all requests to the graph should be signed using AWS Signature Version 4 ([SIGV4](#)). If you are using the AWS CLI or SDK to connect, then the signing of the requests is handled by the client library. The library requires the user to provide the credentials to sign using one of the known methods. You can also make HTTP requests to the APIs by using [AWScurl](#), which provides a curl like interface to make HTTP requests and supports SIGV4. For Neptune Analytics specific IAM documentation please refer to the Neptune Analytics user guide [Security IAM](#) section.

**Topics**

- [AWS PrivateLink for Neptune Analytics](#)
- [Connecting to a private endpoint from within the same VPC](#)
- [Connecting to a private endpoint from a different VPC \(including cross-account\)](#)
- [Accessing the graph](#)
- [Best practices](#)

## AWS PrivateLink for Neptune Analytics

With AWS PrivateLink for Neptune Analytics, you can provision interface Amazon VPC endpoints (interface endpoints) in your virtual private cloud (Amazon VPC). These endpoints are directly accessible from applications that are on premises over VPN and AWS Direct Connect, or in a different AWS region over [Amazon VPC peering](#). Using AWS PrivateLink and interface endpoints, you can simplify private network connectivity from your applications to Neptune Analytics.

Applications in your VPC do not need public IP addresses to communicate with Neptune Analytics interface VPC endpoints for Neptune Analytics operations. Interface endpoints are represented by one or more elastic network interfaces (ENIs) that are assigned private IP addresses from subnets in your Amazon VPC. Requests to Neptune Analytics over interface endpoints stay on the Amazon network. You can also access interface endpoints in your Amazon VPC from on-premises applications through AWS Direct Connect or AWS Virtual Private Network (Site-to-Site VPN). For more information about how to connect your Amazon VPC with your on-premises network, see the [AWS Direct Connect user guide](#) and the [AWS Site-to-Site VPN user guide](#).

For general information about interface endpoints, see [Interface Amazon VPC endpoints \(AWS PrivateLink\)](#) in the AWS PrivateLink guide.

## Creating an Amazon VPC endpoint

To create an Amazon VPC interface endpoint, see [Create an Amazon VPC endpoint](#) in the AWS PrivateLink Guide.

### Topics

- [Types of interface endpoint services for Neptune Analytics](#)
- [Considerations when using AWS PrivateLink for Neptune Analytics](#)
- [Accessing Neptune Analytics interface endpoints](#)
- [Accessing Neptune Analytics graph from Neptune Analytics interface endpoints](#)
- [Creating an Amazon VPC endpoint policy for Neptune Analytics data plane](#)

## Types of interface endpoint services for Neptune Analytics

Neptune Analytics supports two services via interface VPC endpoints on AWS PrivateLink: neptune-graph for accessing Neptune Analytics control plane API operations like CreateGraph, DeleteGraph etc. and neptune-graph-data for accessing Neptune Analytics data plane API operations like GetQuery, ListQueries, ExecuteQuery etc. For more information about Neptune Analytics API operations see [Neptune Analytics APIs](#).

## Considerations when using AWS PrivateLink for Neptune Analytics

Amazon VPC considerations apply to AWS PrivateLink for Neptune Analytics. For more information, see [Interface endpoint considerations](#) and [AWS PrivateLink quotas](#) in the AWS PrivateLink guide. Additionally, the following restrictions apply:

1. The AWS PrivateLink for Neptune Analytics control plane i.e. neptune-graph service does not support [VPC endpoint policies](#). However, AWS PrivateLink for Neptune Analytics data plane i.e. neptune-graph-data service supports VPC endpoint policies.
2. The AWS PrivateLink for Neptune Analytics supports [Federal Information Processing Standard \(FIPS\)](#) endpoints in US East (N. Virginia), US East (Ohio), and US West (Oregon) for control plane API operations under the service name neptune-graph-fips. FIPS endpoints are not supported in any AWS region for AWS PrivateLink for data plane API operations.

3. Transport Layer Security (TLS) 1.1 is **not** supported.
4. Private and Hybrid Domain Name System (DNS) services are **not** supported.

## Accessing Neptune Analytics interface endpoints

When you create an interface endpoint for Neptune Analytics, AWS PrivateLink generates two types of endpoint-specific, Neptune Analytics DNS names: Regional and zonal.

- A Regional DNS name includes a unique Amazon VPC endpoint ID, a service identifier, the AWS Region, and `vpce.amazonaws.com` in its name. For example, for Amazon VPC endpoint ID `vpce-1a2b3c4d`, the DNS name generated might be similar to `vpce-1a2b3c4d-5e6f.neptune-graph.us-east-1.vpce.amazonaws.com`.
- A Zonal DNS name includes the Availability Zone - for example, `vpce-1a2b3c4d-5e6f-us-east-1a.neptune-graph.us-east-1.vpce.amazonaws.com`. You might use this option if your architecture isolates availability zones. For example, you could use it for fault containment or to reduce regional data transfer costs.

## Accessing Neptune Analytics graph from Neptune Analytics interface endpoints

You can use the AWS CLI or AWS SDKs to access Neptune Analytics graph API operations through Neptune Analytics interface endpoints.

### AWS CLI examples

To access Neptune Analytics API operations through Neptune Analytics interface endpoints in AWS CLI commands, use the `--region` parameter.

#### Example: Create a VPC endpoint

```
aws ec2 create-vpc-endpoint \
--region us-east-1 \
--service-name neptune-graph-service-name (for control APIs)/ neptune-graph-data-
service-name (for data APIs) \
--vpc-id client-vpc-id \
--subnet-ids client-subnet-id \
--vpc-endpoint-type Interface \
--security-group-ids client-sg-id
```

#### Example: Modify a VPC endpoint

Neptune Analytics VPC endpoint service uses private hosted zone to route requests to your Neptune Analytics graph. Ensure that you have enabled private dns on your VPC interface endpoint.

```
aws ec2 modify-vpc-endpoint \
--region us-east-1 \
--vpc-endpoint-id client-vpc-endpoint-id \
--private-dns-enabled
```

### Note

Ensure that the private dns is always enabled on your VPC interface endpoint otherwise you might see errors in routing requests to your Neptune Analytics graph.

## Example: List graphs using the region parameter

```
aws neptune-graph list-graphs --region us-east-1
```

## Example: Execute a query using the region parameter

```
aws neptune-graph execute-query \
--graph-identifier g-0123456789 \
--region us-east-1 \
--query-string "MATCH (n) RETURN n LIMIT 1" \
--language open_cypher \
out.txt
```

## AWS SDK examples

To access Neptune Analytics API operations through Neptune Analytics interface endpoints when using the AWS SDKs, update your SDKs to the latest version. Then, configure your clients to use the AWS region for accessing a Neptune Analytics API operation through Neptune Analytics interface endpoints.

### SDK for Python (Boto3)

In this example, you will use an endpoint URL to access a Neptune Analytics graph.

```
neptune_graph_client = session.client(
```

```
service_name='neptune-graph',  
region_name='us-east-1'  
)
```

## SDK for Java 2.x

In this example, you will use an endpoint URL to access a Neptune Analytics graph.

```
//client build with endpoint config  
final NeptuneGraphClient NeptuneGraphClient.builder()  
    .region(software.amazon.awssdk.regions.Region.US_EAST_1)  
    .credentialsProvider(credentialsProvider)  
    .build();
```

## Creating an Amazon VPC endpoint policy for Neptune Analytics data plane

### Note

AWS PrivateLink for Neptune Analytics does not support VPC endpoint policies for the control plane service `neptune-graph`. VPC endpoint policies are only supported for the Neptune Analytics data plane service `neptune-graph-data`.

You can attach an endpoint policy to your Amazon VPC endpoint that controls access to a Neptune Analytics graph. The policy specifies the following information:

- The AWS Identity and Access Management (IAM) principal that can perform actions.
- The actions that can be performed.
- The resources on which actions can be performed.

### Restricting access to a specific Neptune Analytics graph from an Amazon VPC endpoint.

You can create an endpoint policy that restricts access to only specific Neptune Analytics graphs. This type of policy is useful if you have other AWS services in your Amazon VPC that use graphs. The following policy only provides access to the `GetGraphSummary` action/API from the VPC endpoint.

## Connecting to a private endpoint from within the same VPC

For graphs using private endpoints, you can connect to your graph from any resource that has access to the private VPC, such as AWS Lambda, an Amazon SageMaker AI notebook instance, an Amazon EC2 instance, etc. The instance must be in the same VPC and subnet as the private endpoint for your graph. Ensure that the security group attached to the VPC endpoint of your private graph's endpoint allows ingress on port 443, and optionally port 8182.

For details on how to use notebooks and how to create one capable of connecting to the private endpoint of your graph, see the Neptune Analytics user guide section on [notebooks](#), making sure to supply the necessary VPC and subnet identifier when setting up your network options. If the VPC CIDR is 172.17.0.0/16, notebooks will have some difficulty connecting the graph endpoints.

You can also create an Amazon EC2 instance to connect to the private endpoint of your graph. You will need to select the correct VPC and availability zone to match your graph's private endpoint. When prompted for a security group to associate with the instance, create or choose one that has inbound TCP rules allowing ingress traffic over ports 22 (for SSH), and egress traffic over port 443 if custom egress rules are needed. For the detailed prerequisites and steps to create and connect to an Amazon EC2 instance, see the [Amazon EC2 user guide](#).

 **Note**

For troubleshooting connectivity issues refer to the [reachability analyzer](#) guide. You can get destination VPC endpointId by using the [GetPrivateGraphEndpoint](#) API.

## Connecting to a private endpoint from a different VPC (including cross-account)

In some cases, you may be required to connect to your graph from a different VPC without enabling public connectivity. For example, applications that segregate AWS services using different VPCs or different accounts. In this case, connectivity can be achieved through the use of private graph endpoints and Amazon Route 53 private hosted zones. The steps in the following procedure refer to a client in VPC B, wanting to access a Neptune Analytics graph in VPC A.

### 1. Establish network connectivity between VPC A and VPC B

You can use any method that allows traffic to move between VPCs. For example, [VPC peering](#) or [AWS Transit Gateway](#). In addition to establishing the network connection, make sure your

security groups and network ACLs allow traffic between the two VPCs. You can verify network connectivity with the [reachability analyzer](#).

## 2. Create a private graph endpoint in VPC A

If you haven't already, create a private graph endpoint in VPC A. This can be done through the console or the [CreatePrivateGraphEndpoint](#) API. Once created, collect the DNS name for the VPC endpoint that was deployed.

1. Find the VPC endpoint ID from the value of **vpceEndpointId** when calling the [ListPrivateGraphEndpoints](#) API.
2. From the console or using the [DescribeVpcEndpoints](#) API, collect the DNS name of the VPC endpoint. This should have the format of `vpce-<alphanumeric>.vpce-svc-<alphanumeric>.<region>.vpce.amazonaws.com`.
3. Use Amazon Route 53 to create a [private hosted zone](#) for VPC B.
  1. From the Route 53 console, choose **Create hosted zone**.
  2. Set the **domain name** of the private hosted zone to the graph endpoint of the Neptune Analytics graph. The graph endpoint should have the format of `g-<alphanumeric>.<region>.neptune-graph.amazonaws.com`.
  3. Set the **Type to Private hosted zone**.
  4. Associate VPC B with the hosted zone.
  5. Choose **Create hosted zone**.

Add a record to route traffic destined for the graph endpoint to the VPC endpoint directly.

1. When the hosted zone is created, choose **Create record**.
2. From the creation wizard, choose **Simple routing** for the routing policy.
3. Choose **Define simple record**. Set the **Record type** to **A**, which routes traffic to an IPv4 address and some AWS resources. Set **Value/Route** traffic to to the DNS hostname of the VPC endpoint from Step 2. This should have the format of `vpce-<alphanumeric>.vpce-svc-<alphanumeric>.<region>.vpce.amazonaws.com`.

To use private hosted zones, `enableDnsHostnames` and `enableDnsSupport` should be set to `true` for both VPCs. Depending on your networking configuration, other considerations

may apply when using private hosted zones. See [Route 53 private hosted zone considerations](#) documentation to validate your setup.

#### 4. Establish cross-account IAM permissions (only required for cross-account access)

In addition to the network connectivity established in prior steps, if the client in VPC B is in a different account (Account B), they will also need appropriate credentials to access the Neptune Analytics graph in VPC A (in Account A). You can use [cross-account IAM roles](#) to give permissions to the client.

1. Create the IAM role and policy that the client in Account B will be using (IAM role B).
2. Create an IAM role and policy in Account A that grants the desired permissions to the Neptune Analytics graph (IAM role A). Make sure that there are also permissions for IAM role B to assume this role.
3. Add permissions to IAM role B to assume the IAM role A.
4. When making a cross-account call to the Neptune Analytics graph, use the AWS Security Token Service AssumeRole API to have IAM role B assume IAM role A. Use the returned credentials when making requests to the Neptune Analytics graph, e.g. via AWS SDK, awscurl, etc.

## Accessing the graph

Once you've created a graph and set up the prerequisites for connecting to that graph, you can proceed with accessing your graph to load and query data. This section contains an explanation of ways you can communicate with your graph along with some example queries. For details on how to load data, see the [loading data](#) section in the Neptune Analytics user guide.

### Using a notebook

You can access to your Neptune Analytics graph through a Neptune workbench, which provides visualization tools on top of Neptune Analytics which can help with interpreting query results. For more information on how to set up and use a graph notebook, see the [notebooks](#) section in the Neptune Analytics user guide.

### Example

The cell magic below submits an openCypher query that returns a single node.

```
%%oc
```

```
MATCH (n) RETURN n LIMIT 1
```

## Using the AWS SDK

With the AWS SDK, you can access your graph using a programming language of your choice, which provides clean integration between Neptune Analytics and your applications. With the Neptune Analytics SDK (service name Neptune graph), you can perform data operations like querying and summarization in addition to control plane operations such as graph creation, deletion, and modification. For a list of the supported programming languages and directions for setting up the SDK in each language, see the [AWS developer tools](#) documentation.

Direct links to the API reference documentation for the Neptune Analytics service in each SDK language can be found below:

Programming language	Neptune graph API reference
C++	<a href="https://sdk.amazonaws.com/cpp/api/LATEST/aws-cpp-sdk-neptune-graph/html/annotated.html">https://sdk.amazonaws.com/cpp/api/LATEST/aws-cpp-sdk-neptune-graph/html/annotated.html</a>
Go	<a href="https://pkg.go.dev/github.com/aws/aws-sdk-go-v2/service/neptunegraph">https://pkg.go.dev/github.com/aws/aws-sdk-go-v2/service/neptunegraph</a>
Java	<a href="https://sdk.amazonaws.com/java/api/latest/software/amazon/awssdk/services/neptune/graph/package-summary.html">https://sdk.amazonaws.com/java/api/latest/software/amazon/awssdk/services/neptune/graph/package-summary.html</a>
JavaScript	<a href="https://docs.aws.amazon.com/AWSJavaScriptSDK/v3/latest/Package/-aws-sdk-client-neptune-graph/">https://docs.aws.amazon.com/AWSJavaScriptSDK/v3/latest/Package/-aws-sdk-client-neptune-graph/</a>
Kotlin	<a href="https://sdk.amazonaws.com/kotlin/api/latest/neptunegraph/index.html">https://sdk.amazonaws.com/kotlin/api/latest/neptunegraph/index.html</a>
.NET	<a href="https://docs.aws.amazon.com/sdkfornet/v3/apidocs/items/NeptuneGraph/NNeptuneGraph.html">https://docs.aws.amazon.com/sdkfornet/v3/apidocs/items/NeptuneGraph/NNeptuneGraph.html</a>

Programming language	Neptune graph API reference
PHP	<a href="https://docs.aws.amazon.com/aws-sdk-php/v3/api/namespaces-Aws/NeptuneGraph.html">https://docs.aws.amazon.com/aws-sdk-php/v3/api/namespaces-Aws/NeptuneGraph.html</a>
Python	<a href="https://boto3.amazonaws.com/v1/documentation/api/latest/reference/services/neptune-graph.html">https://boto3.amazonaws.com/v1/documentation/api/latest/reference/services/neptune-graph.html</a>
CLI	<a href="https://docs.aws.amazon.com/cli/latest/reference/neptune-graph/">https://docs.aws.amazon.com/cli/latest/reference/neptune-graph/</a>
Ruby	<a href="https://docs.aws.amazon.com/sdk-for-ruby/v3/api/Aws/NeptuneGraph.html">https://docs.aws.amazon.com/sdk-for-ruby/v3/api/Aws/NeptuneGraph.html</a>
Rust	<a href="https://crates.io/crates/aws-sdk-neptuneraph">https://crates.io/crates/aws-sdk-neptuneraph</a>
Swift	<a href="https://sdk.amazonaws.com/swift/api/awsneptunegraph/0.37.0/documentation/awsneptunegraph">https://sdk.amazonaws.com/swift/api/awsneptunegraph/0.37.0/documentation/awsneptunegraph</a>

## Examples

The following examples outline how to interact with an Amazon Neptune graph database using different programming languages and tools. It covers the steps to set up an SDK client, execute an OpenCypher query, and print the results, for Python as well as other languages. Additionally, it demonstrates how to use the AWS Command Line Interface (CLI) and the AWSURL tool to submit queries directly to the Neptune graph endpoint.

### Python

The code sample below uses the Python SDK to submit a query that returns a single node and prints the result.

1. Follow the [installation instructions](#) to install Boto3. If you are using a SageMaker AI hosted Jupyter notebook, Boto3 will be pre-installed, but you may need to update it.
2. Configure your Boto3 credentials by following the [configuring credentials](#) guide.

3. Create a file named `queryExample.py`.
4. In that file, paste the following code. It will set up a Neptune graph client, execute an `openCypher` query request, and print the result. Replace the graph identifier and query string as needed.

```
import boto3

// Set up the Neptune Graph client.
client = boto3.client('neptune-graph')

// Execute a query.
response = client.execute_query(
    graphIdentifier='g-0123456789',
    queryString='MATCH (n) RETURN n LIMIT 1',
    language='OPEN_CYPHER'
)

// Print the response.
print(response['payload'].read().decode('utf-8'))
```

5. Run the sample code by entering `python queryExample.py`.

## Go

The code sample below uses the Go SDK to submit a query that returns a single node and prints the result.

1. Follow the [installation instructions](#) to install Go and the AWS SDK for Go.
2. Create a file named `queryExample.go`.
3. In that file, paste the following code. It will set up a Neptune graph client, execute an `openCypher` query request, and print the result. Replace the graph identifier and query string as needed.

```
package main

import (
    "context"
    "log"
    "github.com/aws/aws-sdk-go-v2/aws"
    "github.com/aws/aws-sdk-go-v2/config"
```

```
    "github.com/aws/aws-sdk-go-v2/service/neptunegraph"
    "io"
}

func main() {
    // Load the Shared AWS Configuration (~/.aws/config)
    cfg, err := config.LoadDefaultConfig(context.TODO())
    if err != nil {
        log.Fatal(err)
    }

    // Create an Amazon Neptune Analytics service client
    client := neptunegraph.NewFromConfig(cfg)

    // Execute a query
    output, err := client.ExecuteQuery(context.TODO(),
    &neptunegraph.ExecuteQueryInput{
        GraphIdentifier: aws.String("g-0123456789"),
        Language: "OPEN_CYPHER",
        QueryString: aws.String("MATCH (n) RETURN n LIMIT 1"),
    })
    if err != nil {
        log.Fatal(err)
    }

    // Print the results
    bytes, err := io.ReadAll(output.Payload)
    log.Println(string(bytes))
}
```

4. Run the sample code by entering `go run queryExample.go`.

## Node.js

The Node.js code sample below uses the JavaScript SDK to submit a query that returns a single node and prints the result.

1. Follow the [installation instructions](#) to install Node.js and set up your package structure.  
For this example, install the Neptune graph client package instead of the Amazon S3 client package: `npm install @aws-sdk/client-neptune-graph`.
2. Create a file in that directory structure named `queryExample.js`.

3. In that file, paste the following code. It will set up a Neptune graph client, execute an openCypher query request, and print the result. Replace the graph identifier and query string as needed.

```
import { NeptuneGraphClient, ExecuteQueryCommand } from "@aws-sdk/client-neptune-graph";

// Set up the client.
const neptuneGraphClient = new NeptuneGraphClient({});

// Send the query request.
const output = await neptuneGraphClient.send(
  new ExecuteQueryCommand({
    graphIdentifier: "g-0123456789",
    language: "OPEN_CYPHER",
    queryString: "MATCH (n) RETURN n LIMIT 1"
  })
);

// Print the result.
console.log(await output.payload.transformToString('utf-8'));
```

4. Run the sample code by entering node queryExample.js.

## Java

The tutorial below sets up a project that uses the Java SDK to submit a query that returns a single node and prints the result.

1. To get started with the Java SDK, follow the [installation instructions](#) to install Java and set up a build tool that supports Maven central. This example will use [Apache Maven](#).
2. Follow the [steps](#) to create a project using Maven based on the quickstart template. When executing these steps, please make the following modifications:

 **Note**

When generating the project from the template, specify a version of the Java SDK that includes the Neptune graph service APIs. For this example, use 2.25.7 as your archetype version.

```
mvn archetype:generate \
-DarchetypeGroupId=software.amazon.awssdk \
-DarchetypeArtifactId=archetype-app-quickstart \
-DarchetypeVersion=2.25.7
```

Running the command above will present you with several prompts. When asked to provide a 'service' (i.e., the service whose client and APIs you plan to use for this tutorial), please enter neptunegraph as the service name. An updated table of prompts and values can be found below:

Prompt	Value to enter
Define value for property 'service':	neptunegraph
Define value for property 'httpClient':	apache-client
Define value for property 'nativeImage':	false
Define value for property 'credentialProvider':	identity-center
Define value for property 'groupId':	org.example
Define value for property 'artifactId':	getstarted
Define value for property 'version' 1.0-SNAPSHOT:	<Enter>
Define value for property 'package' org.example:	<Enter>

3. After generating the project structure, you should see three Maven-generated classes defined in the `getstarted/src/main/java/org/example/` directory: `App.java`, `DependencyFactory.java`, and `Handler.java`. For details on each of these classes, see step 3 in the [SDK for Java](#) guide. Since this example uses the neptunegraph service, the Maven-generated code in the `DependencyFactor` and `Handler` classes will be using a different client than the code samples provided there. Refer to the Neptune graph-specific equivalents of the auto-generated classes below:

a. Maven-generated App.java - this file is the same regardless of the service used.

```
package org.example;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;

public class App {
    private static final Logger logger = LoggerFactory.getLogger(App.class);

    public static void main(String... args) {
        logger.info("Application starts");

        Handler handler = new Handler();
        handler.sendRequest();

        logger.info("Application ends");
    }
}
```

b. Maven-generated DependencyFactory.java - This file uses the client class NeptuneGraphClient because neptunegraph was chosen as the service during the project setup.

```
package org.example;

import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.neptunegraph.NeptuneGraphClient;

/**
 * The module containing all dependencies required by the {@link Handler}.
 */
public class DependencyFactory {

    private DependencyFactory() {}

    /**
     * @return an instance of NeptuneGraphClient
     */
    public static NeptuneGraphClient neptuneGraphClient() {
        return NeptuneGraphClient.builder()
            .httpClientBuilder(ApacheHttpClient.builder())
            .build();
    }
}
```

```
}
```

c. Maven-generated Handler.java - This file uses the client class NeptuneGraphClient because neptunegraph was chosen as the service during the project setup.

```
package org.example;

import software.amazon.awssdk.services.neptunegraph.NeptuneGraphClient;

public class Handler {
    private final NeptuneGraphClient neptuneGraphClient;

    public Handler() {
        neptuneGraphClient = DependencyFactory.neptuneGraphClient();
    }

    public void sendRequest() {
        // TODO: invoking the api calls using neptuneGraphClient.
    }
}
```

4. Make changes to the Maven-generated handler class to fill in the missing logic in sendRequest to use the NeptuneGraphClient to execute a query, then print the result. Copy the completed code below, which replaces the TODO with code and adds the necessary imports. Replace the graph identifier and query string as needed.

```
package org.example;

import software.amazon.awssdk.core.ResponseInputStream;
import software.amazon.awssdk.services.neptunegraph.NeptuneGraphClient;
import software.amazon.awssdk.services.neptunegraph.model.ExecuteQueryRequest;
import software.amazon.awssdk.services.neptunegraph.model.ExecuteQueryResponse;

import java.io.BufferedReader;
import java.io.InputStreamReader;
import java.io.IOException;

public class Handler {
    private final NeptuneGraphClient neptuneGraphClient;

    public Handler() {
```

```
neptuneGraphClient = DependencyFactory.neptuneGraphClient();
}

public void sendRequest() {
    String graphIdentifier = "g-0123456789";
    String queryString = "MATCH (n) RETURN n LIMIT 1";

    ExecuteQueryRequest request = ExecuteQueryRequest.builder()
        .graphIdentifier(graphIdentifier)
        .queryString(queryString)
        .build();

    System.out.println("Executing query: " + queryString);

    ResponseInputStream<ExecuteQueryResponse> response =
    neptuneGraphClient.executeQuery(request);
    BufferedReader reader = new BufferedReader(new
    InputStreamReader(response));

    try {
        System.out.println("Printing query result:");
        String line;
        while ((line = reader.readLine()) != null) {
            System.out.println(line);
        }
    } catch (IOException e) {
        System.out.println("Error occurred while printing result.");
    }
}
}
```

5. Navigate to your project directory `getStarted`.
6. Build your project: `mvn clean package`
7. Run the application: `mvn exec:java -Dexec.mainClass="org.example.App"`.

## Using the AWS CLI

You can connect to your graph using the AWS command-line interface. Specify the `neptune-graph` service name to use Neptune Analytics APIs. For information on AWS CLI installation and usage, see the [AWS CLI documentation](#). To set up credentials, refer to the [AWS CLI user guide](#).

The example command below uses the AWS CLI to submit a query that returns a single node.

```
aws neptune-graph execute-query \
--graph-identifier g-0123456789 \
--region us-east-2 \
--query-string "MATCH (n) RETURN n LIMIT 1" \
--language open_cypher \
out.txt
```

## Using AWSCURL

You can connect to your graph using the `awscurl` command-line tool. This allows you to directly make requests using HTTPS against a graph endpoint. You can find the correct endpoint to use in the AWS console (under the “Connectivity & Security” section of a Neptune Analytics graph page) and in the response of any `GetGraph` API request. To set up credentials, refer to the [AWS CLI user guide](#).

For `awscurl` installation and setup instructions, see [AWSCURL](#) github repository.

The following command uses `awscurl` to submit a query that returns a single node.

```
awscurl -X POST "https://g-0123456789.us-east-2.neptune-graph.amazonaws.com/queries" \
-H "Content-Type: application/x-www-form-urlencoded" \
--region us-east-2 \
--service neptune-graph \
-d "query=MATCH (n) RETURN n LIMIT 1"
```

## Best practices

Ensure the streams have been consumed and closed to be able to re-use client connections in the SDK. See the [SDK for Java developer guide](#) for more information.

## CLI and SDK

Using the default settings, any CLI or SDK request will timeout in 60 seconds and attempt a retry. For the cases where you are running queries that can take longer than 60 seconds, it is recommended to set the CLI/SDK timeout to 0 (no timeout), or a much larger value to avoid unnecessary retries. It is also recommended to set `MAX_ATTEMPTS` for CLI/SDK to 1 for `execute_query` to avoid any retries by the CLI/SDK. For the Boto client, set the `read_timeout` to `None`, and the `total_max_attempts` to 1.

```
import boto3
```

```
from botocore.config import Config
n = boto3.client('neptune-graph',
                  config=(Config(retries={"total_max_attempts": 1, "mode": "standard"},  
read_timeout=None)))
```

For the CLI, set the `--cli-read-timeout` parameter to `0` for no timeout, and set the environment variable `AWS_MAX_ATTEMPTS` to `1` to prevent retries.

```
export AWS_MAX_ATTEMPTS=1
aws neptune-graph execute-query \
--graph-identifier <graph-id> \
--region <region> \
--query-string "MATCH (p:Person)-[r:KNOWS]->(p1) RETURN *;" \
--cli-read-timeout 0
--language open_cypher /tmp/out.txt
```

# Using notebooks with Neptune Analytics

The Neptune managed open-source [graph-notebook project](#) provides a plethora of [Jupyter](#) extensions and sample notebooks that make it easy to interact with and learn to use a Neptune Analytics graph.

These graph notebooks support a suite of intuitive Jupyter line- and cell-magic commands. The magic commands abstract away much of the initial setup typically required for using Neptune Analytics, and take care of SigV4 signing of requests. They can create graph connections, load data, run openCypher queries, and interact with various Neptune Analytics APIs.

You can find a list of the full set of Neptune graph-notebook magics and their options [in the Neptune Userguide](#). However, only the following magics are compatible with Neptune Analytics graphs:

- [`%seed`](#) (adds sample data to a graph).
- [`%load`](#) (uses the [`neptune-load\(\)`](#) openCypher integration to let you batch-load data).
- [`%status`](#) or [`%get\_graph`](#) (gets status information about the graph).
- [`%%openCypher`](#) or [`%%oc`](#) (issues an openCypher query).
- [`%openCypher\_status`](#), or [`%oc\_status`](#) (retrieves query status for, or cancels, an openCypher query).
- [`%%graph\_notebook\_config`](#) (displays a JSON object containing the configuration that the notebook is using).
- [`%graph\_notebook\_host`](#) (sets the line input as the notebook's host).
- [`%graph\_notebook\_version`](#) (returns the Neptune workbench notebook release number).
- [`%graph\_notebook\_service`](#) (sets the line input as the Neptune service name to use).
- [`%%graph\_notebook\_vis\_options`](#) (lets you set visualization options for the notebook).
- [`%summary`](#) (retrieves graph summary information).
- [`%graph\_reset`](#) (empties the data from a graph).

You can use a Neptune graph notebook to generate an interactive visualization of the results returned from an openCypher query, and use options to customize the appearance of the visualized graph (see [Graph visualization in the Neptune workbench](#)).

## Take advantage of all the sample notebooks

A wide variety of sample Jupyter notebooks are available in the Neptune [graph-notebook project](#). Some of these are purpose-built for learning how to get the most of a Neptune Analytics graph and its powerful built-in algorithms in the context of common real-world applications.

After installing the graph-notebook project either locally or on SageMaker AI, you should be able to find sample notebooks under the notebook directory, `../Neptune/02-Neptune-Analytics`.

## Creating a new Neptune Analytics notebook using a CloudFormation template

[Amazon SageMaker AI Notebook instances](#) provide a fully managed Jupyter environment for running graph notebooks that are connected to a Neptune Analytics graph. SageMaker AI Notebooks run natively on Amazon Linux 2, and support use of the Jupyter Classic Notebook or JupyterLab 3 interface on the same instance.

You can use one of the following CloudFormation templates to set up a new Neptune Analytics notebook to use with your Neptune Analytics graph:

### To use an CloudFormation stack to create a new Neptune Analytics notebook

1. Choose one of the **Launch Stack** buttons in the following table to launch the CloudFormation stack on the CloudFormation console.

Region	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch</a>
US East (N. Virginia)	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch Stack</a> 
US East (Ohio)	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch Stack</a> 
US West (Oregon)	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch Stack</a> 
Europe (Ireland)	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch Stack</a> 

Region	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch</a>
Europe (Frankfurt)	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch Stack</a> 
Asia Pacific (Tokyo)	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch Stack</a> 
Asia Pacific (Singapore)	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch Stack</a> 
Asia Pacific (Sydney)	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch Stack</a> 
Asia Pacific (Mumbai)	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch Stack</a> 
Canada (Central)	<a href="#">View</a>	<a href="#">View in Designer</a>	<a href="#">Launch Stack</a> 

2. On the **Select Template** page, choose **Next**.
3. In the **Stack Details** page, under **GraphEndpoint**, enter the public or private endpoint of your Neptune Analytics graph.
4. Under **Notebook Name** enter a name for the new notebook that is unique for your account and region in SageMaker AI.
5. On the **Options** page, choose **Next**.
6. If you're using a private endpoint for your Neptune Analytics graph, enter the following under **Network Options**:
  - a. Under **GraphVPC** enter the ID of a VPC associated with the private graph endpoint.
  - b. Under **GraphSubnetId** enter the ID of any subnet associated with your private graph endpoint.
  - c. Under **GraphSecurityGroup** enter the ID of a security group associated with the VPC. This is optional; if not provided, a new security group is automatically created for this purpose.
7. Click through the rest of the stack creation steps, leaving everything as default, and submit for creation.

In around 5 minutes, you should see the new Neptune Analytics notebook appear in the SageMaker AI and Neptune consoles.

## Creating a new Neptune Analytics notebook using the AWS Management Console

You can create a new notebook for Neptune Analytics by following the instructions mentioned in [Using the Neptune workbench to host Neptune notebooks](#) with a few changes:

- While selecting the Neptune service, please choose **Analytics**.
- The console can create an AWS AWS Identity and Access Management role for your notebooks, or you can create one yourself by following [Create an IAM role for a Neptune Analytics notebook](#).

## Create an IAM role for a Neptune Analytics notebook

### To create an IAM role for a Neptune Analytics notebook

1. Sign in to the AWS Management Console and open the IAM console at <https://eusc-de-east-1.console.amazonaws-eusc.eu/iam/>.
2. In the navigation pane, expand **Access management**, then choose **Roles**.
3. Select **Create role**.
4. Under **Trusted entity type**, select **Custom trust policy** and copy in the following trust policy:

JSON

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Principal": {
        "Service": "sagemaker.amazonaws.com"
      },
      "Action": "sts:AssumeRole"
    }
  ]
}
```

5. Choose **Next**, and then **Next** again.
6. Enter a name and description for the role, and select **Create role**.
7. Go back to the **Roles** page, search for the name of the role you just created, and open it.
8. On the **Permissions** tab Under **Permissions policies**, select **Add permissions** and choose **Create inline policy**.
9. In the **Policy editor**, switch to the **JSON** option, and copy in the following policy:
10. Choose **Next**.
11. Give a name to the inline policy.
12. Select **Create policy**. Make note of the name of the policy you just created.

## Hosting a Neptune Analytics graph-notebook on your local machine

It is also possible to install and run a Neptune Analytics graph notebook on your local machine. You can find instructions in the [GitHub graph-notebook repository](#):

- [Prerequisites](#)
- [Jupyter Classic Notebook](#) or <https://github.com/aws/graph-notebook/#jupyterlab-3x> installation
- [Connecting to Neptune](#)

When setting up for Neptune Analytics:

- When setting the connection using [%%graph\\_notebook\\_config](#), make sure to set the `neptune_service` field to the value `neptune-graph`.
- If you're connecting to a private graph endpoint, you need to enable access to the VPC where the Neptune Analytics instance resides. The easiest way to set this up is using an SSH tunnel to a proxy EC2 instance in the VPC. For more information, see [Connecting graph notebook locally to Amazon Neptune](#) in GitHub.
- If you're using a public graph endpoint, no additional connectivity setup is required.

# Creating a new Neptune Analytics graph using the AWS Management Console

You can use the Neptune console to create a new Neptune Analytics graph.

## Note

If you are working with a large dataset (on the order of 50 GiB or larger) that you intend to load at the same time the new graph is created, be sure to [create an IAM role](#) that grants permissions to load the dataset from the location where it resides.

## To use the Neptune console to create a graph

1. Sign in to the AWS Management Console, and open the Amazon Neptune console at <https://eusc-de-east-1.console.amazonaws-eusc.eu/neptune/>.
2. In the navigation pane, select **Graphs** under **Analytics**.
3. Select **Create graph**.
4. Enter a name for the new graph.
5. The next steps depend on whether you are creating an empty graph or one preloaded with data.
  - If you choose **Create empty graph**, choose the number of memory-optimized Neptune Capacity Units (m-NCUs) to allocate to the new Neptune Analytics graph, between 128 and 1024. Each m-NCU has around one GiB of memory capacity and corresponding compute and networking.
  - If you choose **Create Graph from existing source**, Neptune Analytics will bulk-load data for you when the graph is created. Choose this option if you want to import a large dataset, on the order of 50 GiB or larger. See [Bulk import](#) for details.
    - a. Set values for the minimum and maximum m-NCUs, or just leave them at their default values (128 m-NCUs). The units are memory-optimized Neptune Capacity Units (m-NCUs), each of which is roughly equivalent to 1 GiB of memory and corresponding compute and networking. Neptune Analytics evaluates the data that you want to load and estimates the resources needed to handle it, within the range of m-NCUs that you specify.

- b. Under **Load role ARN**, select an IAM role that you have created to provide the necessary permissions for the data import. See [Create an IAM role with permissions to export from Neptune to Neptune Analytics](#) for instructions about how to create the role.
- c. The next steps depend on what source you're loading data from:
  - If you choose **Create empty graph**, choose the number of memory-optimized Neptune Capacity Units (m-NCUs) to allocate to the new Neptune Analytics graph, between 16 and 4096. Each m-NCU has around one GiB of memory capacity and corresponding compute and networking.
  - If you choose **Neptune cluster snapshot** as the type of source, select one of your manual DB snapshots that you want to load from under **Neptune DB snapshot**.
  - If you choose **S3** as the type of source, enter the URL of the Amazon S3 location where the data file(s) to be loaded are located, under **Resource URI**. The path to the folder location must end in a slash rather than specify to a particular file.

6. Under **Availability settings**, choose how many failover replicas you want to create for the new graph. The default is one, but if you select **Use custom number of replicas** you can choose from zero to two failover replicas.

 **Important**

Additional charges equivalent to the m-NCUs selected for the graph apply for each replica.

7. Under **Network and security**, check **Allow from public** to create a public endpoint for your new Neptune Analytics graph to make it accessible over the internet. If you want to use your own KMS key to encrypt your data, check **Customize encryption settings** and specify a KMS key of your choosing.
8. Under **Vector search settings**, if you want to set up a vector index for the graph, choose **Use vector dimension** and then specify the number of dimensions for the vectors in the index.
9. Under **Advanced settings**, you can make it easier to delete your new graph by selecting **Turn off deletion protection**. Deletion protection is turned on by default.
10. Finally, under **Tags**, you can associate tags with your new Neptune Analytics graph.
11. When everything is configured as you want it to be, choose **Create Graph**.

# Loading data into a Neptune Analytics graph

Neptune Analytics provides several options for loading data into a graph, supporting both RDF (Resource Description Framework) and LPG (Labeled Property Graph) models.

- **Bulk import** – Designed to handle large scale data ingestion and is the fastest way to load large volumes of data. Bulk import runs a task to load data from files in [Amazon S3](#). This option **must** be done on an empty graph, either at creation time using the [CreateGraphUsingImportTask](#) action, or on an existing graph using the [StartImportTask](#) action.
- **Batch load** – Designed to handle incremental data ingestion to existing graphs using files in Amazon S3. This can be used to add more data or update single cardinality property values in existing graph data. The volume of data that can be ingested in a single request is lower than what bulk import can support.
- **openCypher queries** – Add more data through [queries](#), if data is not available from files in Amazon S3 or the data volume is small. This is also a more generic approach for conditional inserts based on data already in the graph, and updating contents of the graph.

## Warning

Be cautious while loading a file of edges. If the same edge file is loaded twice, duplicate edges will be inserted into the graph which can lead to unintended results.

Also, while using the SDK/CLI command `execute-query` to run `neptune.load()`, it is recommended to increase the timeout window and disable the retries for the SDK/CLI.

For more information about increasing the timeout and disabling retries, see [ExecuteQuery](#).

## Topics

- [Data format for loading from Amazon S3 into Neptune Analytics](#)
- [Batch load](#)
- [Bulk import data into a graph](#)
- [neptune.read\(\)](#)

# Data format for loading from Amazon S3 into Neptune Analytics

Neptune Analytics, just like [Neptune Database](#), supports four formats for loading data:

- [RDF \(ntriples\)](#), which is a line-based format for triples. See [Using RDF data](#) for more information on how this data is handled.
- [csv](#) and [opencypher](#), which are csv-based formats with schema restrictions. A csv file must contain a header row and the column values. The remainder of the files are interpreted based on the corresponding header column. The header could contain predefined system column names and user-defined column names annotated with predefined datatypes and cardinality.
- [Parquet](#), which is an open source, column-oriented data file format designed for efficient data storage and retrieval. It provides high performance compression and encoding schemes to handle complex data in bulk. The data for each column in a Parquet file is stored together.

It's possible to combine CSV, RDF and Parquet data in the same graph, for example by first loading CSV data and enriching it with RDF data.

## Using CSV data

Neptune Analytics, like [Neptune Database](#), supports two csv formats for loading graph data: [csv](#) and [opencypher](#). Both are csv-based formats with a specified schema. A csv file must contain a header row and the column values. The remainder of the files are interpreted based on the corresponding header column. The header could contain predefined system column names and user-defined column names, annotated with predefined datatypes and cardinality.

### Differences with Neptune csv (opencypher) format

#### Edge files:

- The `~id` (`:ID`) column in edge (relationship) files in CSV (opencypher) format are not supported. They are ignored if provided in any of the edge (relationship) files.

#### Vertex files:

- Only explicitly provided labels are associated with the vertices. If the label provided is empty, the vertex would be added without a label. If a row contains just the vertex id without any labels or

properties then the row is ignored, and no vertex is added. For more information about vertices, see [vertices](#).

- A new column type `Vector` is supported for associating embeddings with vertices. Since Neptune Analytics only supports one index type at this moment, the property name for embeddings is currently fixed to `Embeddings`. If the element type of the embeddings are not floating point (FP32), they will be typecasted to FP32. The embeddings in the csv files are optional when the vector index is enabled. This means that not every node needs to be associated with an embedding. If you want to set up a vector index for the graph, choose use `vector_dimension` and then specify the number of dimensions for the vectors in the index. Note that the dimension must match the dimension of the embeddings in the vertex files. For more details of loading embeddings, refer to [vector-index](#).

### Edge or vertex files:

- Unlike Neptune Database, a vertex identifier could appear just in edge files. Neptune Analytics allows loading just the edge data from files in Amazon S3, and running an algorithm over the data without needing to provide any additional vertex information. The edges are created between vertices with the given identifiers, and the vertices have no labels or properties unless any are provided in the vertex files. For more information on vertices and what they are, see [vertices](#).
- Date column type is supported. The following date formats are supported: yyyy-MM-dd, yyyy-MM-dd[+|-]hhmm. To include time along with date, use the `Datetime` column type instead.
- The datetime values can either be provided in the [XSD format](#) or one of the following formats:
  - yyyy-MM-dd
  - yyyy-MM-ddTHH:mm
  - yyyy-MM-ddTHH:mm:ss
  - yyyy-MM-ddTHH:mm:ssZ
  - yyyy-MM-ddTHH:mm:ss.SSSZ
  - yyyy-MM-ddTHH:mm:ss[+|-]hhmm
  - yyyy-MM-ddTHH:mm:ss.SSS[+|-]hhmm
- Float and double values in scientific notation are currently not supported. Also, `Infinity`, `INF`, `-Infinity`, `-INF`, and `NaN` (Not-a-number) values are supported.
- Gzip files are not supported.

- The maximum length of the strings supported is smaller, and limited to 1,048,062 bytes. The limit would be lower for strings with unicode characters since some unicode characters are represented using multiple bytes.
- Multi-line string values are not supported. Imports behavior is undefined if the dataset contains multi-line string values.
- Quoted string values must not have a leading space between the delimiter and quotes. For example, if a line is abc, “def” then that is interpreted as a line with two fields, with string values of abc and “def”. “def” is a non-quoted string field and quotes are stored as-is in the value, with a size of 6 characters. If the line is abc, “def” then it is interpreted as a line with two fields with string values abc and def.
- A column type Any is supported in the user columns. An Any type is a type “syntactic sugar” for all of the other types we support. It is extremely useful if a user column has multiple types in it. The payload of an Any type value is a list of json strings as follows: `{"value": "10", "type": "Int"}; {"value": "1.0", "type": "Float"}`, which has a value field and a type field in each individual json string. The column header of an Any type is `propertynname: Any`. The cardinality value of an Any column is set, meaning that the column can accept multiple values.
  - Neptune Analytics supports the following types in an Any type: Bool (or Boolean), Byte, Short, Int, Long, UnsignedByte, UnsignedShort, UnsignedInt, UnsignedLong, Float, Double, Date, dateTIme, and String.
  - Vector type is not supported in Any type.
  - Nested Any type is not supported. For example, `{"value": {"value": "10", "type": "Int"}, "type": "Any"}`.

## Using Parquet data

Neptune Analytics supports importing data using the Parquet format. A Parquet file must contain a header row and the column values. The remainder of the files are interpreted based on the corresponding header column. The header should contain predefined system column names and/or user-defined column names. Aside from the header row and column values, a Parquet file also has metadata which is stored in-line with the Parquet file, and is used in the reading and decoding of said data.

**Note**

Compression for Parquet format is not supported at this time.

## System column headers

The required and allowed system column headers are different for vertex files and edge files. Each system column can appear only once in a header. All labels are case sensitive.

**Note**

The `~id` column in edge (relationship) files in Parquet format are not supported. They are ignored if provided in any of the edge (relationship) files.

## Vertex headers

- `~id` - Required. An `id` for the vertex.
- `~label` - Optional. A label for the vertex, multiple label values are supported, separated by semicolons (`;`).

## Edge headers

- `~from` - Required. The vertex `id` of the `from` vertex.
- `~to` - Required. The vertex `id` of the `to` vertex.
- `~label` - Optional. A label for the edge. Edges can only have a single label.

## Property column headers

Unlike the property column headers of the CSV format, the property column headers of the Parquet format only need to have the property names, there is no need to have the type names nor the cardinality.

There are however, some special column types in the Parquet format that requires annotation in the metadata, including Any type, Date type, and `dateTime` type. For more details of Any type, Date type, and `dateTime` type, please refer to [using CSV data](#). The following object is

an example of the metadata that has Any type column, Date type column and dateTime type column annotated:

```
"metadata": {  
    "anyTypeColumns": ["UserCol1"],  
    "dateTypeColumns": ["UserCol2"],  
    "dateTimeTypeColumns": ["UserCol3"]  
}
```

### Note

Space, comma, carriage return and newline characters are not allowed in the column headers, so property names cannot include these characters.

## Using RDF data

Neptune Analytics supports importing RDF data using the n-triples format. The handling of RDF values is described below, including how RDF data is interpreted as LPG concepts and can be queried using openCypher.

### Handling of RDF values

The handling of RDF specific values, that don't have a direct equivalent in LPG, is described here.

#### IRIs

Values of type IRI, like `<http://example.com/Alice>`, are stored as such. IRIs and Strings are distinct data types.

Calling openCypher function `TOSTRING()` on an IRI returns a string containing the IRI wrapped inside `<>`. For example, if `x` is the IRI `<http://example.com/Alice>`, then `TOSTRING(x)` returns "`<http://example.com/Alice>`". When serializing openCypher query results in json format, IRI values are included as strings in this same format.

#### Language-tagged literals

Values like "Hallo"@de are treated as follows:

- When used as input for openCypher string functions, like `trim()`, a language-tagged string is treated as a simple string; so `trim("Hallo"@de)` is equivalent to `trim("Hallo")`.

- When used in comparison operations, like `x = y` or `x <> y` or `x < y` or `ORDER BY`, a language-tagged literal is “greater than” (and thus “not equal to”) the corresponding simple string:  
“Hallo” < “Hallo”@de.

Calling a function, such as `TOSTRING()` on a language-tagged literal, returns that literal as a string without language tag. For example, if `x` is the value “Hallo”@de, then `TOSTRING(x)` returns “Hallo”. When serializing openCypher query results in JSON format, language-tagged literals are also serialized as strings without an associated language tag.

## Blank nodes

Blank nodes in n-triples data files are replaced with globally unique IRIs at import time.

Loading RDF datasets that contains blank nodes is supported; but those blank nodes are represented as IRIs in the graph. When loading ntriples files the parameter `blankNodeHandling` needs to be specified, with the value `convertToIri`.

The generated IRI for a blank node has the format: `<http://aws.amazon.com/neptune/vocab/v01/BNode/scope#id>`

In these IRIs, `scope` is a unique identifier for the blank node scope, and `id` is the blank node identifier in the file. For example for a blank node `_b123` the generated IRI could be `<http://aws.amazon.com/neptune/vocab/v01/BNode/737c0b5386448f78#b123>`.

The **blank node scope** (e.g. `737c0b5386448f78`) is generated by Neptune Analytics and designates one file within one load operation. This means that when two different ntriples files reference the same blank node identifier, like `_b123`, there will be two IRIs generated, namely one for each file. All references to `_b123` within the first file will end up as references to the first IRI, like `<http://aws.amazon.com/neptune/vocab/v01/BNode/1001#b123>`, and all references within the second file will end up referring to another IRI, like `<http://aws.amazon.com/neptune/vocab/v01/BNode/1002#b123>`.

## Referencing IRIs in queries

There are two ways to reference an IRI in an openCypher query:

- Wrap the full IRI inside `< and >`. Depending on where in the query this IRI is referenced, the IRI is then provided as a String, such as `"<http://example.com/Alice>"` (when the IRI is the value of property `~id`), or in backticks such as ``<http://example.com/Alice>`` (when the IRI is a label, or property key).

```
CREATE (:`<http://xmlns.com/foaf/0.1/Person>` {`~id`: "<http://example.com/Alice>"})
```

- Define a PREFIX at the start of the query, and inside the query reference an IRI using prefix::suffix. For example, after PREFIX ex: <http://example.com/> the reference ex::Alice also references the full IRI <http://example.com/Alice>.

```
PREFIX foaf: <http://xmlns.com/foaf/0.1/>
PREFIX ex: <http://example.com/>
CREATE (: foaf::Person {`~id`: ex::Alice})
```

Additional query examples below show the use of both full IRIs and the prefix syntax.

## Mapping RDF triples to LPG concepts

There are three rules that define how RDF triples correspond to LPG concepts:

Case	RDF triple	#	LPG concept
<hr/>			
Case #1	{ <iri> rdf:type <iri> }	#	vertex with id + label
Case #2	{ <iri> <iri> "literal"}	#	vertex property
Case #3	{ <iri> <iri> <iri> }	#	edge with label

### Case #1: Vertex with id and label

A triple like:

```
<http://example.com/Alice> rdf:type <http://xmlns.com/foaf/0.1/Person>
```

is equivalent to creating the vertex in openCypher like:

```
CREATE (:`<http://xmlns.com/foaf/0.1/Person>` {`~id`: "<http://example.com/Alice>"})
```

In this example, the vertex label <http://xmlns.com/foaf/0.1/Person> is interpreted and stored as an IRI.

**Note**

The back quote syntax `` is part of openCypher which allows inserting characters that normally cannot be used in labels. Using this mechanism, it's possible to include complete IRIs in a query.

Using PREFIX, the same CREATE query could look like:

```
PREFIX foaf: <http://xmlns.com/foaf/0.1/>
PREFIX ex: <http://example.com/>
CREATE (: foaf::Person {`~id`: ex::Alice})
```

To match the newly created vertex based on its id:

```
MATCH (v {`~id`: "<http://example.com/Alice>"}) RETURN v
```

or equivalently:

```
PREFIX ex: <http://example.com/>
MATCH (v {`~id`: ex::Alice}) RETURN v
```

To find vertices with that RDF Class/LPG Label:

```
MATCH (v: `<http://xmlns.com/foaf/0.1/Person>`) RETURN v
```

or equivalently:

```
PREFIX foaf: <http://xmlns.com/foaf/0.1/>
MATCH (v : foaf::Person) RETURN v
```

## Case #2: Vertex property

A triple like:

```
<http://example.com/Alice> <http://xmlns.com/foaf/0.1/name> "Alice Smith"
```

is equivalent to defining with openCypher node with a given ~id and property, where both the ~id and the property key are IRIs:

```
CREATE ( {`~id`: "<http://example.com/Alice>",
`<http://xmlns.com/foaf/0.1/name>`: "Alice Smith" })
```

or equivalently:

```
PREFIX foaf: <http://xmlns.com/foaf/0.1/>
PREFIX ex: <http://example.com/>
CREATE ( {`~id`: ex::Alice, foaf::name: "Alice Smith" })
```

To match the vertex with that property:

```
MATCH (v {`<http://xmlns.com/foaf/0.1/name>`: "Alice Smith"}) RETURN v
```

or equivalently:

```
PREFIX foaf: <http://xmlns.com/foaf/0.1/>
MATCH (v { foaf::name : "Alice Smith" }) RETURN v
```

### Case #3: Edge

A triple like:

```
<http://example.com/Alice> <http://example.com/knows> <http://example.com/Bob>
```

is equivalent to defining with OpenCypher an edge like this, where the edge label and vertices ids are all IRIs:

```
CREATE ( {`~id`: "<http://example.com/Alice>"})
-[:`<http://example.com/knows>`]->( {`~id`: "<http://example.com/Bob>" })
```

or equivalently:

```
PREFIX ex: <http://example.com/>
CREATE ( {`~id`: ex::Alice })-[: ex::knows ]->( {`~id`: ex::Bob })
```

To match the edges with that label:

```
MATCH (v)-[:`<http://example.com/knows>`]->(w) RETURN v, w
```

or equivalently:

```
PREFIX ex: <http://example.com/>
MATCH (v)-[: ex::knows ]->(w) RETURN v, w
```

## Query Examples

### Matching language-tagged literals

If this triple was loaded from a dataset:

```
<http://example.com/German> <http://example.com/greeting> "Hallo"@de
```

then it will **not** be matched by this query:

```
MATCH (n) WHERE n.`<http://example.com/greeting>` = "Hallo"
```

because the language-tagged literal "Hallo"@de and the string "Hallo" are not equal. For more information, see [Language-tagged literals](#). The query can use `TOSTRING()` in order to find the match:

```
MATCH (n) WHERE TOSTRING(n.`<http://example.com/greeting>`) = "Hallo"
```

## Batch load

Neptune Analytics supports a `CALL` procedure `neptune.load` to load data from Amazon S3, to insert new vertices, edges, and properties, or to update single cardinality vertex property values. It executes as a mutation query and does atomic writes. It uses the IAM credentials of the caller to access the data in Amazon S3. See [Create your IAM role for Amazon S3 access](#) to set up the permissions.

### Request syntax

The signature of the `CALL` procedure is shown below:

```
CALL neptune.load(
{
  source: "string",
```

```
    region: "us-east-1",
    format: "csv",
    failOnError: true,
    concurrency: 1
}
)
```

- **source** (required) – An Amazon S3 URI prefix. All object names with matching prefixes are loaded. See [Neptune Database loader reference](#) for Amazon S3 URI prefix examples. The IAM user who signs the openCypher request must have permissions to list and download these objects, and must be authorized for `WriteDataViaQuery` and `DeleteDataViaQuery` actions. See [IAM role mapping](#) for more IAM authentication related details.
- **region** (required) – The AWS region where the Amazon S3 bucket is hosted. Currently, cross-region loads are not supported.
- **format** (required) – The data format of the Amazon S3 data to be loaded, valid options are `csv`, `opencypher`, `ntriples` or `parquet`. For more information, see [Data format for loading from Amazon S3 into Neptune Analytics](#).
- **ParquetType** (required if the format is `parquet`) - The data type of the Parquet format, with the only valid option being `columnar`. For more information, see [Using Parquet data](#).
- **blankNodeHandling**(must be provided when format is `ntriples`) - The method to handle blank nodes in the dataset. Currently, only `convertToIri` is supported, meaning blank nodes are converted to unique IRIs at load time. For more information, see [Handling RDF values](#).
- **failOnError** (optional) default: `true` – If set to `true` (the default), the load process halts whenever there is an error parsing or inserting data. If set to `false`, the load process continues and commits whatever data was successfully inserted.

The edge or relationship data should be loaded with `failOnError` set to `true`, to avoid duplication of partially committed edges or relationships in subsequent loads.

- **concurrency** (optional) default: `1` – This value controls the number of threads used to run the load process, up to the maximum available.

### Note

Unlike bulk import, there is no need to pass the `role-arn` for batch load since the IAM credentials of the signer of the openCypher query are used to download data from Amazon S3. The signer must have permissions to download data from Amazon S3 with the trust

relationship set up to assume the role, so that Neptune Analytics can assume the role to load the data into the graph from files in Amazon S3.

## Response syntax

A sample response is shown below.

```
{  
  "results": [  
    {  
      "totalRecords": 108070,  
      "totalDuplicates": 46521,  
      "totalTimeSpentMillis": 558,  
      "numThreads": 16,  
      "insertErrors": 0,  
      "throughputRecordsPerSec": 193673,  
      "loadId": "13a60c3b-754d-c49b-4c23-06b9dd5b346b"  
    }  
  ]  
}
```

- **totalRecords**: The number of graph elements - vertex labels, edges, and properties - attempted for insertion.
- **totalDuplicates**: The count of duplicate graph elements - vertex labels or properties - encountered. These elements may have pre-existed before the load request or were duplicates within the input CSV files. Each edge is treated as new, so edges are excluded from this count.
- **totalTimeSpentMillis**: The total time taken for downloading, parsing, and inserting data from CSV files, excluding the request queue time.
- **numThreads**: The number of threads utilized for downloading and inserting data. This correlates with the provided concurrency parameter input, reflecting any caps applied.
- **insertErrors**: Errors faced during insertions, including parsing errors and Amazon S3 access issues. Error details are available in the CloudWatch logs. Refer to the [Troubleshooting](#) section of this document to understand troubleshooting insertErrors. Concurrent modification errors may also cause insert errors in batch loads attempting to modify a vertex property value being concurrently changed by another request.
- **throughputRecordsPerSec**: The total throughput in records per second.

- `loadId`: The `loadId` for searching errors and load summary. All batch information is published to CloudWatch logs under `/aws/neptune/import-task-logs/<graph-id>/<load-id>`.

### Note

Around 2.5Gb of Amazon S3 files can be loaded in a single request on 128 m-NCU. Larger sized datasets could run into out of memory errors. To workaround that, the Amazon S3 files can be split across multiple serial batch load requests. The `source` argument takes a prefix, so files can be partitioned across requests by including prefixes of file names.

The limit scales linearly based on m-NCUs, so for example 5Gb of Amazon S3 files can be loaded in a single request on 256 m-NCU. Also, if the dataset contains larger string values for example, then larger volumes of data can also be ingested in a single request, since they would generate fewer number of graph elements per byte of dataset. It is recommended to run tests with your data to determine the exact details for this process.

### Important

Duplicate edges get created if the same edge file content is loaded more than once. This could happen if, for example:

1. The same Amazon S3 source or file is accidentally included for load in more than one request that succeeded.
2. The edge data is first loaded with `failOnError` set to false and runs into partial errors, and the errors are fixed and the entire dataset is reloaded. All of the edges that were successfully inserted on the first request would get duplicated after the second request.

## Bulk import data into a graph

The task system in Neptune Analytics provides a powerful and flexible way to bulk import data into your graph. The `import` task is specifically designed to handle large-scale data ingestion from various data [formats](#).

To initiate a bulk data import, you would first create an import task by specifying the data source, the target graph, and any necessary configuration options. This can be done through the AWS console or programmatically via the API.

Throughout the import process, you can monitor the progress of the import task through the user interface or via API calls. Progress reports, and any potential errors or warnings will be accessible in your CloudWatch account, allowing for close monitoring and [troubleshooting](#) if needed.

Importing of data through Import Task is supported in two ways:

- During graph creation: [Create a graph from Amazon S3, a Neptune cluster, or a snapshot](#)
- On an existing empty graph: [Bulk import data into an existing Neptune Analytics graph](#)

## Create a graph from Amazon S3, a Neptune cluster, or a snapshot

You can create a Neptune Analytics graph directly from Amazon S3 or from Neptune using the [CreateGraphUsingImportTask](#) API. This is recommended for importing large graphs from files in Amazon S3 (>50GB of data), importing from existing Neptune clusters, or importing from existing Neptune snapshots. This API automatically analyzes the data, provisions a new graph based on the analysis, and imports data as one atomic operation using maximum available resources.

### Note

The graph is made available for querying only after the data loading is completed successfully.

If errors are encountered during the import process, Neptune Analytics will automatically roll back the provisioned resources, and perform the cleanup. No manual cleanup actions are needed. Error details are available in the CloudWatch logs. See [troubleshooting](#) for more details.

### Topics

- [Creating a Neptune Analytics graph from Amazon S3](#)
- [Creating a Neptune Analytics graph from Neptune cluster or snapshot](#)

## Creating a Neptune Analytics graph from Amazon S3

Neptune Analytics supports bulk importing of CSV, ntriples, and Parquet data directly from Amazon S3 into a Neptune Analytics graph using the [CreateGraphUsingImportTask](#) API. The data formats supported are listed in [Data format for loading from Amazon S3 into Neptune Analytics](#). It is recommended that you try the batch load process with a subset of your data first

to validate that it is correctly formatted. Once you have validated that your data files are fully compatible with Neptune Analytics, you can prepare your full dataset and perform the bulk import using the steps below.

A quick summary of steps needed to import a graph from Amazon S3:

- [Copy the data files to an Amazon S3 bucket](#): Copy the data files to an Amazon Simple Storage Service bucket in the same region where you want the Neptune Analytics graph to be created. See [Data format for loading from Amazon S3 into Neptune Analytics](#) for the details of the format when loading data from Amazon S3 into Neptune Analytics.
- [Create your IAM role for Amazon S3 access](#): Create an IAM role with `read` and `list` access to the bucket and a trust relationship that allows Neptune Analytics graphs to use your IAM role for importing.
- Use the `CreateGraphUsingImportTask` API to import from Amazon S3: Create a graph using the `CreateGraphUsingImportTask` API. This will generate a `taskId` for the operation.
- Use the `GetImportTask` API to get the details of the import task. The response will indicate the status of the task (ie. `INITIALIZING`, `ANALYZING_DATA`, `IMPORTING` etc.).
- Once the task has completed successfully, you will see a `COMPLETED` status for the import task and also the `graphId` for the newly created graph.
- Use the `GetGraphs` API to fetch all the details about your new graph, including the ARN, endpoint, etc.

### Note

If you're creating a private graph endpoint, the following permissions are required:

- `ec2:CreateVpcEndpoint`
- `ec2:DescribeAvailabilityZones`
- `ec2:DescribeSecurityGroups`
- `ec2:DescribeSubnets`
- `ec2:DescribeVpcAttribute`

- ec2:DescribeVpcEndpoints
- ec2:DescribeVpcs
- ec2:ModifyVpcEndpoint
- route53:AssociateVPCWithHostedZone

For more information about required permissions, see [Actions defined by Neptune Analytics](#).

## Copy the data files to an Amazon S3 bucket

The Amazon S3 bucket must be in the same AWS region as the cluster that loads the data. You can use the following AWS CLI command to copy the files to the bucket.

```
aws s3 cp data-file-name s3://bucket-name/object-key-name
```

### Note

In Amazon S3, an object key name is the entire path of a file, including the file name. In the command

```
aws s3 cp datafile.txt s3://examplebucket/mydirectory/datafile.txt
```

the object key name is `mydirectory/datafile.txt`

You can also use the AWS management console to upload files to the Amazon S3 bucket. Open the Amazon S3 [console](#), and choose a bucket. In the upper-left corner, choose **Upload** to upload files.

## Create your IAM role for Amazon S3 access

Create an IAM role with permissions to read and list the contents of your bucket. Add a trust relationship that allows Neptune Analytics to assume this role for doing the import task. You could do this using the AWS console, or through the CLI/SDK.

1. Open the IAM console at <https://console.aws.amazon.com/iam/>. Choose **Roles**, and then choose **Create Role**.
2. Provide a role name.
3. Choose **Amazon S3** as the AWS service.
4. In the **permissions** section, choose **AmazonS3ReadOnlyAccess**.

### Note

This policy grants s3:Get\* and s3>List\* permissions to all buckets. Later steps restrict access to the role using the trust policy. The loader only requires s3:Get\* and s3>List\* permissions to the bucket you are loading from, so you can also restrict these permissions by the Amazon S3 resource. If your Amazon S3 bucket is encrypted, you need to add kms:Decrypt permissions as well. kms:Decrypt permission is needed for the exported data from Neptune Database

5. On the **Trust Relationships** tab, choose **Edit trust relationship**, and paste the following trust policy. Choose **Save** to save the trust relationship.

JSON

```
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {  
      "Effect": "Allow",  
      "Principal": {  
        "Service": [  
          "neptune-graph.amazonaws.com"  
        ]  
      },  
      "Action": "sts:AssumeRole"  
    }  
  ]  
}
```

Your IAM role is now ready for import.

## Use the **CreateGraphUsingImportTask** API to import from Amazon S3

You can perform this operation from the Neptune console as well as from AWS CLI/SDK. For more information on different parameters, see [https://docs.aws.eu//neptune-analytics/latest/apiref/API\\_CreateGraphUsingImportTask.html](https://docs.aws.eu//neptune-analytics/latest/apiref/API_CreateGraphUsingImportTask.html)

### Via CLI/SDK

```
aws neptune-graph create-graph-using-import-task \
--graph-name <name> \
--format <format> \
--source <s3 path> \
--role-arn <role arn> \
[--blank-node-handling "convertToIri"--] \
[--fail-on-error | --no-fail-on-error] \
[--deletion-protection | --no-deletion-protection] \
[--public-connectivity | --no-public-connectivity] \
[--min-provisioned-memory] \
[--max-provisioned-memory] \
[--vector-search-configuration]
```

- **Different Minimum and Maximum Provisioned Memory:** When the `--min-provisioned-memory` and `--max-provisioned-memory` values are specified differently, the graph is created with the maximum provisioned memory specified by `--max-provisioned-memory`.
- **Single Provisioned Memory Value:** When only one of `--min-provisioned-memory` or `--max-provisioned-memory` is provided, the graph is created with the specified memory value.
- **No Provisioned Memory Values:** If neither `--min-provisioned-memory` nor `--max-provisioned-memory` is provided, the graph is created with a default provisioned memory of 128 m-NCU (memory optimized Neptune Compute Units).

Example 1: Create a graph from Amazon S3, with no min/max provisioned memory.

```
aws neptune-graph create-graph-using-import-task \
--graph-name 'graph-1' \
--source "s3://bucket-name/gremlin-format-dataset/" \
--role-arn "arn:aws:iam::<account-id>:role/<role-name>" \
--format CSV
```

Example 2: Create a graph from Amazon S3, with min & max provisioned memory. A graph with m-NCU of 1024 is created.

```
aws neptune-graph create-graph-using-import-task \
--graph-name 'graph-1' \
--source "s3://bucket-name/gremlin-format-dataset/" \
--role-arn "arn:aws:iam::<account-id>:role/<role-name>" \
--format CSV \
--min-provisioned-memory 128 \
--max-provisioned-memory 1024
```

Example 3: Create a graph from Amazon S3, and not fail on parsing errors.

```
aws neptune-graph create-graph-using-import-task \
--graph-name 'graph-1' \
--source "s3://bucket-name/gremlin-format-dataset/" \
--role-arn "arn:aws:iam::<account-id>:role/<role-name>" \
--format CSV \
--no-fail-on-error
```

Example 4: Create a graph from Amazon S3, with 2 replicas.

```
aws neptune-graph create-graph-using-import-task \
--graph-name 'graph-1' \
--source "s3://bucket-name/gremlin-format-dataset/" \
--role-arn "arn:aws:iam::<account-id>:role/<role-name>" \
--format CSV \
--replica-count 2
```

Example 5: Create a graph from Amazon S3 with vector search index.

 **Note**

The dimension must match the dimension of the embeddings in the vertex files.

```
aws neptune-graph create-graph-using-import-task \
--graph-name 'graph-1' \
--source "s3://bucket-name/gremlin-format-dataset/" \
--role-arn "arn:aws:iam::<account-id>:role/<role-name>"
```

```
--format CSV
--replica-count 2 \
--vector-search-configuration "{\"dimension\":768}"
```

## Via Neptune console

1. Start the Create Graph wizard and choose **Create graph from existing source**.

### Create graph

You can create a graph by specifying the identifier, the source of the data, network configuration and the IAM roles to load the data into.

#### Settings

##### Graph Name

The graph name.

#### Data source

##### Graph import task

 Create empty graph

##### Create Graph from existing source

You can import data into a graph from an S3 bucket, Neptune cluster or a previous Analytics snapshot by creating a Graph Import task.

2. Choose type of source as Amazon S3, minimum and maximum provisioned memory, Amazon S3 path, and load role ARN.

**Minimum provisioned memory hours** | [Info !\[\]\(05547a7c104fd0b86d48f10c339daeb8\_img.jpg\)](#)  
Choose the number of minimum Analytics provisioned memory hours.

Default 

**Maximum provisioned memory hours** | [Info !\[\]\(5d9143d5183ada6bd6f0233b954ebaad\_img.jpg\)](#)  
Choose the number of minimum Analytics provisioned memory hours.

Default 

#### Load role ARN

The load role.

[Choose role](#) 



#### Select the type of source

- Neptune database snapshot
- Neptune cluster
- S3

#### S3 Bucket location

##### Resource URL

 [s3://bucket/prefix/object](#)

[View !\[\]\(225042589e0ecef7fcf9454f8695cd84\_img.jpg\)](#)

[Browse S3](#)

Path must be in the form s3://bucket/prefix/. It must end with a slash (/) and not include any files.

### 3. Choose the Network Settings and Replica counts.

## Availability settings

### Replicas configuration

Default replicas

Use custom number of replicas

You can specify the number of extra replicas you want

## Network and security

### Public access

Enable public access

Your data is encrypted by default with a key that AWS owns and manages for you. To choose a different key, customize your encryption settings. [Info](#)

Customize encryption settings (advanced)

### Private endpoint

Set up Private Endpoint

You can access a graph from within a VPC by creating a private graph endpoint, which ensures that the traffic is never exposed to the internet. You can further attach security groups, tags or enable flow logs on the graph endpoints. Standard VPC interface endpoint charges apply.

## 4. Create graph.

## Creating a Neptune Analytics graph from Neptune cluster or snapshot

Neptune Analytics provides an easy way to bulk import data from an existing Neptune Database cluster or snapshot into a new Neptune Analytics graph, using the `CreateGraphUsingImportTask` API. Data from your source cluster or snapshot is bulk exported into an Amazon S3 bucket that you configure, analyzed to find the right memory configuration, and bulk imported into a new Neptune Analytics graph. You can check the progress of your bulk import at any time using the `GetImportTask` API as well.

A few things to consider while using this feature:

- You can only import from Neptune Database clusters and snapshots running on a version newer than or equal to 1.3.0.

- Import from an existing Neptune Database cluster only supports the ingest of property graph data. RDF data within a Neptune Database cluster cannot be ingested using an import task. If looking to ingest RDF data into Neptune Analytics, this data needs to be manually exported from the Neptune Database cluster to an Amazon S3 bucket before it can be ingested using an import task with an Amazon S3 bucket source.
- The exported data from your source Neptune Database cluster or snapshot will reside in your buckets only, and will be encrypted using a KMS key that you provide. The exported data is not directly consumable in any other way into Neptune outside of the `CreateGraphUsingImportTask` API. The exported data is not used after the lifetime of the request, and can be deleted by the user.
- You need to provide permissions to perform the export task on the Neptune Database cluster or snapshot, write to your Amazon S3 bucket, and use your KMS key while writing data.
- If your source is a Neptune Database cluster, a clone is taken from it and used for export. The original Neptune Database cluster will not be impacted. The cloned cluster is internally managed by the service and is deleted upon completion.
- If your source is a Neptune snapshot, a restored DBCluster is created from it, and used for export. The restored cluster is internally managed by the service and is deleted upon completion.
- This process is not recommended for small sized graphs. The export process is async, and works best for medium/large sized graphs with a size greater than 25GB. For smaller graphs, a better alternative is to use the [Neptune export](#) feature to generate CSV data directly from your source, upload that to Amazon S3 and then use the [Batch load](#) API instead.

A quick summary of steps to import from a Neptune cluster or a Neptune snapshot:

1. [Obtain the ARN of your Neptune cluster or snapshot](#): This can be done from the AWS console or using the Neptune CLI.
2. [Create an IAM role with permissions to export from Neptune to Neptune Analytics](#): Create an IAM role that has permissions to perform an export of your Neptune graph, write to Amazon S3 and use your KMS key for writing data in Amazon S3.
3. Use the `CreateGraphUsingImportTask` API with source = NEPTUNE, and provide the ARN of your source, Amazon S3 path to export the data, KMS key to use for exporting data and additional arguments for your Neptune Analytics graph. This should return a task-id.
4. Use `GetImportTask` API to get the details of your task.

## Obtain the ARN of your Neptune cluster or snapshot

The following instructions demonstrate how to obtain the Amazon Resource Name (ARN) for an existing Amazon Neptune database cluster or snapshot using the AWS Command Line Interface (CLI). The ARN is a unique identifier for an AWS resource, such as a Neptune cluster or snapshot, and is commonly used when interacting with AWS services programmatically or through the AWS management console.

### Via the CLI:

```
# Obtaining the ARN of an existing DB Cluster
aws neptune describe-db-clusters \
  --db-cluster-identifier *<name> \
  --query 'DBClusters[0].DBClusterArn'

# Obtaining the ARN of an existing DB Cluster Snapshot
aws neptune describe-db-cluster-snapshots \
  --db-cluster-snapshot-identifier <snapshot name> \
  --query 'DBClusterSnapshots[0].DBClusterSnapshotArn'
```

### Via the AWS console. The ARN can be found on the cluster details page.

**Databases (1/2)**

Filter databases

Identifier	Status	Role	Engine version	Region/AZ	Size	Cpu
neptune-cluster	Available	Cluster	1.1.1.0	us-east-1	-	-
neptune-instance	Available	Writer	1.1.1.0	us-east-1a	db.r5.xlarge	5.37%

Connectivity & Security    Monitoring    Logs & Events    **Configuration**    Maintenance    Tags

**Configuration**

**DB Cluster**

Resource ARN	arn:aws:rds:us-east-1:123456789000:cluster:neptune-cluster	Engine version	1.1.1.0
Status	Available	Created time	October 9, 2023, 15:06
DB Cluster role	Cluster	Cluster parameter group	default.neptune1
		Cluster parameter group status	

[Neptune](#) > [Snapshot](#) > neptune-cluster-snapshot

## neptune-cluster-snapshot

### Snapshot Details

Snapshot ARN	arn:aws:rds:us-east-1:123456789000:cluster-snapshot:neptune-cluster-snapshot	Status	Available
Snapshot name	neptune-cluster-snapshot	Progress	Completed
Snapshot type	Manual	License model	neptune
DB cluster identifier		KSM Key ID	-

## Create an IAM role with permissions to export from Neptune to Neptune Analytics

1. Open the IAM console at <https://console.aws.amazon.com/iam/>. Choose **Roles**, and then choose **Create Role**.
2. Provide a role name.
3. Choose **Amazon S3** as the AWS service.
4. In the **permissions** section, choose:
  - AmazonS3FullAccess
  - NeptuneFullAccess
  - AmazonRDSFullAccess
5. Also create a custom policy with at least the following permissions for the AWS KMS key used:
  - kms:ListGrants
  - kms>CreateGrant
  - kms:RevokeGrant
  - kms:DescribeKey
  - kms:GenerateDataKey
  - kms:Encrypt
  - kms:ReEncrypt\*
  - kms:Decrypt

 **Note**

Make sure there are no resource-level Deny policies attached to your AWS KMS key. If there are, explicitly allow the AWS KMS permissions for the Export role.

6. On the **Trust Relationships** tab, choose **Edit trust relationship**, and paste the following trust policy. Choose **Save** to save the trust relationship.

JSON

```
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {  
      "Effect": "Allow",  
      "Principal": {
```

```
        "Service": [
            "export.rds.amazonaws.com",
            "neptune-graph.amazonaws.com"
        ],
        "Action": "sts:AssumeRole"
    }
]
```

Your IAM role is now ready for import.

## Via CLI/SDK

For importing data via Neptune , the API expects additional import-options as defined here [NeptunelImportOptions](#) .

Example 1: Create a graph from a Neptune cluster.

```
aws neptune-graph create-graph-using-import-task \
--graph-name <graph-name>
--source arn:aws:rds:<region>:123456789101:cluster:neptune-cluster \
--min-provisioned-memory 1024 \
--max-provisioned-memory 1024 \
--role-arn <role-arn> \
--import-options '{"neptune": {
    "s3ExportKmsKeyId": "arn:aws:kms:<region>:<account>:key/<key>",
    "s3ExportPath": "<s3 path for exported data>"
}}'
```

Example 2: Create a graph from a Neptune cluster with the default vertex preserved.

```
aws neptune-graph create-graph-using-import-task \
--graph-name <graph-name>
--source arn:aws:rds:<region>:123456789101:cluster:neptune-cluster \
--min-provisioned-memory 1024 \
--max-provisioned-memory 1024 \
--role-arn <role-arn> \
--import-options '{"neptune": {
    "s3ExportKmsKeyId": "arn:aws:kms:<region>:<account>:key/<key>",
    "s3ExportPath": "<s3 path for exported data>",
    "preserveDefaultVertexLabels" : true
}}'
```

```
}}'
```

### Example 3: Create a graph from Neptune cluster with the default edge Id preserved

```
aws neptune-graph create-graph-using-import-task \
--graph-name <graph-name>
--source arn:aws:rds:<region>:123456789101:cluster:neptune-cluster \
--min-provisioned-memory 1024 \
--max-provisioned-memory 1024 \
--role-arn <role-arn> \
--import-options '{"neptune": {
    "s3ExportKmsKeyId": "arn:aws:kms:<region>:<account>:key/<key>",
    "s3ExportPath": "<s3 path for exported data>",
    "preserveEdgeIds" : true
}}'
```

## Bulk import data into an existing Neptune Analytics graph

Neptune Analytics now allows you to efficiently import large datasets into an already provisioned graph database using the `StartImportTask` API. This API facilitates the direct loading of data from an Amazon S3 bucket into an **empty** Neptune Analytics graph. This is designed for loading data into existing empty clusters.

Two common use cases for using this feature:

1. Bulk importing data multiple times without provisioning a new graph for each dataset. This helps during the development phase of a project where datasets are being converted into Neptune Analytics compatible load formats.
2. Use cases where graph provisioning privileges need to be separated from data operation privileges. For example, scenarios where graph provisioning needs to be done by only by the infrastructure team, and data loading and querying is done by the data engineering team.

For use cases where you want to create a new graph loaded with data, use the `CreateGraphUsingImportTask` API instead.

For incrementally loading data from Amazon S3 you can use the loader integration with the `openCypher CALL` clause. For more information see [Batch load](#).

## Prerequisites

- An empty Amazon Neptune Analytics graph.
- Data stored in an Amazon Amazon S3 bucket in the same region as the graph.
- An IAM role with permissions to access the Amazon S3 bucket. For more information, see [Create your IAM role for Amazon S3 access](#).

## Important considerations

- **Data integrity:** The StartImportTask API is designed to work with graphs that are empty. If your graph contains data, you can first reset the graph using the [reset-graph](#) API. If the Import task finds that the graph is not empty the operation will fail. This operation will delete all data from the graph, so ensure you have backups if necessary. You can use the [create-graph-snapshot](#) API to create snapshot of your existing graph.
- **Atomic Operation:** The data import is atomic, meaning it either completes fully or does not apply at all. If the import fails we would reset the state back to an empty graph.
- **Format Support:** Loading data supports the same data format as supported by `create-graph-using-import-task` and `neptune.load()`. This API doesn't support importing data from Neptune .
- **Queries:** Queries will stop working while the import is in progress. You will get a Cannot execute any query until bulk import is complete error until the import finishes.

## Steps for bulk importing data

### 1. Resetting the graph (if necessary):

If your graph is not empty, reset it using the following command:

```
aws neptune-graph reset-graph --graph-identifier <graph-id>
```

#### Note

This command will completely remove all existing data from your graph. It is recommended that you take a graph snapshot before performing this action.

### 2. Start the import task:

To load data into your Neptune graph, use the `start-import-task` command as follows:

```
aws neptune-graph start-import-task \
--graph-identifier <graph-id> \
--source <s3-path-to-data> \
--format <data-format> \
--role-arn <IAM-role-ARN> \
[--fail-on-error | --no-fail-on-error]
```

- **graph-identifier**: The unique identifier of your Neptune graph.
- **source**: An Amazon S3 URI prefix. All object names with matching prefixes are loaded. See [Neptune loader request parameters](#) for Amazon S3 URI prefix examples.
- **format**: The data format of the Amazon S3 data to be loaded, either `csv`, `openCypher`, or `ntriples`. For more information, see [Data formats](#).
- **role-arn**: The ARN of the IAM role that Neptune Analytics can assume to access your Amazon S3 data.
- **(--no-)fail-on-error**: (Optional) Stops the import process early if an error occurs. By default, the system attempts to stop at the first error.

## Troubleshooting bulk import

The following troubleshooting guidance is for common errors encountered during bulk import of data into an Amazon Neptune graph database. It covers three main issues: the Amazon S3 bucket and the graph being in different regions, the IAM role used not having the correct permissions, and the bulk load files in a public Amazon S3 bucket not being made public for reading.

### Common errors

1. The Amazon S3 bucket and your graph are in different regions.

Verify that your graph and the Amazon S3 bucket are in the same region. Neptune Analytics only supports loading data in the same region.

```
export GRAPH_ID=""           // Replace with your graph identifier
export S3_BUCKET_NAME=""  // Replace with your S3 bucket which
contains your graph data files.

# Make sure your graph and S3 bucket are in the same region
aws neptune-graph get-graph --graph-identifier $GRAPH_ID
```

```
aws s3api get-bucket-location --bucket $S3_BUCKET_NAME
```

## 2. The IAM role used does not have the correct permissions.

Verify that you have created the IAM role correctly with read permission to Amazon S3 - see [Create your IAM role for Amazon S3 access](#).

```
export GRAPH_EXEC_ROLE="GraphExecutionRole"  
aws iam list-attached-role-policies --role-name $GRAPH_EXEC_ROLE  
# Output should contain "PolicyName": "AmazonS3*Access".
```

## 3. The AssumeRole permission is not granted to Neptune Analytics through the AssumeRolePolicy.

Verify that you have attached the policy that allows Neptune Analytics to assume the IAM role to access the Amazon S3 bucket. See [Create your IAM role for Amazon S3 access](#).

```
export GRAPH_EXEC_ROLE="GraphExecutionRole" // Replace with your IAM role.  
  
#Check to make sure Neptune Analytics can assume this role to read from the  
#specified S3 bucket.  
aws iam get-role --role-name $GRAPH_EXEC_ROLE --query 'Role.AssumeRolePolicyDocument'  
--output text  
# Output should contain - SERVICE neptune-graph.amazonaws.com
```

## 4. The bulk load files are in a public Amazon S3 bucket, but the files themselves are not made public for reading.

When adding bulk load files to a public Amazon S3 bucket, ensure that each file's access control list (ACL) is set to allow public reads. For example, to set this through the AWS CLI:

```
aws s3 cp <FileSourceLocation> <FileTargetLocation> --acl public-read
```

This setting can also be done through the Amazon S3 console or the AWS SDKs. For more details, refer to the documentation for [Configuring ACLs](#).

## Checking the details and progress of an import task

You can use the [GetImportTask](#) API to track the progress and the status of your import task.

```
aws neptune-graph get-import-task --task-id <task-id>
```

An Import task can be in the following state:

- **INITIALIZING:** The task is preparing for import, including provisioning a graph when using the `CreateGraphUsingImportTask` API.
- **ANALYZING\_DATA:** The task is taking an initial pass through the dataset to determine the optimal configuration for the graph.
- **IMPORTING:** The data is being loaded into the graph.
- **EXPORTING:** Data is being exported from the Neptune cluster or snapshot. This is only applicable when performing an import task with a source of Neptune and through the `CreateGraphUsingImportTask` API.
- **ROLLING\_BACK:** The import task encountered an error. Refer to the [troubleshooting](#) section to investigate the errors. The import task will be rolled back and eventually marked as FAILED.
- **SUCCEEDED:** Graph creation and data loading have succeeded. Use the `get-graph` API to view details of the final graph.
- **REPROVISIONING:** A temporary state while the graph is being reconfigured during the import task.
- **FAILED:** Graph creation or data loading has failed. Refer to the [troubleshooting](#) section to understand the reason for the failure.
- **CANCELLING:** The user has cancelled the import task, and cancellation is in progress.
- **CANCELLED:** The import task has been cancelled, and all resources have been released.

Additionally, import task can be used to track the progress of the load, error count and graph summary.

## Canceling an import task

You can cancel a running import task by using the [CancelImportTask](#) API.

```
aws neptune-graph cancel-import-task \
--task-id <task-id>
```

The import task will be canceled and all changes rolled back. The state of the import task will switch to CANCELING after `cancel-import-task` API is called and eventually the state will be

CANCELED when rollback finishes. You can check the current state of your import task using the [GetImportTask API](#).

```
aws neptune-graph get-import-task \
--task-id <task-id>
```

## Troubleshooting

For both bulk load and batch load, all the errors and summary of the load is sent to the CloudWatch log group in your account. To view the logs go to CloudWatch, click log groups from the left column, then search for and click `/aws/neptune/import-task-logs/`.

1. **Batch Load:** The logs for each load is saved under `/aws/neptune/import-task-logs/ <graph-id>/<load-id>` CloudWatch log stream.
2. **Bulk Load using Import Task:** The logs are saved under `/aws/neptune/import-task-logs/ <graph-id>/<task-id>` CloudWatch log stream.

- **S3\_ACCESS\_DENIED:** The server does not have permissions to list or download the given file. Fix the permissions and retry. See [Create your IAM role for Amazon S3 access](#) for help setting up the Amazon S3 permissions.
- **LARGE\_STRING\_ERROR:** One or more strings exceeded the limit on the size of strings. This data cannot be inserted as is. Update the strings exceeding the limit and retry.
- **PARSING\_ERROR:** Error parsing the given value(s). Correct the value(s) and retry. More information on different parsing errors is provided in this section.
- **OUT\_OF\_MEMORY:** No more data can be loaded in the current m-NCU. If encountered during import task, set a higher m-NCU and retry. If encountered during batch load, scale the number of m-NCU and retry the batch load.
- **PARTITION\_FULL\_ERROR:** No more data can be loaded in the internal server configuration. If encountered during import task, the import workflow would change the server configuration and retry. If encountered during batch load, reach out to the AWS service team to unblock loading of new data.

### Common parsing errors and solutions

Error template	Solution
Invalid data type encountered for header val:badtype when parsing line [:ID, firsttName:String, val:badtype, :LABEL] .	Incorrect Datatype provided. Check the documentation for supported data types. See <a href="#">Data formats</a> for more information.
Multi-valued columns are not supported firstName:String[] when parsing line [:ID, firstName:String[], val :String, :LABEL] .	The <code>opencypher</code> format does not support multivalued user defined properties. Try using the <code>csv</code> format to insert multivalued vertex properties, or remove multivalued properties.
Bad header for a file in 'OPEN_CYPHER' format, could not determine node or relations hip file, found system columns from 'csv' format when parsing line [~id, firsttName:String, val:int, :LABEL] .	Both the <code>opencypher</code> and <code>csv</code> format expect certain header columns to be present. Make sure you have entered them correctly. Check the <a href="#">Data formats</a> documentation for required fields by format.
Bad header for a file in 'OPEN_CYPHER' format, could not determine node or relations hip file.	The header of the files does not have the required system columns. Check the <a href="#">Data formats</a> for required fields by format.
Relationship file in 'OPEN_CYPHER' format should contain both :START_ID and :END_ID columns when parsing line [:START_ID, firstName:String] .	The header of the edge files does not have all the required system columns. Check the <a href="#">Data formats</a> for required fields by format.
Invalid data type. Found system columns from 'OPEN_CYPHER' format :ID when parsing line [:ID, firstName:String, val:Int, ~label] .	The <code>opencypher</code> and <code>csv</code> formats have different system column names, and they begin with : and ~ respectively. User defined properties cannot begin with those reserved prefixes in the respective formats. Confirm the format name and system column names, or update user defined properties to not use reserved prefixes.

Error template	Solution
Named column name is not present for header field :BLAH when parsing line [:ID, :BLA H, firstName:String] .	The <code>opencypher</code> and <code>csv</code> formats have different system column names, and they begin with <code>:</code> and <code>~</code> respectively. User defined properties cannot begin with those reserved prefixes in the respective formats. Confirm the format name and system column names, or update user defined properties to not use reserved prefixes.
System column other than ID cannot be stored as a property: <columnHeader>.	The <code>opencypher</code> and <code>csv</code> formats have different system column names, and they begin with <code>:</code> and <code>~</code> respectively. User defined properties cannot begin with those reserved prefixes in the respective formats. Confirm the format name and system column names, or update user defined properties to not use reserved prefixes.
Duplicate user column <code>firstName</code> when parsing line [:ID,:LABEL, <code>firstName</code> :String, <code>firstName</code> :String] .	The file contains duplicate user defined property column names in the header. Remove all of the duplicate columns.
Duplicate system column <code>:ID</code> found when parsing line [:ID, :ID, <code>firstName</code> :String, :LABEL] .	The file contains duplicate system column names in the header. Remove all of the duplicate columns.
Invalid column name provided for loading embeddings: <code>[abcd]</code> for filename: <code>someFile</code> ame. Embedding column name must be the same as their corresponding vector index name when parsing line [:ID, <code>first</code> Name:String, <code>abcd</code> :Vector, :LABEL] in [filename] .	An incorrect name is used for the vector embeddings.

Error template	Solution
"date" type is currently not supported. "datetime" may be an alternative type.	Use datetime as the field type as date type is not supported yet in Neptune Analytics.
Headers must be non-empty.	Headers need to be non empty. If the file has an empty line in the beginning, remove the empty line.
Failure encountered while parsing the csv file.	<p>Likely reason is the number of columns in the row doesn't match the number of columns provided in the header. If you don't have a value for a column, provide an empty value.</p> <p>For example: 123, vertex, , , .</p>
Could not process value of type: http://www.w3.org/2001/XMLSchema#int for value: a when parsing line [v1, v19683, con, a] in [file].	There is a mismatch between the type of the value provided for that column in the row and the type specified in the header. In this specific case the column header is annotated with integer type but a is not parseable as an integer.
Could not load vector embedding: [a, bc]. Check the dimensionality for this vector.	The size of the vector does not match the dimension defined in the vector search configuration for the graph.
Could not load vector embedding: [a, NaN]. Check the value for this vector.	Float and double values in scientific notation are currently not supported. Also Infinity, -Infinity, INF, -INF, and NaN are not recognized.

Error template	Solution
Could not process value of type: date for value: "2024-11-22T21:40:40Z".	The values in columns of type 'date' must not contain time. For instance, "2024-11-22T21:40:40Z" is not a valid value for the 'date' column since it contains the time component '21:40:40Z'. Change the column type to 'dateTime' or remove the time from the column values.
Please check if you are loading lines longer than 65536.	The CSV format does not support lines longer than 65536 characters. Check if some lines are unexpectedly longer than 65536 characters, and fix those. Also check for properties with long string values and consider excluding those. For files with vector embeddings, if vector embeddings are too long then consider shortening the precision of floating point values. Alternatively, try the Parquet format to ingest data with long lines.

## neptune.read()

Neptune supports a CALL procedure `neptune.read` to read data from Amazon S3 and then run an openCypher query (read, insert, update) using the data. The procedure yields each row in the file as a declared result variable row. It uses the IAM credentials of the caller to access the data in Amazon S3. See [Create your IAM role for Amazon S3 access](#) to set up the permissions. The AWS region of the Amazon S3 bucket must be in the same region where Neptune Analytics instance is located. Currently, cross-region reads are not supported.

### Syntax

```
CALL neptune.read(
  {
    source: "string",
    format: "parquet/csv",
    concurrency: 10
  }
```

```
)  
YIELD row  
...
```

## Inputs

- **source** (required) - Amazon S3 URI to a **single** object. Amazon S3 prefix to multiple objects is not supported.
- **format** (required) - parquet and csv are supported.
  - More details on the supported Parquet format can be found in [Supported Parquet column types](#).
  - For more information on the supported csv format, see [Gremlin load data format](#).
- **concurrency** (optional) - Type: 0 or greater integer. Default: 0. Specifies the number of threads to be used for reading the file. If the value is 0, the maximum number of threads allowed by the resource will be used. For Parquet, it is recommended to be set to a number of row groups.

## Outputs

The `neptune.read` returns:

- **row** - type:Map
  - Each row in the file, where the keys are the columns and the values are the data found in each column.
  - You can access each column's data like a property access (`row.col`).

## Query examples using Parquet

The following example query returns the number of rows in a given Parquet file:

```
CALL neptune.read(  
  {  
    source: "<s3 path>",  
    format: "parquet"  
  }  
)  
YIELD row  
RETURN count(row)
```

You can run the query example using the `execute-query` operation in the AWS CLI by executing the following code:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string 'CALL neptune.read({source: "<s3 path>",
format: "parquet"}) YIELD row RETURN count(row)' \
--language open_cypher \
/tmp/out.txt
```

A query can be flexible in what it does with rows read from a Parquet file. For example, the following query creates a node with a field being set to data found in the Parquet file:

```
CALL neptune.read(
{
  source: "<s3 path>",
  format: "parquet"
}
)
YIELD row
CREATE (n {someField: row.someCol})
RETURN n
```

### **Warning**

It is not considered good practice to use a large results-producing clause like `MATCH(n)` prior to a `CALL` clause. This would lead to a long-running query, due to cross product between incoming solutions from prior clauses and the rows read by `neptune.read`. It's recommended to start the query with `CALL neptune.read`.

## Supported Parquet column types

### Parquet data types:

- `NULL`
- `BOOLEAN`
- `FLOAT`
- `DOUBLE`

- STRING
- SIGNED INTEGER: UINT8, UINT16, UINT32, UINT64
- MAP: Only supports one-level. Does not support nested.
- LIST: Only supports one-level. Does not support nested.

## Neptune -specific:

- A column type Any is supported in the user columns. An Any type is a type “syntactic sugar” for all of the other types we support. It is extremely useful if a user column has multiple types in it. The payload of an Any type value is a list of json strings as follows: `{"value": "10", "type": "Int"}; {"value": "1.0", "type": "Float"}`, which has a value field and a type field in each individual json string. The column header of an Any type is `propertynname: Any`. The cardinality value of an Any column is set, meaning that the column can accept multiple values.
  - Neptune Analytics supports the following types in an Any type: Bool (or Boolean), Byte, Short, Int, Long, UnsignedByte, UnsignedShort, UnsignedInt, UnsignedLong, Float, Double, Date, dateTime, and String.
  - Vector type is not supported in Any type.
  - Nested Any type is not supported. For example, `{"value": {"value": "10", "type": "Int"}, "type": "Any"}`.

## Sample Parquet output

Given a Parquet file like this:

```
<s3 path>

Parquet Type:
  int8      int16      int32          int64          float        double
  string
+-----+-----+-----+-----+-----+-----+
+-----+
|  Byte |  Short |      Int   |          Long  |      Float  |      Double  |
|  String |           |
+-----+-----+-----+-----+-----+-----+
```

-128	-32768	-2147483648	-9223372036854775808	1.23456	1.23457
first					
127	32767	2147483647	9223372036854775807	nan	nan
second					
0	0	0	0	0	-inf
third					
0	0	0	0	0	inf
fourth					
+-----+-----+-----+-----+-----+-----+					
+-----+					

Here is an example of the output returned by `neptune.read` using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.read({source: '<s3 path>', format: 'parquet'}) YIELD row
RETURN row" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt

{
  "results": [
    {
      "row": {
        "Float": 1.23456,
        "Byte": -128,
        "Int": -2147483648,
        "Long": -9223372036854775808,
        "String": "first",
        "Short": -32768,
        "Double": 1.2345678899999999
      }
    },
    {
      "row": {
        "Float": "NaN",
        "Byte": 127,
        "Int": 2147483647,
        "Long": 9223372036854775807,
        "String": "second",
        "Short": 32767,
        "Double": "NaN"
      }
    }
  ]
}
```

```
    }
  }, {
  "row": {
    "Float": "-INF",
    "Byte": 0,
    "Int": 0,
    "Long": 0,
    "String": "third",
    "Short": 0,
    "Double": "-INF"
  }
}, {
  "row": {
    "Float": "INF",
    "Byte": 0,
    "Int": 0,
    "Long": 0,
    "String": "fourth",
    "Short": 0,
    "Double": "INF"
  }
}
}%
}
```

Currently, there is no way to set a node or edge label to a data field coming from a Parquet file. It is recommended that you partition the queries into multiple queries, one for each label/Type.

```
CALL neptune.read({source: '<s3 path>', format: 'parquet'})
YIELD row
WHERE row.`~label` = 'airport'
CREATE (n:airport)

CALL neptune.read({source: '<s3 path>', format: 'parquet'})
YIELD row
WHERE row.`~label` = 'country'
CREATE (n:country)
```

## Query examples using CSV

In this example, the query returns the number of rows in a given CSV file:

```
CALL neptune.read(
```

```
{  
  source: "<s3 path>",  
  format: "csv"  
}  
)  
YIELD row  
RETURN count(row)
```

You can run the query using the `execute-query` operation in the AWS CLI:

```
aws neptune-graph execute-query \  
--graph-identifier ${graphIdentifier} \  
--query-string 'CALL neptune.read({source: "<s3 path>",  
  format: "csv"}) YIELD row RETURN count(row)' \  
--language open_cypher \  
/tmp/out.txt
```

A query can be flexible in what it does with rows read from a Parquet file. For instance, the following query creates a node with a field set to data from a CSV file:

```
CALL neptune.read(  
{  
  source: "<s3 path>",  
  format: "csv"  
}  
)  
YIELD row  
CREATE (n {someField: row.someCol})  
RETURN n
```

### Warning

It is not considered good practice use a large results-producing clause like `MATCH(n)` prior to a `CALL` clause. This would lead to a long-running query due to cross product between incoming solutions from prior clauses and the rows read by `neptune.read`. It is recommended to start the query with `CALL neptune.read`.

## Property column headers

You can specify a column (:) for a property by using the following syntax. The type names are not case sensitive. If a colon appears within a property name, it must be escaped by preceding it with a backslash: \:.

```
propertyname:type
```

### Note

- Space, comma, carriage return and newline characters are not allowed in the column headers, so property names cannot include these characters.

You can specify a column for an array type by adding [] to the type:

```
propertyname:type[]
```

- Edge properties can only have a single value and will cause an error if an array type is specified or a second value is specified. The following example shows the column header for a property named age of type Int.

```
age:Int
```

Every row in the file would be required to have an integer in that position or be left empty. Arrays of strings are allowed, but strings in an array cannot include the semicolon (;) character unless it is escaped using a backslash (\;).

## Supported CSV column types

- Bool (or Boolean) - Allowed values: true, false. Indicates a Boolean field. Any value other than true will be treated as false.
- FLOAT - Range: 32-bit IEEE 754 floating point including Infinity, INF, -Infinity, -INF and NaN (not-a-number).
- DOUBLE - Range: 64-bit IEEE 754 floating point including Infinity, INF, -Infinity, -INF and NaN (not-a-number).
- STRING -

- Quotation marks are optional. Commas, newline, and carriage return characters are automatically escaped if they are included in a string surrounded by double quotation marks ("). Example: "Hello, World".
- To include quotation marks in a quoted string, you can escape the quotation mark by using two in a row: Example: "Hello ""World""".
- Arrays of strings are allowed, but strings in an array cannot include the semicolon (;) character unless it is escaped using a backslash (\;).
- If you want to surround strings in an array with quotation marks, you must surround the whole array with one set of quotation marks. Example: "String one; String 2; String 3".
- Datetime - The datetime values can be provided in either the XSD format, or one of the following formats:
  - yyyy-MM-dd
  - yyyy-MM-ddTHH:mm
  - yyyy-MM-ddTHH:mm:ss
  - yyyy-MM-ddTHH:mm:ssZ
  - yyyy-MM-ddTHH:mm:ss.SSSZ
  - yyyy-MM-ddTHH:mm:ss[+|-]hhmm
  - yyyy-MM-ddTHH:mm:ss.SSS[+|-]hhmm
- SIGNED INTEGER -
  - Byte: -128 to 127
  - Short: -32768 to 32767
  - Int: -2^31 to 2^31-1
  - Long: -2^63 to 2^63-1

## Neptune -specific:

- A column type Any is supported in the user columns. An Any type is a type "syntactic sugar" for all of the other types we support. It is extremely useful if a user column has multiple types in it. The payload of an Any type value is a list of json strings as follows: "[{"value": "10", "type": "Int"}, {"value": "1.0", "type": "Float"}]", which has a value field and a type field in each individual json string. The column header of an Any type is `propertyname:Any`. The cardinality value of an Any column is set, meaning that the column can accept multiple values.

- Neptune Analytics supports the following types in an Any type: Bool (or Boolean), Byte, Short, Int, Long, UnsignedByte, UnsignedShort, UnsignedInt, UnsignedLong, Float, Double, Date, dateTime, and String.
- Vector type is not supported in Any type.
- Nested Any type is not supported. For example, `{"value": {"value": "10", "type": "Int"}}, {"type": "Any"}`.

## Sample CSV output

Given the following CSV file:

```
<s3 path>
colA:byte,colB:short,colC:int,colD:long,colE:float,colF:double,colG:string
-128,-32768,-2147483648,-9223372036854775808,1.23456,1.23457,first
127,32767,2147483647,9223372036854775807,nan,nan,second
0,0,0,0,-inf,-inf,third
0,0,0,0,inf,inf,fourth
```

This example shows the output returned by `neptune.read` using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.read({source: '<s3 path>', format: 'csv'}) YIELD row
RETURN row" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    "row": {
      "colD": -9223372036854775808,
      "colC": -2147483648,
      "colE": 1.23456,
      "colB": -32768,
      "colF": 1.234569999999999,
      "colG": "first",
      "colA": -128
    }
  ]
}
```

```

}, {
  "row": {
    "colD": 9223372036854775807,
    "colC": 2147483647,
    "colE": "NaN",
    "colB": 32767,
    "colF": "NaN",
    "colG": "second",
    "colA": 127
  }
}, {
  "row": {
    "colD": 0,
    "colC": 0,
    "colE": "-INF",
    "colB": 0,
    "colF": "-INF",
    "colG": "third",
    "colA": 0
  }
}, {
  "row": {
    "colD": 0,
    "colC": 0,
    "colE": "INF",
    "colB": 0,
    "colF": "INF",
    "colG": "fourth",
    "colA": 0
  }
}
]
}%

```

Currently, there is no way to set a node or edge label to a data field coming from a csv file. It is recommended that you partition the queries into multiple queries, one for each label/type.

```

CALL neptune.read({source: '<s3 path>', format: 'csv'})
YIELD row
WHERE row.`~label` = 'airport'
CREATE (n:airport)

CALL neptune.read({source: '<s3 path>', format: 'csv'})
YIELD row

```

```
WHERE row.`~label` = 'country'  
CREATE (n:country)
```

# Exporting data from a Neptune Analytics graph

Neptune Analytics provides export functionality to allow you to export your graph into columnar structured .csv and .parquet files that are compatible with the [bulk import](#) and [batch load](#) functionality. This functionality facilitates workflows such as performing analytics on a Neptune Analytics graph, exporting the result for external processing and transformation, and importing the results into Neptune Database, Neptune Analytics, or other software for further analysis. Additionally, the export functionality allows you to specify a filter defining labels and properties of vertices and edges to include in your export, or simply to export your entire graph. Using Neptune Analytics export with the import and export features of Neptune Database also facilitates a round-tripping usecase from Neptune Database, allowing you to create a temporary Neptune Analytics graph from your Neptune Database, run advanced analytics, and export the results back into Neptune Database.

## Relevant SDK/CLI commands

- `start-export-task` - This command starts an export task on an existing graph in Neptune Analytics. It allows you to export your graph into columnar structured .csv and .parquet files.
- `get-export-task` - This command queries the status of an export task that was started using the `start-export-task` command.
- `list-export-tasks` - This command lists all of the export tasks that have been ran on a specified Neptune Analytics graph.

## Permission setup

See [Import/export permissions](#) to learn more about setting up the required permissions for exporting data from a Neptune Analytics graph.

### `start-export-task`

This command starts an export task on a graph in Neptune Analytics. It allows you to export your graph into columnar structured .csv and .parquet files. Calling `export` on a graph will generate a unique `taskId` that you can use to track the progress of your export. When an export is triggered, a clone of your graph is created to process the export request, allowing your graph to continue servicing queries and analytics with no performance impact.

## start-export-task syntax

```
aws neptune-graph start-export-task \
--graph-identifier <GRAPH_ID> \
--region <region> \
--role-arn <arn> \
--format <format> \
[--parquet-type <parquet-type>] \
--kms-key-identifier <kms-key> \
--destination <s3-url> \
[--export-filter <filter-json>] #See filtering section for details.
```

## start-export-task inputs

- `--graph-identifier <GRAPH_ID>` - The unique identifier of the Neptune Analytics graph to export.
- `--region <region>` - The AWS region where the Neptune Analytics graph is located.
- `--role-arn <arn>` - The ARN of an IAM role that grants Neptune Analytics the necessary permissions to access the Amazon S3 bucket for the export.
- `--format <format>` - The output format for the exported data, either CSV or PARQUET.
- `--kms-key-identifier <kms-key>` - The AWS KMS key to use for server-side encryption of the exported data in Amazon S3. For more information see [Create and configure IAM role and AWS KMS key](#).
- `--destination <s3-url>` - The Amazon S3 location where the exported data will be written. The provided `role-arn` must have permission to write to this location. Exported data will be written to this folder in a sub-directory given by the export taskId. See [start-export-task output](#) for more information.
- `--export-filter <filter-json>` - A JSON object that specifies which vertices and edges to include in the export, based on their labels and properties. This field is optional, and if not provided, a value of '`{}`' is used, corresponding to an export of the whole property graph. For more detail on the export filter JSON object, see [Specifying a filter](#) for expanded syntax and examples.

## start-export-task output

The response from the `start-export-task` is a JSON string. The `taskId` is the most significant value in the return, as this can be used to identify the export process when calling [get-export-task](#) or [list-export-task](#), as well as identifying the export process in CloudWatch logs. Other values in the return can be used to keep track of which export parameters were invoked for a given `taskId`.

```
{  
  "graphId": "$GRAPH_ID", // The identifier of the graph being exported.  
  "roleArn": "$arn", // The ARN of the IAM role being used to give  
                    // export the required permissions.  
  "taskId": "$taskId", // A unique id corresponding to the requested export.  
  "status": "INITIALIZING", // The status of the export.  
                        // One of INITIALIZING,  
                        // EXPORTING,  
                        // SUCCEEDED,  
                        // FAILED,  
                        // CANCELLING,  
                        // CANCELLED  
  "format": "PARQUET", // The requested format of the export.  
                     // One of CSV or PARQUET.  
  "destination": "$s3-uri", // The Amazon S3 location where the exported  
                        // data will be written.  
  "kmsKeyIdentifier": "$kms_key", // The AWS KMS key to use for server-side  
                                // encryption of the exported data in Amazon S3.  
  "parquetType": "COLUMNAR" // If a Parquet export was requested,  
                        // gives the Parquet type.  
}
```

## get-export-task

This command queries the status of an export task that was started using the `start-export-task` command. This gives information such as the current state of the export, the approximate progress of the export, how long the export has been running etc.

### Note

When exporting a graph in which the vertices have no vertex labels or vertex properties, the `numVerticesWritten` is expected to be 0 in the response of `get-export-task`.

## get-export-task syntax

```
aws neptune-graph get-export-task \
--task-identifier <taskId> \
--region <region>
```

## get-export-task inputs

- `--task-identifier <taskId>` - The unique identifier of the export task for which you want to retrieve the status.
- `--region <region>` - The AWS region where the Neptune Analytics graph is located.

## get-export-task output

```
{
  // The unique identifier of the Neptune Analytics graph that was exported
  "graphId": "$GRAPH_ID",

  // The ARN of the IAM role that was used to grant Neptune Analytics the necessary
  // permissions to access the Amazon S3 bucket for the export
  "roleArn": "$arn",

  // The unique identifier of the export task
  "taskId": "$taskId",

  // The current status of the export task,
  // which is one of INITIALIZING, EXPORTING, SUCCEEDED, FAILED, CANCELLING,
  CANCELLED
  "status": "SUCCEEDED",

  // The output format of the exported data, which is "PARQUET"/"CSV".
  "format": "PARQUET",

  // The Amazon S3 location where the exported data was written
  "destination": "$s3-url",

  // The AWS KMS key used for server-side encryption of the exported data in Amazon
  S3
  "kmsKeyIdentifier": "$kms_key",
```

```
// The type of Parquet file generated, which is "COLUMNAR".
"parquetType": "COLUMNAR",

// If provided, the exportFilter being used with the export task.
"exportFilter": "$export_json"

// Details of export progress.
"exportTaskDetails": {
// The time when the export began
"startTime": "2024-10-07T17:14:03.502000-04:00",

// The amount of time that has been spent executing the export request.
"timeElapsedSeconds": 360,

// The percentage of relevant data in the database that has been scanned for
export.
"progressPercentage": 100,

// The number of total vertices which are included in the exported files.
"numVerticesWritten": 30090921,

// The number of total edges which are included in the exported files.
"numEdgesWritten": 177654205
}
```

## list-export-task

Since you may have many graphs in your account, and the export functionality includes the ability to specify filters and different filetypes, you may execute multiple exports against your graph over time. The `list-export-tasks` CLI gives returns all Neptune Analytics exports that have been triggered in your account.

### list-export-task syntax

```
aws neptune-graph list-export-tasks
--region <REGION>
```

### list-export-task inputs

- `--region <region>` - The AWS region where the Neptune Analytics graph is located.

## list-export-task output

```
{  
  // The unique identifier of the Neptune Analytics graph that was exported  
  "graphId": "$GRAPH_ID",  
  
  // The ARN of the IAM role that was used to grant Neptune Analytics the necessary  
  // permissions to access the Amazon S3 bucket for the export  
  "roleArn": "$arn",  
  
  // The unique identifier of the export task  
  "taskId": "$taskId",  
  
  // The current status of the export task,  
  // which is one of "SUCCEEDED"/"FAILED" etc.  
  "status": "SUCCEEDED",  
  
  // The output format of the exported data, which is "PARQUET"/"CSV".  
  "format": "PARQUET",  
  
  // The Amazon S3 location where the exported data was written  
  "destination": "$s3-url",  
  
  // The AWS KMS key used for server-side encryption of the exported data in S3  
  "kmsKeyIdentifier": "$kms_key",  
  
  // The type of Parquet file generated, which is "COLUMNAR".  
  "parquetType": "COLUMNAR",  
  
  // If there is an error, a reason will be provided.  
  "statusReason": "$failureReason"  
}
```

## cancel-export-task

The `cancel-export-task` command allows you to cancel an ongoing export task that was started using the `start-export-task` command.

### cancel-export-task syntax

```
aws neptune-graph cancel-export-task \
```

```
--task-identifier <taskId> \
--region <region>
```

## cancel-export-task inputs

- `--task-identifier <taskId>` - The unique identifier of the export task you want to cancel.
- `--region <region>` - The AWS region where the Neptune Analytics graph is located.

## cancel-export-task output

```
{
    // The unique identifier of the Neptune Analytics graph that was exported
    "graphId": "$GRAPH_ID",

    // The ARN of the IAM role that was used to grant Neptune Analytics the necessary
    // permissions to access the Amazon S3 bucket for the export
    "roleArn": "$arn",

    // The unique identifier of the export task
    "taskId": "$taskId",

    // The current status of the export task,
    // which is one of "SUCCEEDED"/"FAILED" etc.
    "status": "SUCCEEDED",

    // The output format of the exported data, which is "PARQUET"/"CSV".
    "format": "PARQUET",

    // The Amazon S3 location where the exported data was written
    "destination": "$s3-url",

    // The AWS KMS key used for server-side encryption of the exported data in Amazon
    S3
    "kmsKeyIdentifier": "$kms_key",

    // The type of Parquet file generated, which is "COLUMNAR".
    "parquetType": "COLUMNAR",

    // If there is an error, a reason will be provided.
    "statusReason"
}
```

# Structure of exported files

## CSV

When the export format is CSV, the generated vertex and edge files will be consistent with the Gremlin CSV format used by the loader (for more information, see [Using CSV data](#)). The CSV files generated will, with [one exception](#), be separated by label to provide a label-driven schema design. This allows for the efficient export of only the properties that exist or are specified for a particular vertex or edge label. Typically, multiple files will be created for each label (this allows for increased export speed by writing in parallel using multiple threads), and each set of files sharing a label will have the same schema and header.

The exception to this label-based separation occurs if you specify to export [all labels together in the provided filter](#). In this case, the label column will indicate the potentially different labels for each vertex and edge (when a vertex or edge has multiple labels, they will both be specified, separated by semi-colons ' ; '), and all files for vertices and/or edges will share the same schema. It is important to note that vertices and edges will always be output to separate file sets.

## Parquet

Exported Parquet files have a columnar structure similar to CSV files, though an explicit header column is not required. Unlike CSV files, property columns of fixed types will, where possible, be represented as named typed columns rather than with strings. For instance, if a property column contains floating point numeric values, such a column might be explicitly represented with 32-bit float values rather than the string representation of the value. This allows for less space to be used to store these values. Like with CSV data, the Parquet files exported are structured to be compatible with the Neptune Analytics loader. For more information on the columnar Parquet format used by Neptune Analytics, please see the corresponding documentation for the loader. For more information, see [Using CSV data](#).

As listed in the loader, [metadata](#) is used to indicate some special circumstances, such as special types and multiple types being present for a given property. In addition, the exported parquet files (due to standard restrictions in permitted column names in parquet data) may indicate in metadata if a column corresponding to a property has been necessarily renamed (for example, if the property name has a character disallowed by the parquet standard), such as in the following:

```
"metadata": {  
  "anyTypeColumns": [  
    "col2"  
  ]  
}
```

```
],
  "invalidVertexPropertyNames": {
    "http://www.company.com/id": "col2",
    "http://www.w3.org/2000/01/rdf-schema#label": "col3"
  },
  "renamedVertexProperties": {
    "http://www.company.com/id": "col2",
    "http://www.w3.org/2000/01/rdf-schema#label": "col3"
  }
}
```

## Specifying a filter

The `vertexFilter` is used to specify filters on a per-label basis for vertices. This allows you to control which vertex labels and properties are included in the export.

- `vertexFilter` - This is the top-level field for specifying vertex filters.
- If the `vertexFilter` is not provided at all, then all vertex properties for all vertex labels will be exported. If the `vertexFilter` is provided but is an empty object, then no vertices will be exported.
- Each key in the `vertexFilter` object corresponds to a vertex label that you want to describe a filter for. For example, "Person" or "Organization".
- For each vertex label key, the value is an object with a "properties" field.
- The "properties" field allows you to specify which properties of that vertex label should be included in the export. Each property is defined by a key-value pair, where the key is the desired output property name (e.g. "name"), and the value is an object with the following fields:
  - `outputType`: Specifies the data type to use for the property in the exported data (e.g. "String", "Int", "Float"). For a full-list of supported types and the corresponding type names that can be used in filtering, see [Using CSV data](#). If a type is not provided, the export process will determine the type. If a given property is present as multiple types (e.g. one vertex has "height" stored as a double, and another edge has it stored as a string), the type will be of Any type. Otherwise, it will be the type of the property as present in vertices.
  - `sourcePropertyName`: The name of the property as it exists in the original graph data. If not provided, it is assumed that the key matches the desired `sourcePropertyName`.
  - `multiValueHandling`: Specifies how to handle properties that have multiple values. Can be either "TO\_LIST" to export all values as a list, or "PICK\_FIRST" to export the first value encountered. If not specified, the default value is "PICK\_FIRST".

`edgeFilter` is used to specify filters on a per-label basis for edges. This allows you to control which edge labels and properties are included in the export.

- `edgeFilter` - This is the top-level field for specifying edge filters.
- If the `edgeFilter` is not provided at all, then all edge properties for all edge labels will be exported. If the `edgeFilter` is provided but is an empty object, then no edges will be exported.
- Each key in the `edgeFilter` object corresponds to a edge label that you want to describe a filter for. For example, "knows" or "friendOf".
- For each edge label key, the value is an object with a "properties" field.
- The "properties" field allows you to specify which properties of that edge label should be included in the export. Each property is defined by a key-value pair, where the key is the desired output property name (e.g. "weight"), and the value is an object with the following fields:
  - `outputType`: Specifies the data type to use for the property in the exported data (e.g. "String", "Int", "Float"). For a full-list of supported types and the corresponding type names that can be used in filtering, see [here](#). If a type is not provided, the export process will determine the type. If a given property is present as multiple types (e.g. one edge has "weight" stored as a double, and another edge has it stored as a string), the type will be of Any type. Otherwise, it will be the type of the property as present in edges.
  - `sourcePropertyName`: The name of the property as it exists in the original graph data. If not provided, it is assumed that the key matches the desired `sourcePropertyName`.
  - `multiValueHandling`: Specifies how to handle properties that have multiple values. Can be either "TO\_LIST" to export all values as a list, or "PICK\_FIRST" to export the first value encountered. If not specified, the default value is "PICK\_FIRST".

## Filter syntax

The filter is specified as a JSON object, as follows:

```
{  
  "vertexFilter": {"string": {  
    "properties": {"string": {  
      "outputType": "string",  
      "sourcePropertyName": "string",  
      "multiValueHandling": "TO_LIST"|"PICK_FIRST"  
    }  
  }  
}
```

```
...},
"edgeFilter": {"string": {
  "properties": {"string": {
    "outputType": "string",
    "sourcePropertyName": "string",
    "multiValueHandling": "TO_LIST"|"PICK_FIRST"
  }
}
...
}
...
}
}
```

## Sample filters

### Sample filter: Specifying vertex and edge properties for export

```
{
  "vertexFilter": {
    "Professor": {
      "properties": {
        "name": {
          "outputType": "String"
        },
        "val": {
          "outputType": "Int"
        }
      }
    }
  },
  "edgeFilter": {
    "knows": {
      "properties": {
        "weight": {
          "outputType": "Float"
        }
      }
    }
  }
}
```

#### Vertex files:

- Only vertices with the "Professor" label will be exported.

- For each "Professor" vertex, the exported data will have the following columns:
  - ~id - The unique identifier of the vertex.
  - ~label - The label of the vertex, which will be "Professor".
  - name - The "name" property of the vertex, exported as a String type.
  - val - The "val" property of the vertex, exported as an Integer type.

"~id"	"~label"	"name:String"	"val:Int"
"p5"	"Professor"	"Professor 5"	11
"p2"	"Professor"	"Professor 2"	2
"p1"	"Professor"	"Professor 1"	1

### Edge files:

- Only edges with the "knows" label will be exported.
- For each "knows" edge, the exported data will have the following columns:
  - ~from - The unique identifier of the source vertex of the edge.
  - ~to - The unique identifier of the target vertex of the edge.
  - ~label - The label of the edge, which will be "knows".
  - weight - The "weight" property of the edge, exported as a Float type.

"~from"	"~to"	"~label"	"weight:Float"
"p1"	"p5"	"reports"	1
"p1"	"p2"	"knows"	0.5
"p2"	"s2_2"	"knows"	0.6

### Sample filter: Exporting vertices and edges to a single schema

```
{
```

```

"vertexFilter": {
  "_VERTEX_ALL_LABELS_": {
    "properties": {
      "name": {
        "outputType": "String"
      },
      "val": {
        "outputType": "Int"
      }
    }
  },
  "edgeFilter": {
    "_EDGE_ALL_LABELS_": {
      "properties": {
        "weight": {
          "outputType": "Float"
        }
      }
    }
  }
}

```

This filter will export the “name” and “val” vertex properties for all vertices (regardless of label) into vertex files with a unified schema. A Parquet export have columns ~id, ~label, val, and name, with val as an Integer type column, and name a String column. For CSV exports, the last two columns will have their types appended to be val:Int, and name:String. Unlike the case where a [specific label is specified](#), the label column here will vary based on the labels of the vertices. Similarly, this filter will export the “weight” property as a Float column for all edges regardless of the edge label.

"~id"	"~label"	"name:String"	"val:Int"
"p5"	"Professor"	"Professor 5"	11
"p2"	"Professor"	"Professor 2"	2
"p1"	"Professor"	"Professor 1"	1

"~from"	"~to"	"~label"	"weight:Float"
"p1"	"p5"	"reports"	1
"p1"	"p2"	"knows"	0.5
"p2"	"s2_2"	"knows"	0.6

## Sample filter: Exporting all vertices but no edges

```
{
  "edgeFilter": {}
}
```

This exports all vertices because there are no vertexFilters, and exports no edges because the edgeFilter is provided, but empty.

## Sample filter: Exporting all properties of specific labels

```
{
  "vertexFilter": {
    "Professor": {},
    "Student": {}
  }
}
```

This filter will export all properties of vertices with the label "Professor" or "Student" into files with schemas defined by the "Professor" and "Student" vertex property sets, respectively, along with all edges.

"~id"	"~label"	"Income:Int"	"name:String"
"p5"	"Professor"	80000	"Professor 5"
"p2"	"Professor"	90000	"Professor 2"
"p1"	"Professor"	75000	"Professor 1"

"~id"	"~label"	"GraduationYear:Int"	"name:String"
"s1"	"Student"	2021	"Bob"
"s2"	"Student"	2024	"Sam"
"s3"	"Student"	2008	"Jose"

## Sample filter: Exporting edge topology without properties

```
{
  "edgeFilter": {
    "_EDGE_ALL_LABELS_": {
      "properties": {}
    }
  }
}
```

By specifying properties as an empty object, only the `~from`, `~to`, and `~label` columns will be exported for all edges.

"~from"	"~to"	"~label"
"p1"	"p5"	"reports"
"p1"	"p2"	"knows"
"p2"	"s2_2"	"knows"

## Run a mutation algorithm then export the results

Run the following query:

```
CALL neptune.algo.pageRank.mutate(
  {
    writeProperty:"P_RANK",
    dampingFactor: 0.85,
    numOfIterations: 1,
```

```
    edgeLabels: ["route"]
  }
}
```

Followed by an export with a filter:

```
{
  "vertexFilter": {
    "Airport": {
      "properties": {
        "P_RANK": {
          "outputType": "Float"
        }
      }
    }
  }
}
```

The result would be:

"~id"	"~label"	"P_RANK:Float"
"SYD"	"Airport"	0.005
"JFK"	"Airport"	0.008
"LGA"	"Airport"	0.002

# Graph snapshots

Neptune Analytics provides you the ability to create a named snapshot of your analytics graph, and also the ability to restore from existing graph snapshots. A graph snapshot is a compacted deep copy of your entire graph. Snapshots are created asynchronously, and do not affect the performance of your running graph. You can restore a snapshot into a new graph at any time.

## Topics

- [Creating a graph snapshot](#)
- [Listing existing graph snapshots](#)
- [Restoring from a graph snapshot](#)
- [Deleting a graph snapshot](#)

## Creating a graph snapshot

Creating a graph snapshot is a crucial step in managing and maintaining your data within the Neptune graph database. This process allows you to capture a point-in-time snapshot of your graph, which can be useful for various purposes such as backup, restoration, or analysis. The provided instructions outline the steps to create a graph snapshot using either the AWS Command Line Interface (CLI) or the AWS SDK, as well as the Neptune console. By following these steps, you can easily identify the graph you want to snapshot, provide a unique name for the snapshot, and initiate the creation process.

### CLI/SDK

#### Find the id of your graph

```
aws neptune-graph list-graphs
```

This command will give you a list of your graphs. Find the graph id of the graph you want to take a snapshot of and write it down.

#### Create a graph snapshot

```
aws neptune-graph create-graph-snapshot \
```


```
--graph-identifier <GRAPH_ID> \
--snapshot-name <SNAPSHOT_NAME>
```

#### Parameters:

1. **graph-identifier** - The graph id you want to take the snapshot from.
2. **snapshot-name** - The name you want to use for your graph snapshot.

#### Neptune Console

1. Select the graph you want to take a snapshot of in **Analytics, Graphs**.
2. Choose **Actions**, and choose **Create snapshot**.



3. Give the snapshot a name and choose **Create Analytics Snapshot**.

**Analytics snapshot name**  
Identifier for the Analytics Snapshot.

*Analytics snapshot name*

Snapshot identifier is not case-sensitive, but stored as all lower-case, as in "mysnapshot". Cannot be null, empty, or blank. Must contain from 1 to 255 alphanumeric characters or hyphens. First character must be a letter. Cannot end with a hyphen or contain two consecutive hyphens. Additional charges apply for storing snapshots.

**Tags** Info

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

No tags associated with the resource.

**Add new tag**

You can add up to 50 more tags.

**Cancel** **Create Analytics Snapshot**

## Listing existing graph snapshots

The following information outlines the various methods and commands for managing graph snapshots in the Amazon Neptune database service. It covers the steps to list all existing graph snapshots, as well as how to retrieve details of a specific snapshot. The information also explains the different status states that a graph snapshot can have, such as "CREATING," "AVAILABLE," "FAILED," and "DELETING."

### CLI/SDK

#### List all graph snapshots

```
aws neptune-graph list-graph-snapshots
```

#### Look up a single graph snapshot

```
aws neptune-graph get-graph-snapshot \
--snapshot-id <SNAPSHOT_ID>
```

Status:

- **CREATING:** The snapshot is currently being created.
- **AVAILABLE:** The snapshot is available and can be restored from.
- **FAILED:** The snapshot failed to create.
- **DELETING:** The snapshot is currently being deleted.

## Neptune Console

You can view your snapshots by expanding **Analytics** and choosing **Snapshots**.

### ▼ Analytics

#### Graphs

#### **Snapshots**

#### Import tasks

## Restoring from a graph snapshot

When you create a snapshot of a graph, Neptune Analytics creates a storage volume snapshot of the graph, backing up all of its data. You can later create a new Neptune Analytics graph by restoring from this snapshot. When you restore the graph, you provide the name of the graph snapshot to restore from, and then provide a name for the new graph that is created by the restore.

### CLI/SDK

#### Restore an analytics graph from a snapshot

```
aws neptune-graph restore-graph-from-snapshot \
--graph-name <NEW_GRAPH_NAME> \
--snapshot-id <SNAPSHOT_ID>
```

Parameters:

1. **graph-name** - The name of the new Neptune Analytics graph that will be created from the snapshot.

2. **snapshot-id** - The snapshot identifier you want to restore from.

Optional parameters:

1. **min-provisioned-memory** - The minimum provisioned memory to use for the new graph.  
Default: 64.
2. **max-provisioned-memory** - The maximum provisioned memory to use for the new graph.  
Default: 1024, or the approved upper limit for your account. Neptune Analytics will analyze the data to find the best memory configuration between min-provisioned-memory and max-provisioned-memory to create the graph.
3. **public-access, no-public-access** - Whether connectivity over public networks (internet) is enabled or not. Default: no-public-access.
4. **replica-count** - The number of replicas to provision on the new graph after import.  
Default: 0, Min: 0, Max:2.

## Neptune Console

1. Find the snapshot you want to restore by expanding **Analytics** and choosing **Snapshots**.
2. Select the snapshot and choose **Restore snapshot**.
3. Give the graph a unique name, and choose provisioned m-NCU.

Graph name  
Specify a unique name for the graph.

The name must be unique cross all graphs owned by your AWS account in the current AWS Region, case-insensitive, 1 to 60 alphanumeric characters or hyphens, first character must be a letter, it can't contain two consecutive hyphens, it can't end with a hyphen.

Provisioned Memory-Optimized Neptune Capacity Units (m-NCU)  
Choose the capacity for your graph.  
▼

4. Update availability, network, and advanced settings if necessary, and choose the **Restore snapshot** button.

## Availability settings

**Replicas configuration**  
A replica of your graph provides warm failover capabilities.

Default replicas

Use custom number of replicas  
You can specify the number of extra replicas you want

## Network

Allow from public

Allows your graph to be reachable over the Internet. All access to the graph requires IAM authentication.

Private endpoint

Set up Private Endpoint  
You can access a graph from within a VPC by creating a private graph endpoint, which ensures that the traffic is never exposed to the internet. You can further attach security groups, tags, or enable flow logs on the graph endpoints. Standard VPC interface endpoint charges apply.

## Advanced settings

Deletion protection

Turn on deletion protection  
The graph can't be deleted when deletion protection is enabled.

Turn off deletion protection

5. You can review the status of your restored graph by expanding **Analytics** and choosing **Graphs**.

## Deleting a graph snapshot

Deleting a graph snapshot is an important task in managing and maintaining your Neptune graph database. The AWS Neptune Console and Command Line Interface (CLI) or Software Development Kit (SDK) provide the necessary tools to accomplish this.

## CLI/SDK

### Delete a snapshot

```
aws neptune-graph delete-graph-snapshot \
--snapshot-id <SNAPSHOT_ID>
```

## Neptune Console

1. Expand **Analytics** and choose **Snapshots**.
2. Select the snapshot you want to delete, and choose the **Delete** button.
3. Type "confirm" in the text box to confirm you want to delete the snapshot, then choose the **Delete** button.

# Managing your Neptune Analytics graphs

Neptune Analytics graphs involve multiple instances that are connected in a replication topology. Managing graphs often involves deploying changes to multiple servers and making sure that all Neptune Analytics graph replicas are keeping up with the primary graph. Neptune Analytics automatically performs continuous backups, and does not require extensive planning or downtime for performing backups.

## Topics

- [Modifying a Neptune Analytics graph](#)
- [Maintaining a Neptune Analytics graph](#)
- [Deleting a Neptune Analytics graph](#)
- [Stopping a Neptune Analytics graph](#)
- [Starting a Neptune Analytics graph](#)
- [Tagging Neptune Analytics graph resources](#)
- [Working with ARNs in Neptune Analytics graph](#)

## Modifying a Neptune Analytics graph

You can change the settings of a Neptune Analytics graph to accomplish tasks such as changing public connectivity or its provisioned-memory.

It is recommended that you test any changes using a test graph before modifying any production graphs, so that you are able to fully understand the impact of each change.

### Memory scaling

Neptune Analytics is a memory-optimized graph database engine for analytics, which stores data in-memory to enable optimal performance for algorithmic and analytical workflows. A Neptune Analytics graph can have the instance size upscaled or downscale the database to a smaller or larger memory size by updating the graph to higher m-NCU. The minimum size of the mNCU chosen must be capable of storing all the data in the graph, smaller mNCU values than that required by the graph will result in `ValidationException` errors.

# Maintaining a Neptune Analytics graph

Periodically, Neptune Analytics performs maintenance on Neptune resources. Maintenance most often involves updates to the following resources in your graph:

- Underlying hardware
- Underlying operating system (OS)
- Graph engine version

Neptune Analytics doesn't have a maintenance window for the graphs. It automatically performs maintenance operations which require the Neptune service to take your graph offline for a short time, normally on the order of 10s of seconds. Maintenance items require a resource to be offline during the maintenance period, however Neptune Analytics will make a best effort attempt to provide request queuing during this time. Required patching is automatically scheduled for patches related to security, instance reliability, engine upgrades, and other items as required. Such patching occurs infrequently, typically one to two times every month but may occur as needed. There are no actions required from you for this to take place.

# Deleting a Neptune Analytics graph

You can delete a Neptune Analytics graph when you no longer need it. Before deleting the graph, you can save a snapshot of your data. You can then restore that snapshot at a later date to create a new graph containing the same data. For more information about creating snapshots, see [Graph snapshots](#).

Neptune Analytics doesn't provide a single-step method to delete a graph and its snapshot. Also, the graph cannot be deleted if delete-protection is enabled. This design choice is intended to prevent you from accidentally losing data or taking your application offline. Neptune Analytics graph applications are typically mission critical and require high availability.

## Deleting a Neptune Analytics graph

### AWS Console

Choose the graph you want to delete, then choose **Delete graph** from the drop-down **Actions** menu. You can choose the following options to preserve the data from the graph in case it is needed later.

- Create a final snapshot of the graph. The default setting is to create a final snapshot.

If your graph has private graph endpoints configured then you need to delete all of the private graph endpoints first. To delete the private graph endpoints:

In the navigation pane, choose **graphs**, and then choose the graph that you want to delete.

On the graph page, go to the graph private endpoints section and choose the private graph endpoint you want to delete. Select the delete button and enter "confirm" in the text box.

## CLI/API

You can call the [delete-graph](#) CLI command, or the [DeleteGraph](#) API operation. You can choose the following options to preserve the data from the graph in case it is needed later.

- Create a final snapshot of the graph
- Retain automated backups

```
aws neptune-graph delete-graph --graph-id g-sample
```

If your graph has private graph endpoints configured, you will need to delete the private graph endpoints first.

```
aws neptune-graph delete-private-graph-endpoint --graph-identifier g-sample --vpc-id  
your-vpc-id
```

## Stopping a Neptune Analytics graph

You can temporarily stop a Neptune Analytics graph when it's not actively in use to reduce costs. When you stop a graph, Neptune Analytics removes the underlying compute infrastructure while preserving all graph data, configurations, and identifiers.

While stopped, you're charged only 10% of the normal rate instead of the [full compute costs](#). This can result in significant cost savings for graphs that are used intermittently, such as development environments or analytics workloads with discrete processing periods.

Neptune Analytics only allows you to stop a graph that is in the AVAILABLE state. This design choice helps ensure data consistency and prevents conflicts with other ongoing operations.

## AWS Console

Choose the graph you want to stop, then choose **Stop graph** from the drop-down **Actions** menu. The graph must be in AVAILABLE state to be stopped.

The graph status will change from AVAILABLE to STOPPING, and finally to STOPPED when the operation has completed.

## CLI/API

You can call the `stop-graph` CLI command, or the [StopGraph](#) API operation. The graph must be in the AVAILABLE state to be stopped.

```
aws neptune-graph stop-graph --graph-identifier g-sample
```

The graph status will change from AVAILABLE to STOPPING, and finally to STOPPED when the operation has completed.

## Starting a Neptune Analytics graph

You can start a Neptune Analytics graph that has been stopped to resume normal operations. The started graph automatically deploys with the latest engine version, ensuring you benefit from the newest capabilities and security updates.

All graph data, configurations, and identifiers are preserved during the start operation. The graph endpoint remains the same, so your applications can reconnect without configuration changes.

## AWS Console

Choose the graph you want to start, then choose **Start graph** from the drop-down **Actions** menu. The graph must be in STOPPED state to be started.

The graph status will change from STOPPED to STARTING, and finally to AVAILABLE when the operation has completed.

## CLI/API

You can call the `start-graph` CLI command, or the [StartGraph](#) API operation. The graph must be in the STOPPED state to be started.

```
aws neptune-graph start-graph --graph-identifier g-sample
```

The graph status will change from STOPPED to STARTING, and finally to AVAILABLE when the operation has completed.

## Tagging Neptune Analytics graph resources

You can use Neptune Analytics graph tags to add metadata to your graph. You can use the tags to add your own notations about graph and graph snapshots. Doing so can help you to document your Neptune Analytics graph resources.

You can also use these tags with IAM policies. You can use them to manage access to Neptune Analytics graph resources and to control what actions can be applied to the Neptune Analytics graph resources. You can also use these tags to track costs by grouping expenses for similarly tagged resources. You can tag the following Neptune Analytics graph resources:

- Neptune Analytics graph
- Neptune Analytics graph snapshots

A Neptune Analytics graph tag is a name-value pair that you define and associate with a Neptune Analytics graph resource. The name is referred to as the key. Supplying a value for the key is optional. You can use tags to assign arbitrary information to a Neptune Analytics graph resource. You can use a tag key to define a category, and the tag value might be an item in that category. For example, you might define a tag key of "env" and a tag value of "preprod". In this case, these indicate that the Neptune Analytics graph resource is assigned to the preprod environment. It is recommended that you use a consistent set of tag keys to make it easier to track metadata associated with Neptune Analytics graph resources.

Additionally, you can use conditions in your IAM policies to control access to AWS resources based on the tags used on that resource. You can do this by using the global `aws:ResourceTag/tag-key` condition key. For more information, see [Controlling access to AWS resources](#) in the AWS Identity and Access Management user guide.

You can use the AWS management console, the AWS CLI, or the Neptune graph API to add, list, and delete tags on Neptune Analytics graph resources. When using the CLI or API, make sure to provide the Amazon Resource Name (ARN) for the Neptune Analytics graph to work with. For more information about constructing an ARN, see [Working with ARNs in Neptune Analytics graph](#).

**Note**

Tags are cached for authorization purposes. Because of this, additions and updates to tags on Neptune Analytics resources can take several minutes before they are available.

## Using tags to produce detailed billing reports

You can also use tags to track costs by grouping expenses for similarly tagged resources. Use tags to organize your AWS bill to reflect your own cost structure. To do this, sign up to get your AWS account bill with tag key values included. Then, to see the cost of combined resources, organize your billing information according to resources with the same tag key values. For example, you can tag several resources with a specific application name, and then organize your billing information to see the total cost of that application across several services. For more information, see [Using Cost Allocation Tags](#) in the AWS Billing user guide.

## Adding, listing, and removing tags

The process to tag a Neptune Analytics graph resource is similar for all resources. The following procedure shows how to tag a Neptune Analytics graph

### AWS Console

#### To add a tag to a Neptune Analytics graph

1. Sign in to the AWS Management Console, and open the Amazon Neptune console at <https://eusc-de-east-1.console.amazonaws-eusc.eu/neptune/>.
2. In the navigation pane, choose **Graphs**.
3. Choose the name of the graph that you want to tag. This will show the graph details.
4. In the details section, scroll down to the **Tags** section.
5. Choose **Manage tags**. The Manage tags window appears.
6. Enter a value for Tag key and value.
7. To add additional tags, choose the **Add another tag** button and enter values for its Tag key and value. Repeat this step as many times as necessary.
8. Choose the **Save** button to save the changes.

#### To delete a tag from a DB instance

1. Sign in to the AWS Management Console, and open the Amazon Neptune console at <https://eusc-de-east-1.console.amazonaws-eusc.eu/neptune/>.
2. In the navigation pane, choose **Graphs**.
3. Choose the name of the graph that you want to tag. This will show the graph details.
4. In the details section, scroll down to the **Tags** section.
5. Choose **Manage tags**. The Manage tags window appears.
6. Choose the **Remove** button for the tag you want to delete.
7. Choose the **Save** button to save your changes.

## AWS CLI

You can add, list or remove tags for a graph using the AWS CLI.

- To add one or more tags to a Neptune Analytics graph resource, use the AWS CLI command `tag-resource`.

To list the tags on a Neptune Analytics graph resource, use the AWS CLI command `list-tags-for-resource`.

To remove one or more tags from a Neptune Analytics graph resource, use the AWS CLI command `untag-resource`.

To learn more about how to construct the required ARN, see [Working with ARNs in Neptune Analytics graph](#).

## Working with ARNs in Neptune Analytics graph

You can get the ARN of a Neptune Analytics graph resource by using the AWS Management Console or the AWS CLI.

### Console:

1. For Graphs: Go to your graph page in the Neptune console and look for the "Resource ARN" field.
2. For graph snapshots: Go to your graph page in the Neptune console and look for the "Snapshot ARN" field.

## AWS CLI

To get an ARN from the AWS CLI for a particular Neptune Analytics graph resource, you use the `get` command for that resource. The following table shows each AWS CLI command, and the ARN property used with the command to get an ARN.

Resource	AWS CLI command	ARN property
Graph	<a href="#"><u>get-graph</u></a>	arn
GraphSnapshot	<a href="#"><u>get-graph-snapshot</u></a>	arn

As an example, running the following command:

```
aws neptune-graph get-graph --graph-id g-vgebxfyat7 --query "arn"
```

would return "arn:aws:neptune-graph:us-east-1:123456789012:graph/g-vgebxfyat7".

# Monitoring Neptune Analytics

To ensure robust monitoring and analysis of Neptune Analytics usage, it is integrated with AWS CloudTrail, a service that records all API calls made to the Neptune Analytics service. By capturing these API calls, CloudTrail provides a detailed audit trail that can be used to understand who is accessing the service, what actions they are taking, and from where they are making those requests. This data can then be further analyzed using tools like Amazon CloudWatch and Amazon Athena to identify trends, anomalies, and other insights about the usage of Neptune Analytics within an organization.

## Topics

- [Neptune Analytics information in CloudTrail](#)
- [Understanding Neptune Analytics log file entries](#)
- [Monitoring your graphs](#)

## Neptune Analytics information in CloudTrail

CloudTrail is enabled on your AWS account when you create the account. When supported event activity occurs in Neptune Analytics, that activity is recorded in a CloudTrail event along with other AWS service events in the **Event history** section. You can view, search, and download recent events in your AWS account. For more information, see [Viewing events with CloudTrail event history](#).

For an ongoing record of events in your AWS account, including events for Neptune Analytics, create a trail. A trail enables CloudTrail to deliver log files to an Amazon S3. By default, when you create a trail in the console, the trail applies to all AWS regions. The trail logs events from all regions in the AWS partition and delivers the log files to the Amazon S3 that you specify. Additionally, you can configure other AWS services to further analyze and act upon the event data collected in CloudTrail logs. For more information, see the following:

- [Overview for creating a trail](#)
- [CloudTrail supported services and integrations](#)
- [Configuring Amazon SNS notifications for CloudTrail](#)
- [Receiving CloudTrail log files from multiple regions](#) and [Receiving CloudTrail log files from multiple accounts](#)

## Logging Neptune Analytics API calls using AWS CloudTrail

Neptune Analytics is integrated with AWS CloudTrail, a service that provides a record of actions taken by a user, role, or an AWS service in Neptune Analytics. CloudTrail captures all API calls for Neptune Analytics as events. The calls captured include calls from the Neptune Analytics console and code calls to the Neptune Analytics API operations. If you create a trail, you can enable continuous delivery of CloudTrail events to an Amazon S3 bucket, including events for Neptune Analytics. If you don't configure a trail, you can still view the most recent management events in the CloudTrail console in the **Event history** section. Using the information collected by CloudTrail, you can determine the request that was made to Neptune Analytics, the IP address from which the request was made, who made the request, when it was made, and additional details.

For robust monitoring and alerting, you can also integrate CloudTrail events with [Amazon CloudWatch logs](#). To enhance your analysis of Neptune Analytics service activity and identify changes in activities for an AWS account, you can query AWS CloudTrail logs using [Amazon Athena](#). For example, you can use queries to identify trends and further isolate activity by attributes such as source IP address or user.

To learn more about CloudTrail, including how to configure and enable it, see the [AWS CloudTrail user guide](#).

## Control plane events in CloudTrail

The following control plane API actions are logged by default as events in CloudTrail:

- [CreateGraph](#)
- [ListGraphs](#)
- [GetGraph](#)
- [UpdateGraph](#)
- [ResetGraph](#)
- [DeleteGraph](#)
- [CreateGraphUsingImportTask](#)
- [ListImportTasks](#)
- [GetImportTask](#)
- [CancelImportTask](#)
- [CreatePrivateGraphEndpoint](#)

- [ListPrivateGraphEndpoints](#)
- [GetPrivateGraphEndpoint](#)
- [DeletePrivateGraphEndpoint](#)
- [CreateGraphSnapshot](#)
- [ListGraphSnapshots](#)
- [GetGraphSnapshot](#)
- [RestoreGraphFromSnapshot](#)
- [DeleteGraphSnapshot](#)
- [TagResource](#)
- [ListTagsForResource](#)
- [UntagResource](#)

## Data plane events in CloudTrail

To enable logging of the following API actions in CloudTrail, you'll need to enable logging of data plane API activity in CloudTrail. See [Logging data events](#) for more information. By default, CloudTrail doesn't log data events.

 **Note**

Additional charges apply for data events. For more information, see [AWS CloudTrail pricing](#).

Data plane events can be filtered by resource type for granular control over which Neptune Analytics API calls you want to selectively log and pay for in CloudTrail. For example, by specifying `AWS::NeptuneGraph::Graph` as a resource type, you can log only calls to the Neptune Analytics APIs. You can add an additional [filter](#) to exclude some events if you don't want them to be logged. For more information, see [AdvancedFieldSelectors](#) in the [AWS CloudTrail API reference](#).

Neptune Analytics logs the following data plane API actions as data events:

- [GetGraphSummary](#)
- [ExecuteQuery](#)
- [GetQuery](#)
- [ListQueries](#)

- [CancelQuery](#)

## Understanding Neptune Analytics log file entries

A trail is a configuration that enables delivery of events as log files to an Amazon S3 bucket that you specify. CloudTrail log files contain one or more log entries. An event represents a single request from any source and includes information about the requested action, the date and time of the action, request parameters, and other information. CloudTrail log files aren't an ordered stack trace of the public API calls, so they don't appear in any specific order.

Every event or log entry contains information about who generated the request. The identity information helps you determine the following:

- Whether the request was made with root or user credentials.
- Whether the request was made with temporary security credentials for a role or federated user.
- Whether the request was made by another AWS service.

For more information, see the CloudTrail `userIdentity` element.

The following examples demonstrate CloudTrail logs of these event types:

- [CreateGraph](#)

```
{  
  "eventVersion": "1.08",  
  "userIdentity": {  
    "type": "AssumedRole",  
    "principalId": "AKIAIOSFODNN7EXAMPLE:bob",  
    "arn": "arn:aws:sts::111122223333:assumed-role/users/bob",  
    "accountId": "111122223333",  
    "accessKeyId": "AKIAIOSFODNN7EXAMPLE",  
    "sessionContext": {  
      "sessionIssuer": {  
        "type": "Role",  
        "principalId": "AKIAI44QH8DHBEEXAMPLE",  
        "arn": "arn:aws:iam::111122223333:role/admin-role",  
        "accountId": "111122223333",  
        "userName": "bob"  
      },  
      "webIdFederationData": {}  
    }  
  }  
}
```

```
        "attributes": {
            "creationDate": "2023-11-22T13:45:16Z",
            "mfaAuthenticated": "false"
        },
        "invokedBy": "AWS Internal"
    },
    "eventTime": "2023-11-22T13:53:45Z",
    "eventSource": "neptune-graph.amazonaws.com",
    "eventName": "CreateGraph",
    "awsRegion": "us-east-1",
    "sourceIPAddress": "192.0.2.0",
    "userAgent": "aws-cli/1.15.64 Python/2.7.16 Darwin/17.7.0 botocore/1.10.63",
    "requestParameters": {
        "graphName": "bobgraph",
        "provisionedMemory": 128,
        "clientToken": "bobotoken",
        "deletionProtection": false
    },
    "responseElements": {
        "graph": {
            "allowFromPublic": false,
            "arn": "arn:aws:neptune-graph:us-east-1:111122223333:graph/g-b52example",
            "createTime": 1700661225.003,
            "deletionProtection": false,
            "endpoint": "g-b52example.neptune-graph-gamma.us-east-1.amazonaws.com",
            "id": "g-b52example",
            "kmsKeyIdentifier": "AWS OWNED KEY",
            "name": "bobgraph",
            "provisionedMemory": 128,
            "replicaCount": 0,
            "status": "CREATING"
        }
    },
    "requestID": "4997ab5c-822d-4823-9c10-EXAMPLE",
    "eventID": "58fc2480-7407-47f9-bc14-EXAMPLE",
    "readOnly": false,
    "eventType": "AwsApiCall",
    "managementEvent": true,
    "recipientAccountId": "111122223333",
    "eventCategory": "Management"
}
```

- [CreateGraph \(Access Denied\)](#)

```
{  
  "eventVersion": "1.08",  
  "userIdentity": {  
    "type": "AssumedRole",  
    "principalId": "AKIAIOSFODNN7EXAMPLE:bob",  
    "arn": "arn:aws:sts::111122223333:assumed-role/users/bob",  
    "accountId": "111122223333",  
    "accessKeyId": "AKIAIOSFODNN7EXAMPLE",  
    "sessionContext": {  
      "sessionIssuer": {  
        "type": "Role",  
        "principalId": "AKIAI44QH8DHBEXAMPLE",  
        "arn": "arn:aws:iam::444455556666:role/admin-role",  
        "accountId": "444455556666",  
        "userName": "bob"  
      },  
      "webIdFederationData": {},  
      "attributes": {  
        "creationDate": "2023-11-22T13:36:22Z",  
        "mfaAuthenticated": "false"  
      }  
    }  
  },  
  "eventTime": "2023-11-22T13:36:22Z",  
  "eventSource": "neptune-graph.amazonaws.com",  
  "eventName": "CreateGraph",  
  "awsRegion": "us-east-1",  
  "sourceIPAddress": "192.0.2.0",  
  "userAgent": "aws-cli/1.15.64 Python/2.7.16 Darwin/17.7.0 botocore/1.10.63",  
  "errorCode": "AccessDenied",  
  "requestParameters": {  
    "graphName": "bobgraph",  
    "replicaCount": 0,  
    "clientToken": "2040f466-220d-49e5-a45c-EXAMPLE",  
    "allowFromPublic": false,  
    "provisionedMemory": 128,  
    "deletionProtection": false  
  },  
  "responseElements": {  
    "Message": "User: arn:aws:sts::444455556666:assumed-role/bobrole/bobsession is  
not authorized to perform: neptune-graph:CreateGraph on resource: arn:aws:neptune-  
graph:us-east-1:444455556666:graph/*"  
  },
```

```
"requestID": "89f04d5b-14d1-4c3a-b44d-EXAMPLE",
"eventID": "373c5468-99ac-4fed-9def-EXAMPLE",
"readOnly": false,
"eventType": "AwsApiCall",
"managementEvent": true,
"recipientAccountId": "111122223333",
"eventCategory": "Management"
```

- [ListGraphs](#)

```
{
  "eventVersion": "1.08",
  "userIdentity": {
    "type": "AssumedRole",
    "principalId": "AKIAIOSFODNN7EXAMPLE:bob",
    "arn": "arn:aws:sts::111122223333:assumed-role/users/bob",
    "accountId": "111122223333",
    "accessKeyId": "AKIAIOSFODNN7EXAMPLE",
    "sessionContext": {
      "sessionIssuer": {
        "type": "Role",
        "principalId": "AKIAI44QH8DHBEEXAMPLE",
        "arn": "arn:aws:iam::111122223333:role/admin-role",
        "accountId": "111122223333",
        "userName": "bob"
      },
      "webIdFederationData": {},
      "attributes": {
        "creationDate": "2023-11-22T13:34:55Z",
        "mfaAuthenticated": "false"
      }
    },
    "sessionToken": "AQAB...",
    "principalType": "AWSUser"
  },
  "eventTime": "2023-11-22T13:42:56Z",
  "eventSource": "neptune-graph.amazonaws.com",
  "eventName": "ListGraphs",
  "awsRegion": "us-east-1",
  "sourceIPAddress": "192.0.2.0",
  "userAgent": "aws-cli/1.15.64 Python/2.7.16 Darwin/17.7.0 botocore/1.10.63",
  "requestParameters": null,
  "responseElements": null,
  "requestID": "fb7e8333-61a3-4bcd-a6d5-EXAMPLE",
  "eventID": "85002909-acf5-499f-a814-EXAMPLE",
  "readOnly": true,
```

```
"eventType": "AwsApiCall",
"managementEvent": true,
"recipientAccountId": "111122223333",
"eventCategory": "Management"
}
```

- [GetGraphSummary](#)

```
{
  "eventVersion": "1.09",
  "userIdentity": {
    "type": "AssumedRole",
    "principalId": "AKIAIOSFODNN7EXAMPLE:bob",
    "arn": "arn:aws:sts::111122223333:assumed-role/users/bob",
    "accountId": "111122223333",
    "sessionContext": {
      "sessionIssuer": {
        "type": "Role",
        "principalId": "AKIAI44QH8DHBEXAMPLE",
        "arn": "arn:aws:iam::111122223333:role/admin-role",
        "accountId": "111122223333",
        "userName": "bob"
      },
      "attributes": {
        "creationDate": "2023-11-22T13:34:55Z",
        "mfaAuthenticated": "false"
      }
    },
    "eventTime": "2023-11-22T13:42:56Z",
    "eventSource": "neptune-graph.amazonaws.com",
    "eventName": "GetGraphSummary",
    "awsRegion": "us-east-1",
    "sourceIPAddress": "192.0.2.0",
    "userAgent": "aws-cli/1.15.64 Python/2.7.16 Darwin/17.7.0 botocore/1.10.63",
    "requestParameters": {
      "requestType": "GET",
      "requestParameters": {},
      "requestPayload": "/summary",
      "requestContentType": "application/json",
      "requestHeaders": {
        "content-length": "0",
        "Accept": "application/xml",
        "x-amz-date": "20231122T133455Z",
        "User-Agent": "awscli/1.15.64 Python/2.7.16 Darwin/17.7.0 botocore/1.10.63"
      }
    }
  }
}
```

```
"User-Agent": "aws-cli/1.15.64 Python/2.7.16 Darwin/17.7.0 botocore/1.10.63",
"Connection": "keep-alive",
"X-Forwarded-For": "192.0.2.0",
"Host": "localhost:8080",
"Accept-Encoding": "gzip, deflate",
"Content-Type": "application/json"
},
"authorizedIamActions": []
},
"responseElements": null,
"requestID": "fb7e8333-61a3-4bcd-a6d5-EXAMPLE",
"eventID": "85002909-acf5-499f-a814-EXAMPLE",
"readOnly": true,
"resources": [
{
    "accountId": "111122223333",
    "type": "AWS::NeptuneGraph::Graph",
    "ARN": "arn:aws:neptune-graph:us-east-1:111122223333:graph/g-dbiexample"
}
],
"eventType": "AwsApiCall",
"managementEvent": false,
"recipientAccountId": "111122223333",
"sharedEventID": "ce9ee550-df43-45a8-9445-EXAMPLE",
"eventCategory": "Data"
}
```

- [ExecuteQuery](#)

```
{
"eventVersion": "1.09",
"userIdentity": {
    "type": "AssumedRole",
    "principalId": "AKIAIOSFODNN7EXAMPLE:bob",
    "arn": "arn:aws:sts::111122223333:assumed-role/users/bob",
    "accountId": "111122223333",
    "sessionContext": {
        "sessionIssuer": {
            "type": "Role",
            "principalId": "AKIAI44QH8DHBEEXAMPLE",
            "arn": "arn:aws:iam::111122223333:role/admin-role",
            "accountId": "111122223333",
            "userName": "bob"
        },
    }
},
```

```
        "attributes": {
            "creationDate": "2023-11-22T14:04:45Z",
            "mfaAuthenticated": "false"
        }
    },
    "eventTime": "2023-11-22T14:04:41Z",
    "eventSource": "neptune-graph.amazonaws.com",
    "eventName": "ExecuteQuery",
    "awsRegion": "us-east-1",
    "sourceIPAddress": "192.0.2.0",
    "userAgent": "aws-cli/1.15.64 Python/2.7.16 Darwin/17.7.0 botocore/1.10.63",
    "requestParameters": {
        "requestType": "POST",
        "requestPayload": "[Redacted]",
        "requestContentType": "application/x-www-form-urlencoded",
        "requestHeaders": {
            "X-Amz-Date": "20231122T140445Z",
            "x-triton-proxy-request-id": "9dece4eb-7018-429f-970f-EXAMPLE",
            "Connection": "Keep-Alive",
            "User-Agent": "aws-cli/1.15.64 Python/2.7.16 Darwin/17.7.0 botocore/1.10.63",
            "X-Forwarded-For": "192.0.2.0",
            "content-type": "application/x-www-form-urlencoded",
            "Host": "g-dbiexample.neptune-graph-gamma.us-east-1.amazonaws.com",
            "Accept-Encoding": "gzip,deflate",
            "Content-Length": "40"
        },
        "authorizedIamActions": []
    },
    "responseElements": {
        "responseTime": "2023-11-22T14:04:45.348Z",
        "responseCode": 200,
        "responseHeaders": {},
        "responseSize": "0",
        "responseContent": ""
    },
    "requestID": "37001a17-7d4e-4c34-9f3b-EXAMPLE",
    "eventID": "5a6323fe-9ea2-4efe-81f0-EXAMPLE",
    "readOnly": false,
    "resources": [
        {
            "accountId": "111122223333",
            "type": "AWS::NeptuneGraph::Graph",
            "ARN": "arn:aws:neptune-graph:us-east-1:111122223333:graph/g-dbiexample"
        }
    ]
}
```

```
    },
    "eventType": "AwsApiCall",
    "managementEvent": false,
    "recipientAccountId": "111122223333",
    "eventCategory": "Data"
}
```

## Monitoring your graphs

Amazon Neptune and Amazon CloudWatch are integrated so that you can gather and analyze performance metrics. You can monitor these metrics using the CloudWatch console, the AWS Command Line Interface (AWS CLI), or the CloudWatch API.

CloudWatch also lets you set alarms so that you can be notified if a metric value breaches a threshold that you specify. You can even set up CloudWatch events to take corrective action if a breach occurs. For more information about using CloudWatch and alarms, see the [CloudWatch documentation](#).

## Viewing CloudWatch data

### AWS console

To view CloudWatch data for a Neptune Analytics graph from the AWS console:

1. Sign in to the [AWS management console](#) and open the CloudWatch console.
2. In the navigation pane, choose **Metrics**.
3. In the **All Metrics** pane, choose Neptune, and then choose Neptune Analytics.
4. In the upper pane, scroll down to view the full list of metrics for your graph. The available Neptune Analytics metric options appear in the **Viewing** list.

To select or deselect an individual metric, in the results pane, select the check box next to the resource name and metric. Graphs showing the metrics for the selected items appear at the bottom of the console. To learn more about CloudWatch graphs, see [Graph metrics](#) in the Amazon CloudWatch user guide.

### AWS CLI

To view CloudWatch data for a Neptune cluster using the AWS CLI:

1. Install the AWS CLI. For information on installing the CLI, see the [AWS Command Line Interface](#) user guide.
2. Use the AWS CLI to fetch information. The relevant CloudWatch parameters for Neptune are listed in [Neptune CloudWatch metrics](#).

The following example retrieves the GraphSizeBytes CloudWatch metric for the example graph g-d3iivkv6i6.

```
aws cloudwatch get-metric-statistics \
    ##(Mon,Aug19)##
    --namespace AWS/Neptune --metric-name GraphSizeBytes \
    --dimensions Name="GraphIdentifier",Value=g-d3iivkv6i6 \
    --start-time 2024-08-17T00:00:00Z --end-time 2024-08-18T00:00:00Z \
    --period 60 --statistics=Average --region=us-east-1
```

## API

CloudWatch also supports a query action so that you can request information programmatically. For more information, see the [CloudWatch Query API](#) documentation and [Amazon CloudWatch API Reference](#). When a CloudWatch action requires a parameter that is specific to Neptune monitoring, such as MetricName, use the values listed in [Neptune CloudWatch Metrics](#). The following example shows a low-level CloudWatch request, using the following parameters:

1. Statistics.member.1 = Average
2. Dimensions.member.1 = "GraphIdentifier"=g-d3iivkv6i6
3. Namespace = AWS/Neptune
4. StartTime = 2024-08-17T00:00:00Z
5. EndTime = 2024-08-17T00:00:00Z
6. Period = 60
7. MetricName = GraphSizeBytes

```
aws cloudwatch get-metric-statistics \
    ##(Mon,Aug19)##
    --namespace AWS/Neptune --metric-name GraphSizeBytes \
    --dimensions Name="GraphIdentifier",Value=g-d3iivkv6i6 \
```

```
--start-time 2024-08-17T00:00:00Z --end-time 2024-08-18T00:00:00Z \
--period 60 --statistics=Average --region=us-east-1
```

## Neptune CloudWatch metrics

The following table lists the CloudWatch metrics that Neptune Analytics supports:

Name	Description
NumOpenCypherRequestsPerSec	Number of Open Cypher requests/sec made to the server.
NumOpenCypherClientErrorsPerSec	Number of Open Cypher requests/sec resulting into client side failures(4xx).
NumOpenCypherServerErrorsPerSec	Number of OpenCypher requests/sec resulting into internal failures(5xx).
NumQueuedRequestsPerSec	Number of requests/sec accepted by the server and pending execution. A non zero metric value indicates the graph is running queries at full capacity and a scale up is needed to avoid a throughput drop.
NumThrottledRequestsPerSec	Number of requests/sec throttled by the server.
GraphSizeBytes	Aggregated storage volume used for graph indexes, dictionary and vector index(es).
CPUUtilization	System CPU usage by percentage. A continuous period of high(close to 100) CPU Utilization metric is not alone indicative of an issue, but validates a potential need to scale up if other metrics are also exhibiting stress.
NumEdges	Number of edges in the graph.

Name	Description
NumEdgeProperties	Number of properties across all edges in the graph.
NumVertexProperties	Number of properties across all vertices in the graph. Note that Neptune Analytics models LPG labels as vertex properties, so this includes the LPG labels.
NumVectors	Number of vectors present in the Vector Search Index.
GraphStorageUsagePercent	Percentage storage quota usage of the graph at the current configured m-NCU. This metric can be used to resize your graph as you add or remove data. If this metric reaches close to 100 and the graph expects addition of more data, the queries will run out of memory. It is recommended to scale up your graph in such cases. More information on optimally resizing your graph is available in <a href="#">this blog entry</a> .

# Security in Neptune Analytics

Cloud security at AWS is the highest priority. As an AWS customer, you benefit from data centers and network architectures that are built to meet the requirements of the most security-sensitive organizations.

Security is a shared responsibility between AWS and you. This describes this as *security of the cloud* and *security in the cloud*:

- **Security of the cloud** – AWS is responsible for protecting the infrastructure that runs AWS services in the AWS Cloud. AWS also provides you with services that you can use securely. Third-party auditors regularly test and verify the effectiveness of our security as part of the .
- **Security in the cloud** – Your responsibility is determined by the AWS service that you use. You are also responsible for other factors including the sensitivity of your data, your company's requirements, and applicable laws and regulations.

This documentation helps you understand how to apply the shared responsibility model when using Neptune Analytics. The following topics show you how to configure Neptune Analytics to meet your security and compliance objectives. You also learn how to use other AWS services that help you to monitor and secure your Neptune Analytics resources.

## Topics

- [Data protection in Neptune Analytics](#)
- [Identity and access management for Neptune Analytics](#)
- [Compliance validation for Neptune Analytics](#)
- [Resilience in Neptune Analytics](#)
- [Infrastructure Security in Neptune Analytics](#)
- [Cross-service confused deputy prevention](#)
- [Using service-linked roles \(SLRs\) in Neptune Analytics](#)
- [Import/export permissions](#)

## Data protection in Neptune Analytics

The AWS applies to data protection in Neptune Analytics. As described in this model, AWS is responsible for protecting the global infrastructure that runs all of the AWS Cloud. You are responsible for maintaining control over your content that is hosted on this infrastructure. You are also responsible for the security configuration and management tasks for the AWS services that you use. For more information about data privacy, see the [Data Privacy FAQ](#).

For data protection purposes, we recommend that you protect AWS account credentials and set up individual users with AWS IAM Identity Center or AWS Identity and Access Management (IAM). That way, each user is given only the permissions necessary to fulfill their job duties. We also recommend that you secure your data in the following ways:

- Use multi-factor authentication (MFA) with each account.
- Use SSL/TLS to communicate with AWS resources. We require TLS 1.2 and recommend TLS 1.3.
- Set up API and user activity logging with AWS CloudTrail. For information about using CloudTrail trails to capture AWS activities, see [Working with CloudTrail trails](#) in the *AWS CloudTrail User Guide*.
- Use AWS encryption solutions, along with all default security controls within AWS services.
- Use advanced managed security services such as Amazon Macie, which assists in discovering and securing sensitive data that is stored in Amazon S3.
- If you require FIPS 140-3 validated cryptographic modules when accessing AWS through a command line interface or an API, use a FIPS endpoint. For more information about the available FIPS endpoints, see [Federal Information Processing Standard \(FIPS\) 140-3](#).

We strongly recommend that you never put confidential or sensitive information, such as your customers' email addresses, into tags or free-form text fields such as a **Name** field. This includes when you work with Neptune Analytics or other AWS services using the console, API, AWS CLI, or AWS SDKs. Any data that you enter into tags or free-form text fields used for names may be used for billing or diagnostic logs. If you provide a URL to an external server, we strongly recommend that you do not include credentials information in the URL to validate your request to that server.

## Identity and access management for Neptune Analytics

AWS Identity and Access Management (IAM) is an AWS service that helps an administrator securely control access to AWS resources. IAM administrators control who can be *authenticated* (signed in)

and *authorized* (have permissions) to use Neptune Analytics resources. IAM is an AWS service that you can use with no additional charge.

## Topics

- [Audience](#)
- [Authenticating with identities](#)
- [Managing access using policies](#)
- [How Neptune Analytics works with IAM](#)
- [Identity-based policy examples for Neptune Analytics](#)
- [Troubleshooting Neptune Analytics identity and access](#)

## Audience

How you use AWS Identity and Access Management (IAM) differs based on your role:

- **Service user** - request permissions from your administrator if you cannot access features (see [Troubleshooting Neptune Analytics identity and access](#))
- **Service administrator** - determine user access and submit permission requests (see [How Neptune Analytics works with IAM](#))
- **IAM administrator** - write policies to manage access (see [Identity-based policy examples for Neptune Analytics](#))

## Authenticating with identities

Authentication is how you sign in to AWS using your identity credentials. You must be authenticated as the AWS account root user, an IAM user, or by assuming an IAM role.

You can sign in as a federated identity using credentials from an identity source like AWS IAM Identity Center (IAM Identity Center), single sign-on authentication, or Google/Facebook credentials. For more information about signing in, see [How to sign in to your AWS account](#) in the [AWS Sign-In User Guide](#).

For programmatic access, AWS provides an SDK and CLI to cryptographically sign requests. For more information, see [AWS Signature Version 4 for API requests](#) in the [IAM User Guide](#).

## AWS account root user

When you create an AWS account, you begin with one sign-in identity called the AWS account *root user* that has complete access to all AWS services and resources. We strongly recommend that you don't use the root user for everyday tasks. For tasks that require root user credentials, see [Tasks that require root user credentials](#) in the *IAM User Guide*.

## Federated identity

As a best practice, require human users to use federation with an identity provider to access AWS services using temporary credentials.

A *federated identity* is a user from your enterprise directory, web identity provider, or Directory Service that accesses AWS services using credentials from an identity source. Federated identities assume roles that provide temporary credentials.

For centralized access management, we recommend AWS IAM Identity Center. For more information, see [What is IAM Identity Center?](#) in the *AWS IAM Identity Center User Guide*.

## IAM users and groups

An [IAM user](#) is an identity with specific permissions for a single person or application. We recommend using temporary credentials instead of IAM users with long-term credentials. For more information, see [Require human users to use federation with an identity provider to access AWS using temporary credentials](#) in the *IAM User Guide*.

An [IAM group](#) specifies a collection of IAM users and makes permissions easier to manage for large sets of users. For more information, see [Use cases for IAM users](#) in the *IAM User Guide*.

## IAM roles

An [IAM role](#) is an identity with specific permissions that provides temporary credentials. You can assume a role by [switching from a user to an IAM role \(console\)](#) or by calling an AWS CLI or AWS API operation. For more information, see [Methods to assume a role](#) in the *IAM User Guide*.

IAM roles are useful for federated user access, temporary IAM user permissions, cross-account access, cross-service access, and applications running on Amazon EC2. For more information, see [Cross account resource access in IAM](#) in the *IAM User Guide*.

## Managing access using policies

You control access in AWS by creating policies and attaching them to AWS identities or resources. A policy defines permissions when associated with an identity or resource. AWS evaluates these policies when a principal makes a request. Most policies are stored in AWS as JSON documents. For more information about JSON policy documents, see [Overview of JSON policies](#) in the *IAM User Guide*.

Using policies, administrators specify who has access to what by defining which **principal** can perform **actions** on what **resources**, and under what **conditions**.

By default, users and roles have no permissions. An IAM administrator creates IAM policies and adds them to roles, which users can then assume. IAM policies define permissions regardless of the method used to perform the operation.

### Identity-based policies

Identity-based policies are JSON permissions policy documents that you attach to an identity (user, group, or role). These policies control what actions identities can perform, on which resources, and under what conditions. To learn how to create an identity-based policy, see [Define custom IAM permissions with customer managed policies](#) in the *IAM User Guide*.

Identity-based policies can be *inline policies* (embedded directly into a single identity) or *managed policies* (standalone policies attached to multiple identities). To learn how to choose between managed and inline policies, see [Choose between managed policies and inline policies](#) in the *IAM User Guide*.

### Resource-based policies

Resource-based policies are JSON policy documents that you attach to a resource. Examples include IAM *role trust policies* and Amazon S3 *bucket policies*. In services that support resource-based policies, service administrators can use them to control access to a specific resource. You must [specify a principal](#) in a resource-based policy.

Resource-based policies are inline policies that are located in that service. You can't use AWS managed policies from IAM in a resource-based policy.

### Other policy types

AWS supports additional policy types that can set the maximum permissions granted by more common policy types:

- **Permissions boundaries** – Set the maximum permissions that an identity-based policy can grant to an IAM entity. For more information, see [Permissions boundaries for IAM entities](#) in the *IAM User Guide*.
- **Service control policies (SCPs)** – Specify the maximum permissions for an organization or organizational unit in AWS Organizations. For more information, see [Service control policies](#) in the *AWS Organizations User Guide*.
- **Resource control policies (RCPs)** – Set the maximum available permissions for resources in your accounts. For more information, see [Resource control policies \(RCPs\)](#) in the *AWS Organizations User Guide*.
- **Session policies** – Advanced policies passed as a parameter when creating a temporary session for a role or federated user. For more information, see [Session policies](#) in the *IAM User Guide*.

## Multiple policy types

When multiple types of policies apply to a request, the resulting permissions are more complicated to understand. To learn how AWS determines whether to allow a request when multiple policy types are involved, see [Policy evaluation logic](#) in the *IAM User Guide*.

## How Neptune Analytics works with IAM

Before you use IAM to manage access to Neptune Analytics, learn what IAM features are available to use with Neptune Analytics.

### IAM features you can use with Neptune Analytics

IAM feature	Neptune Analytics support
<a href="#">Identity-based policies</a>	Yes
<a href="#">Resource-based policies</a>	No
<a href="#">Policy actions</a>	Yes
<a href="#">Policy resources</a>	Yes
<a href="#">Policy condition keys</a>	Yes
<a href="#">ACLs</a>	No

IAM feature	Neptune Analytics support
<a href="#">ABAC (tags in policies)</a>	Partial
<a href="#">Temporary credentials</a>	Yes
<a href="#">Principal permissions</a>	Yes
<a href="#">Service roles</a>	Yes
<a href="#">Service-linked roles</a>	Yes

To get a high-level view of how Neptune Analytics and other AWS services work with most IAM features, see [AWS services that work with IAM](#) in the *IAM User Guide*.

## Identity-based policies for Neptune Analytics

**Supports identity-based policies:** Yes

Identity-based policies are JSON permissions policy documents that you can attach to an identity, such as an IAM user, group of users, or role. These policies control what actions users and roles can perform, on which resources, and under what conditions. To learn how to create an identity-based policy, see [Define custom IAM permissions with customer managed policies](#) in the *IAM User Guide*.

With IAM identity-based policies, you can specify allowed or denied actions and resources as well as the conditions under which actions are allowed or denied. To learn about all of the elements that you can use in a JSON policy, see [IAM JSON policy elements reference](#) in the *IAM User Guide*.

## Identity-based policy examples for Neptune Analytics

To view examples of Neptune Analytics identity-based policies, see [Identity-based policy examples for Neptune Analytics](#).

## Resource-based policies within Neptune Analytics

**Supports resource-based policies:** No

Resource-based policies are JSON policy documents that you attach to a resource. Examples of resource-based policies are IAM *role trust policies* and Amazon S3 *bucket policies*. In services that

support resource-based policies, service administrators can use them to control access to a specific resource. For the resource where the policy is attached, the policy defines what actions a specified principal can perform on that resource and under what conditions. You must [specify a principal](#) in a resource-based policy. Principals can include accounts, users, roles, federated users, or AWS services.

To enable cross-account access, you can specify an entire account or IAM entities in another account as the principal in a resource-based policy. For more information, see [Cross account resource access in IAM](#) in the *IAM User Guide*.

## Policy actions for Neptune Analytics

**Supports policy actions:** Yes

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

The Action element of a JSON policy describes the actions that you can use to allow or deny access in a policy. Include actions in a policy to grant permissions to perform the associated operation.

To see a list of Neptune Analytics actions, see [Actions Defined by Neptune Analytics](#) in the *Service Authorization Reference*.

Policy actions in Neptune Analytics use the following prefix before the action:

```
neptune-graph
```

To specify multiple actions in a single statement, separate them with commas.

```
"Action": [
    "neptune-graph:action1",
    "neptune-graph:action2"
]
```

To view examples of Neptune Analytics identity-based policies, see [Identity-based policy examples for Neptune Analytics](#).

## Policy resources for Neptune Analytics

### Supports policy resources: Yes

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

The Resource JSON policy element specifies the object or objects to which the action applies. As a best practice, specify a resource using its [Amazon Resource Name \(ARN\)](#). For actions that don't support resource-level permissions, use a wildcard (\*) to indicate that the statement applies to all resources.

```
"Resource": "*"
```

To see a list of Neptune Analytics resource types and their ARNs, see [Resources Defined by Neptune Analytics](#) in the *Service Authorization Reference*. To learn with which actions you can specify the ARN of each resource, see [Actions Defined by Neptune Analytics](#).

To view examples of Neptune Analytics identity-based policies, see [Identity-based policy examples for Neptune Analytics](#).

## Policy condition keys for Neptune Analytics

### Supports service-specific policy condition keys: Yes

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

The Condition element specifies when statements execute based on defined criteria. You can create conditional expressions that use [condition operators](#), such as equals or less than, to match the condition in the policy with values in the request. To see all AWS global condition keys, see [AWS global condition context keys](#) in the *IAM User Guide*.

To see a list of Neptune Analytics condition keys, see [Condition Keys for Neptune Analytics](#) in the *Service Authorization Reference*. To learn with which actions and resources you can use a condition key, see [Actions Defined by Neptune Analytics](#).

To view examples of Neptune Analytics identity-based policies, see [Identity-based policy examples for Neptune Analytics](#).

## ACLs in Neptune Analytics

### Supports ACLs: No

Access control lists (ACLs) control which principals (account members, users, or roles) have permissions to access a resource. ACLs are similar to resource-based policies, although they do not use the JSON policy document format.

## ABAC with Neptune Analytics

### Supports ABAC (tags in policies): Partial

Attribute-based access control (ABAC) is an authorization strategy that defines permissions based on attributes called tags. You can attach tags to IAM entities and AWS resources, then design ABAC policies to allow operations when the principal's tag matches the tag on the resource.

To control access based on tags, you provide tag information in the [condition element](#) of a policy using the `aws:ResourceTag/key-name`, `aws:RequestTag/key-name`, or `aws:TagKeys` condition keys.

If a service supports all three condition keys for every resource type, then the value is **Yes** for the service. If a service supports all three condition keys for only some resource types, then the value is **Partial**.

For more information about ABAC, see [Define permissions with ABAC authorization](#) in the *IAM User Guide*. To view a tutorial with steps for setting up ABAC, see [Use attribute-based access control \(ABAC\)](#) in the *IAM User Guide*.

## Using temporary credentials with Neptune Analytics

### Supports temporary credentials: Yes

Temporary credentials provide short-term access to AWS resources and are automatically created when you use federation or switch roles. AWS recommends that you dynamically generate temporary credentials instead of using long-term access keys. For more information, see [Temporary security credentials in IAM](#) and [AWS services that work with IAM](#) in the *IAM User Guide*.

## Cross-service principal permissions for Neptune Analytics

### Supports forward access sessions (FAS): Yes

Forward access sessions (FAS) use the permissions of the principal calling an AWS service, combined with the requesting AWS service to make requests to downstream services. For policy details when making FAS requests, see [Forward access sessions](#).

## Service roles for Neptune Analytics

**Supports service roles:** Yes

A service role is an [IAM role](#) that a service assumes to perform actions on your behalf. An IAM administrator can create, modify, and delete a service role from within IAM. For more information, see [Create a role to delegate permissions to an AWS service](#) in the *IAM User Guide*.

### Warning

Changing the permissions for a service role might break Neptune Analytics functionality. Edit service roles only when Neptune Analytics provides guidance to do so.

## Service-linked roles for Neptune Analytics

**Supports service-linked roles:** Yes

A service-linked role is a type of service role that is linked to an AWS service. The service can assume the role to perform an action on your behalf. Service-linked roles appear in your AWS account and are owned by the service. An IAM administrator can view, but not edit the permissions for service-linked roles.

For details about creating or managing Neptune Analytics service-linked roles, see [Using service-linked roles \(SLRs\) in Neptune Analytics](#).

For details about creating or managing service-linked roles for other services, see [AWS services that work with IAM](#). Find a service in the table that includes a Yes in the **Service-linked role** column. Choose the Yes link to view the service-linked role documentation for that service.

## Identity-based policy examples for Neptune Analytics

By default, users and roles don't have permission to create or modify Neptune Analytics resources. To grant users permission to perform actions on the resources that they need, an IAM administrator can create IAM policies.

To learn how to create an IAM identity-based policy by using these example JSON policy documents, see [Create IAM policies \(console\)](#) in the *IAM User Guide*.

For details about actions and resource types defined by Neptune Analytics, including the format of the ARNs for each of the resource types, see [Actions, Resources, and Condition Keys for Neptune Analytics](#) in the *Service Authorization Reference*.

## Topics

- [Policy best practices](#)
- [Using the Neptune Analytics console](#)
- [Allow users to view their own permissions](#)

## Policy best practices

Identity-based policies determine whether someone can create, access, or delete Neptune Analytics resources in your account. These actions can incur costs for your AWS account. When you create or edit identity-based policies, follow these guidelines and recommendations:

- **Get started with AWS managed policies and move toward least-privilege permissions** – To get started granting permissions to your users and workloads, use the *AWS managed policies* that grant permissions for many common use cases. They are available in your AWS account. We recommend that you reduce permissions further by defining AWS customer managed policies that are specific to your use cases. For more information, see [AWS managed policies](#) or [AWS managed policies for job functions](#) in the *IAM User Guide*.
- **Apply least-privilege permissions** – When you set permissions with IAM policies, grant only the permissions required to perform a task. You do this by defining the actions that can be taken on specific resources under specific conditions, also known as *least-privilege permissions*. For more information about using IAM to apply permissions, see [Policies and permissions in IAM](#) in the *IAM User Guide*.
- **Use conditions in IAM policies to further restrict access** – You can add a condition to your policies to limit access to actions and resources. For example, you can write a policy condition to specify that all requests must be sent using SSL. You can also use conditions to grant access to service actions if they are used through a specific AWS service, such as CloudFormation. For more information, see [IAM JSON policy elements: Condition](#) in the *IAM User Guide*.
- **Use IAM Access Analyzer to validate your IAM policies to ensure secure and functional permissions** – IAM Access Analyzer validates new and existing policies so that the policies

adhere to the IAM policy language (JSON) and IAM best practices. IAM Access Analyzer provides more than 100 policy checks and actionable recommendations to help you author secure and functional policies. For more information, see [Validate policies with IAM Access Analyzer](#) in the *IAM User Guide*.

- **Require multi-factor authentication (MFA)** – If you have a scenario that requires IAM users or a root user in your AWS account, turn on MFA for additional security. To require MFA when API operations are called, add MFA conditions to your policies. For more information, see [Secure API access with MFA](#) in the *IAM User Guide*.

For more information about best practices in IAM, see [Security best practices in IAM](#) in the *IAM User Guide*.

## Using the Neptune Analytics console

To access the Neptune Analytics console, you must have a minimum set of permissions. These permissions must allow you to list and view details about the Neptune Analytics resources in your AWS account. If you create an identity-based policy that is more restrictive than the minimum required permissions, the console won't function as intended for entities (users or roles) with that policy.

You don't need to allow minimum console permissions for users that are making calls only to the AWS CLI or the AWS API. Instead, allow access to only the actions that match the API operation that they're trying to perform.

To ensure that users and roles can still use the Neptune Analytics console, also attach the Neptune Analytics *ConsoleAccess* or *ReadOnly* AWS managed policy to the entities. For more information, see [Adding permissions to a user](#) in the *IAM User Guide*.

## Allow users to view their own permissions

This example shows how you might create a policy that allows IAM users to view the inline and managed policies that are attached to their user identity. This policy includes permissions to complete this action on the console or programmatically using the AWS CLI or AWS API.

```
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {
```

```
        "Sid": "ViewOwnUserInfo",
        "Effect": "Allow",
        "Action": [
            "iam:GetUserPolicy",
            "iam>ListGroupsForUser",
            "iam>ListAttachedUserPolicies",
            "iam>ListUserPolicies",
            "iam GetUser"
        ],
        "Resource": ["arn:aws:iam::*:user/${aws:username}"]
    },
    {
        "Sid": "NavigateInConsole",
        "Effect": "Allow",
        "Action": [
            "iam:GetGroupPolicy",
            "iam:GetPolicyVersion",
            "iam:GetPolicy",
            "iam>ListAttachedGroupPolicies",
            "iam>ListGroupPolicies",
            "iam>ListPolicyVersions",
            "iam>ListPolicies",
            "iam>ListUsers"
        ],
        "Resource": "*"
    }
]
```

## Troubleshooting Neptune Analytics identity and access

Use the following information to help you diagnose and fix common issues that you might encounter when working with Neptune Analytics and IAM.

### Topics

- [I am not authorized to perform an action in Neptune Analytics](#)
- [I am not authorized to perform iam:PassRole](#)
- [I want to allow people outside of my AWS account to access my Neptune Analytics resources](#)

## I am not authorized to perform an action in Neptune Analytics

If you receive an error that you're not authorized to perform an action, your policies must be updated to allow you to perform the action.

The following example error occurs when the mateojackson IAM user tries to use the console to view details about a fictional *my-example-widget* resource but doesn't have the fictional neptune-graph:*GetWidget* permissions.

```
User: arn:aws:iam::123456789012:user/mateojackson is not authorized to perform:  
neptune-graph:GetWidget on resource: my-example-widget
```

In this case, the policy for the mateojackson user must be updated to allow access to the *my-example-widget* resource by using the neptune-graph:*GetWidget* action.

If you need help, contact your AWS administrator. Your administrator is the person who provided you with your sign-in credentials.

## I am not authorized to perform iam:PassRole

If you receive an error that you're not authorized to perform the iam:PassRole action, your policies must be updated to allow you to pass a role to Neptune Analytics.

Some AWS services allow you to pass an existing role to that service instead of creating a new service role or service-linked role. To do this, you must have permissions to pass the role to the service.

The following example error occurs when an IAM user named marymajor tries to use the console to perform an action in Neptune Analytics. However, the action requires the service to have permissions that are granted by a service role. Mary does not have permissions to pass the role to the service.

```
User: arn:aws:iam::123456789012:user/marymajor is not authorized to perform:  
iam:PassRole
```

In this case, Mary's policies must be updated to allow her to perform the iam:PassRole action.

If you need help, contact your AWS administrator. Your administrator is the person who provided you with your sign-in credentials.

## I want to allow people outside of my AWS account to access my Neptune Analytics resources

You can create a role that users in other accounts or people outside of your organization can use to access your resources. You can specify who is trusted to assume the role. For services that support resource-based policies or access control lists (ACLs), you can use those policies to grant people access to your resources.

To learn more, consult the following:

- To learn whether Neptune Analytics supports these features, see [How Neptune Analytics works with IAM](#).
- To learn how to provide access to your resources across AWS accounts that you own, see [Providing access to an IAM user in another AWS account that you own](#) in the *IAM User Guide*.
- To learn how to provide access to your resources to third-party AWS accounts, see [Providing access to AWS accounts owned by third parties](#) in the *IAM User Guide*.
- To learn how to provide access through identity federation, see [Providing access to externally authenticated users \(identity federation\)](#) in the *IAM User Guide*.
- To learn the difference between using roles and resource-based policies for cross-account access, see [Cross account resource access in IAM](#) in the *IAM User Guide*.

## Compliance validation for Neptune Analytics

To learn whether an AWS service is within the scope of specific compliance programs, see and choose the compliance program that you are interested in. For general information, see .

Your compliance responsibility when using AWS services is determined by the sensitivity of your data, your company's compliance objectives, and applicable laws and regulations. For more information about your compliance responsibility when using AWS services, see [AWS Security Documentation](#).

## Resilience in Neptune Analytics

The AWS global infrastructure is built around AWS Regions and Availability Zones. AWS Regions provide multiple physically separated and isolated Availability Zones, which are connected with low-latency, high-throughput, and highly redundant networking. With Availability Zones, you can design and operate applications and databases that automatically fail over between zones

without interruption. Availability Zones are more highly available, fault tolerant, and scalable than traditional single or multiple data center infrastructures.

For more information about AWS Regions and Availability Zones, see [AWS Global Infrastructure](#).

In addition to the AWS global infrastructure, Neptune Analytics offers several features to help support your data resiliency and backup needs.

## Infrastructure Security in Neptune Analytics

As a managed service, Neptune Analytics is protected by the AWS global network security procedures that are described in the [Amazon Web Services: Overview of Security Processes](#) whitepaper.

You use AWS published API calls to access Neptune Analytics through the network. Clients must support Transport Layer Security (TLS) 1.2 or later. Clients must also support cipher suites with perfect forward secrecy (PFS) such as DHE (Ephemeral Diffie-Hellman) or ECDHE (Elliptic Curve Ephemeral Diffie-Hellman). Most modern systems such as Java 7 and later support these modes.

Additionally, requests must be signed by using an access key ID and a secret access key that is associated with an IAM principal. Or you can use the [AWS Security Token Service](#) (AWS STS) to generate temporary security credentials to sign requests.

## Cross-service confused deputy prevention

The confused deputy problem is a security issue where an entity that doesn't have permission to perform an action can coerce a more-privileged entity to perform the action. In AWS, cross-service impersonation can result in the confused deputy problem. Cross-service impersonation can occur when one service (the *calling service*) calls another service (the *called service*). The calling service can be manipulated to use its permissions to act on another customer's resources in a way it should not otherwise have permission to access. To prevent this, AWS provides tools that help you protect your data for all services with service principals that have been given access to resources in your account.

We recommend using the [aws:SourceArn](#) and [aws:SourceAccount](#) global condition context keys in resource policies to limit the permissions that ServiceNameLongEntity gives another service to the resource. Use `aws:SourceArn` if you want only one resource to be associated with the cross-service access. Use `aws:SourceAccount` if you want to allow any resource in that account to be associated with the cross-service use.

The most effective way to protect against the confused deputy problem is to use the `aws:SourceArn` global condition context key with the full ARN of the resource. If you don't know the full ARN of the resource or if you are specifying multiple resources, use the `aws:SourceArn` global context condition key with wildcard characters (\*) for the unknown portions of the ARN. For example, `arn:aws:servicename:*:123456789012:*`.

If the `aws:SourceArn` value does not contain the account ID, such as an Amazon S3 bucket ARN, you must use both global condition context keys to limit permissions.

The value of `aws:SourceArn` must be `ResourceDescription`.

The following example shows how you can use the `aws:SourceArn` and `aws:SourceAccount` global condition context keys in `ServiceNameEntity` to prevent the confused deputy problem.

## Using service-linked roles (SLRs) in Neptune Analytics

Neptune Analytics graphs use AWS Identity and Access Management (IAM) [service-linked roles](#). A service-linked role is a unique type of IAM role that is linked directly to Neptune Analytics graphs. Service-linked roles are predefined by Neptune Analytics graphs and include all the permissions that the service requires to call other AWS services on your behalf.

A service-linked role makes using Neptune Analytics graphs easier because you don't have to add the necessary permissions manually. Neptune Analytics defines the permissions in its service-linked roles, and unless defined otherwise, only Neptune Analytics graphs can assume its roles. The defined permissions include the trust policy and the permissions policy, and that permissions policy cannot be attached to any other IAM entity. You can delete the roles only after first deleting their related resources. This protects your Neptune Analytics graph resources because you can't inadvertently remove the permissions to access the resources.

For information about other services that support service-linked roles, see [AWS services that work with IAM](#) and look for the services that are marked with **Yes** in the **Service-Linked Role** column. Choose a **Yes** with a link to view the service-linked role documentation for that service.

## Service-linked role permissions for Neptune Analytics Graphs

Neptune Analytics graphs uses the service-linked role named `AWSServiceRoleForNeptuneGraph` to allow them to call AWS services on behalf of your DB clusters.

This service-linked role has an IAM managed permissions policy attached to it named [AWS Service Role for Neptune Graph Policy](#) that grants it permissions to operate in your account. See [AWS managed policies for Amazon Neptune](#). This policy provides read-only access to all Amazon Neptune Analytics resources along with read-only permissions for dependent services, as follows:

JSON

```
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {  
      "Sid": "GraphMetrics",  
      "Effect": "Allow",  
      "Action": [  
        "cloudwatch:PutMetricData"  
      ],  
      "Resource": "*",  
      "Condition": {  
        "StringEquals": {  
          "cloudwatch:namespace": [  
            "AWS/Neptune",  
            "AWS/Usage"  
          ]  
        }  
      }  
    },  
    {  
      "Sid": "GraphLogGroup",  
      "Effect": "Allow",  
      "Action": [  
        "logs:CreateLogGroup"  
      ],  
      "Resource": [  
        "arn:aws:logs:*:*:log-group:/aws/neptune/*"  
      ],  
      "Condition": {  
        "StringEquals": {  
          "aws:ResourceAccount": "${aws:PrincipalAccount}"  
        }  
      }  
    },  
    {
```

```
  "Sid": "GraphLogEvents",
  "Effect": "Allow",
  "Action": [
    "logs:CreateLogStream",
    "logs:PutLogEvents",
    "logs:DescribeLogStreams"
  ],
  "Resource": [
    "arn:aws:logs:*:*:log-group:/aws/neptune/*:log-stream:*
```

## Note

To allow an IAM entity such as a user, group, or role to be able to create, edit, or delete a service-linked role, you must set the appropriate permissions, like this:

```
{
  "Action": "iam:CreateServiceLinkedRole",
  "Effect": "Allow",
  "Resource": "arn:aws:iam::*:role/aws-service-role/neptune-graph.amazonaws.com/
AWSServiceRoleForNeptuneGraph",
  "Condition": {
    "StringLike": {
      "iam:AWSServiceName": "neptune-graph.amazonaws.com"
    }
  }
}
```

If those permissions have not been set, or have not yet propagated, you may receive the following error message when you try to create a service-linked role:

Unable to create the resource. Verify that you have permission to create service linked role. Otherwise wait and try again later.

For more information, see [Service-linked role permissions](#) in the [IAM User Guide](#).

## Creating a service-linked role for Neptune Analytics

You don't have to create a service-linked role manually for Neptune Analytics. When you create a graph, Neptune Analytics automatically creates the service-linked role for you.

## Editing a service-linked role for Neptune Analytics

Neptune Analytics doesn't allow you to edit the `AWSServiceRoleForNeptuneGraph` service-linked role. After you create a service-linked role, you cannot change the name of the role because various entities might reference it. However, you can edit the description of the role using IAM. For more information, see [Editing a service-linked role](#) in the [IAM User Guide](#).

## Deleting a service-linked role

If you no longer need to use a feature or service that requires a service-linked role, it's best to delete that role so you don't have an unused entity that is not actively monitored or maintained.

However, before you can delete the service-linked role, you must first confirm that the role has no active sessions, and remove any resources that it uses.

### To check whether a service-linked role has an active session in the IAM console

1. Sign in to the AWS Management Console and open the IAM console at <https://eus-c-de-east-1.console.amazonaws-eusc.eu/iam/>.
2. In the navigation pane of the IAM console, choose **Roles**. Then choose the name (not the check box) of the `AWSServiceRoleForNeptuneGraph` role.
3. On the **Summary** page for the chosen role, choose the **Access Advisor** tab.

#### Note

If you are unsure whether Neptune Analytics is using the `AWSServiceRoleForNeptuneGraph` role, you can try to delete the role. If the service is using the role, then the deletion fails and you can view the AWS Regions where the role is

being used. If the role is being used, then you must wait for the session to end before you can delete the role. You cannot revoke the session for a service-linked role.

## To delete your clusters so that you can delete `AWSServiceRoleForNeptuneGraph`

1. Open the Neptune console at <https://eusc-de-east-1.console.amazonaws-eusc.eu/neptune/>.
2. In the navigation pane, choose **Graphs**.
3. Choose a cluster that you want to delete.
4. For **Actions**, choose **Delete**.
5. If you are prompted to **Create final Snapshot?**, choose **Yes** or **No**. If you choose **Yes** enter the name of your final snapshot for **Final snapshot name**.
6. Choose **Delete**.

You can use the IAM console, the IAM CLI, or the IAM API to delete the `AWSServiceRoleForNeptuneGraph` service-linked role. For more information, see [Deleting a service-linked role](#) in the [IAM User Guide](#).

## Import/export permissions

Neptune Analytics Export writes data into customer-owned Amazon S3 buckets. To do that, you must provide an IAM role and AWS KMS policy to securely and successfully export data to the desired Amazon S3 destination. These two arguments are passed in via the following parameters in the `StartExportTask` API.

- `--destination` - The target Amazon S3 destination that Neptune Analytics will export data into.
- `--role-arn` will be assumed by the Neptune Analytics service, to upload data to your Amazon S3 bucket. The request will fail if this argument is missing.
- `--kms-key-identifier` is required to encrypt your data into your Amazon S3 bucket. The request will fail if the argument is missing.

## Create and configure IAM role and AWS KMS key

1. Go to the AWS IAM service console.

2. Create an inline policy, it should have at least the following permissions:

- `kms:Decrypt`: To list and read the Amazon S3 objects when exporting data. The Neptune Analytics service requires this information to avoid duplicates during exports.
- `kms:GenerateDataKey`: To encrypt the Amazon S3 objects when writing to the Amazon S3 location.
- `kms:DescribeKey`: To validate if the customer-provided IAM role has permissions to access the AWS KMS key.
- `s3:PutObject`: To put objects into the Amazon S3 location.
- `s3:GetObject`: To get Amazon S3 objects for deduplication checks.
- `s3>ListBucket`: To list Amazon S3 objects for deduplication checks.

3. Create an IAM role (choose custom trust policy), configure it's trust policy so that Neptune Analytics is able to assume this role:

JSON

```
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {  
      "Sid": "Statement1",  
      "Effect": "Allow",  
      "Principal": {  
        "Service": [  
          "neptune-graph.amazonaws.com"  
        ]  
      },  
      "Action": "sts:AssumeRole"  
    }  
  ]  
}
```

Use the policy created in step 2.

4. Go to the AWS KMS console page.

5. Create a new AWS KMS key policy, add following key policy. The following policy can be optional, if the key policy already grants root account the following actions. Root account ARN is like "AWS": "arn:aws:iam::[YOUR\_ACCOUNT]:root".

JSON

```
{  
  "Version": "2012-10-17",  
  "Id": "key-consolepolicy-3",  
  "Statement": [  
    {  
      "Sid": "Enable IAM User Permissions",  
      "Effect": "Allow",  
      "Principal": {  
        "AWS": [  
          "# Use the Above IAM Role"  
        ]  
      },  
      "Action": [  
        "kms:DescribeKey"  
      ],  
      "Resource": "*"  
    },  
    {  
      "Sid": "Enable IAM User Permissions",  
      "Effect": "Allow",  
      "Principal": {  
        "AWS": [  
          "# Use the Above IAM Role"  
        ]  
      },  
      "Action": [  
        "kms:Decrypt",  
        "kms:GenerateDataKey"  
      ],  
      "Condition": {  
        "ForAllValues:StringEquals": {  
          "kms:EncryptionContextKeys": [  
            "aws:neptune-graph:graphId",  
            "aws:neptune-graph:graphExportId"  
          ]  
        }  
      }  
    }  
  ]  
}
```

```
  },
  "Resource": "*"
}
]
```

6. Go to the Amazon S3 bucket and choose the **Properties** page.
7. Navigate to the **Default encryption** section and choose **Edit**.
8. Input the AWS KMS key created in step 5, and choose **Save**.

# Querying Neptune Analytics

Neptune Analytics currently supports only the openCypher query language to access a graph. openCypher is a declarative query language for property graphs that was originally developed by Neo4j, then open-sourced in 2015, and contributed to the [openCypher](#) project under an Apache 2 open-source license. Its syntax is documented in the [openCypher](#) spec.

## Topics

- [Query APIs](#)
- [Query plan cache](#)
- [Query explain](#)
- [Statistics](#)
- [Exceptions](#)
- [Neptune Analytics openCypher data model](#)
- [Neptune Analytics OpenCypher specification compliance](#)
- [Transaction isolation levels in Neptune Analytics](#)

# Query APIs

The Neptune Analytics data API provides support for data operations including query execution, query status checking, query cancellation, and graph summarizing via the HTTPS endpoint, the AWS CLI, and the SDK.

## Topics

- [ExecuteQuery](#)
- [ListQueries](#)
- [GetQuery](#)
- [CancelQuery](#)
- [GraphSummary](#)
- [IAM role mappings](#)

# ExecuteQuery

ExecuteQuery runs queries against a Neptune Analytics graph. Supported language: openCypher.

## ExecuteQuery inputs

- graph-identifier (required)

Type: String

The identifier representing a graph.

- region (required)

Type: String

The region where the graph is present.

- query-string (required)

Type: String

Default: none

A string representing a query.

- language (required)

Type: Enum

Default: none

The query language the query is written in. Currently, only OPEN\_CYPHER is supported.

- parameters (optional)

Type: Map

A map from String to String where the key is the parameter name and the value is the parameter value.

- plan-cache (optional)

Type: Enum

Query plan cache is a feature that saves the query plan and reuses it on successive executions of the same query, reducing query latency. Query plan cache works for both read-only and mutation queries. The plan cache is an LRU cache with a five minute TTL and a capacity of 1000. It supports the following values:

- AUTO: The engine will automatically decide to cache the query plan. If the query is parameterized and the runtime is shorter than 100ms, the query plan is automatically cached.
- ENABLED: The query plan is cached regardless of the query runtime. The plan cache uses the query string as the key, this means that if a query is slightly different (i.e. different constants), it will not be able to reuse the plan cache of similar queries.
- DISABLED: The query plan cache is not used.

For more information on the query plan cache, see [Query plan cache](#).

- explain-mode (optional)

Type: Enum

The explain mode parameters allow getting a query explain instead of the actual query results. A query explain can be used to gather insights about the query execution such as planning decisions, time spent on each operator, number of records flowing etc. If this parameter is not set the query is executed normally and the result is returned. The acceptable values for query explain are:

- STATIC: Returns a query explain without executing the query. This can give an estimate on what the query plan looks like without actually executing the query. The static query plan may differ from the actual query plan. Actual queries may make planning decisions based on runtime statistics, which may not be considered when fetching a static query plan. A static query plan is useful when it is necessary to observe a plan for a query that either does not complete or runs for too long.
- DETAILS: Returns a detailed query plan that shows what the running query did. This includes information such as operators runtime, number of records flowing through the plan, runtime planning decisions and more. If a query does not succeed in NONE mode, it will not succeed in DETAILS mode either. In this instance, you would want to use STATIC mode.

For more information on query explain and its output, see [Query explain](#).

- query-timeout-milliseconds (optional)

Type: Enum

If specified, provides an upper bound to the query run time. This parameter will override the graph default timeout (30 minutes). Neptune Analytics graph have a maximum query runtime of 60 minutes. If the specified timeout is greater than the maximum query runtime, the query will only run for the maximum query runtime.

- Using the default settings, any CLI or SDK request will timeout in 60 seconds and attempt a retry. For the cases where you are running queries that can take longer than 60 seconds, it is recommended to set the CLI/SDK timeout to 0 (no timeout), or a much larger value to avoid unnecessary retries.

It is also recommended to set MAX\_ATTEMPTS for CLI/SDK to 1 for execute\_query to avoid any retries by CLI/SDK.

For the Boto client, set the read\_timeout to None, and the total\_max\_attempts to 1.

```
import boto3
from botocore.config import Config
n = boto3.client('neptune-graph',
                  config=(Config(retries={"total_max_attempts": 1, "mode": "standard"}, read_timeout=None)))
```

For the CLI, set the --cli-read-timeout parameter to 0 for no timeout, and set the environment variable AWS\_MAX\_ATTEMPTS to 1 to prevent retries.

```
export AWS_MAX_ATTEMPTS=1
```

```
aws neptune-graph execute-query \
--graph-identifier <graph-id> \
--region <region> \
--query-string "MATCH (p:Person)-[r:KNOWS]-(p1) RETURN *;" \
--cli-read-timeout 0
--language open_cypher /tmp/out.txt
```

## ExecuteQuery examples

### AWS CLI

```
# Sample query
```

```
aws neptune-graph execute-query \
--graph-identifier <graph-id> \
--region <region> \
--query-string "MATCH (p:Person)-[r:KNOWS]->(p1) RETURN *;" \
--language open_cypher \
/tmp/out.txt

# Sample query that prints directly to the console.
aws neptune-graph execute-query \
--graph-identifier <graph-id> \
--region <region> \
--query-string "MATCH (p:Person)-[r:KNOWS]->(p1) RETURN *;" \
--language open_cypher \
/dev/stdout

# parameters supported
query-string [REQUIRED] : String
language [REQUIRED] : open_cypher
explain-mode [OPTIONAL] : static | details
query-timeout-milliseconds [OPTIONAL] : Integer
plan-cache [OPTIONAL] : enabled | disabled | auto
parameters [OPTIONAL] : Map
```

## AWS CURL

```
# Sample query
awscurl -X POST "https://<graph-id>.<endpoint>/queries" \
-H "Content-Type: application/x-www-form-urlencoded" \
--region <region> \
--service neptune-graph \
-d "query=MATCH (p:Person)-[r:KNOWS]->(p1) RETURN *;"
```

## ExecuteQuery output

```
{
  "results": [
    {
      "p": {
        "~id": "fa1ef9b0-fa32-4b37-8051-78f2bf0e0d63",
        "~entityType": "node",
        "~labels": ["Person"],
        "~properties": {
          "name": "Simone"
        }
      }
    }
  ]
}
```

```
        }
    },
    "p1": {
        "~id": "edaded10-b22b-4818-a22e-ddebfcf37acb",
        "~entityType": "node",
        "~labels": ["Person"],
        "~properties": {
            "name": "Mirro"
        }
    },
    "r": {
        "~id": "neptune_reserved_1_1154145192329347075",
        "~entityType": "relationship",
        "~start": "fa1ef9b0-fa32-4b37-8051-78f2bf0e0d63",
        "~end": "edaded10-b22b-4818-a22e-ddebfcf37acb",
        "~type": "KNOWS",
        "~properties": {}
    }
}
}]
```

## Parameterized queries

Neptune Analytics supports parameterized openCypher queries. This allows you to use the same query structure multiple times with different arguments. Since the query structure doesn't change, Neptune Analytics tries to cache the plan for these parameterized queries that run in less than 100 milliseconds.

The following is an example of using a parameterized query with the Neptune openCypher HTTPS endpoint. The query is:

```
MATCH (n {name: $name, age: $age})
RETURN n
```

The parameters are defined as follows:

```
parameters={"name": "john", "age": 20}
```

## AWS CLI

```
# Sample query
```

```
aws neptune-graph execute-query \  
--graph-identifier <graph-id> \  
--region <region> \  
--query-string "MATCH (n {name: \"$name, age: \"$age}) RETURN n" \  
--parameters "{\"name\": \"john\", \"age\": 20}" \  
--language open_cypher /tmp/out.txt
```

## AWS CURL

```
# Sample query  
awscurl -X POST "https://[graph-id].<endpoint>/queries" \  
-H "Content-Type: application/x-www-form-urlencoded" \  
--region <region> \  
--service neptune-graph \  
-d "query=MATCH (n {name: \"$name, age: \"$age}) RETURN n;&parameters={"name":  
\"john\", \"age\": 20}"
```

# ListQueries

ListQueries API fetches the list of running/waiting/cancelling queries on the graph.

## ListQueries syntax

```
aws neptune-graph list-queries \  
--graph-identifier <graph-id> \  
--region <region> \  
--max-results <result_count> \  
--state [all | running | waiting | cancelling]
```

## ListQueries inputs

- **graph-identifier** (required)

Type: String

Identifier representing your graph.

- **region** (required)

Type: String

Region where the graph is present.

- **max-results (required)**

Type: Integer

The maximum number of results to be fetched by the API.

- **state (optional)**

Type: String

Supported values: all | running | waiting | cancelling

If state parameter is not specified, the API fetches all types.

## ListQueries outputs

```
# Sample Response
{
  "queries": [
    {
      "id": "130ab841-8b4b-46c3-afbe-af00274c7fd9",
      "queryString": "MATCH p=(n)-[*]-(m) RETURN p;",
      "waited": 0,
      "elapsed": 1686,
      "state": "RUNNING"
    }
  ]
}
```

The output contains a list of query objects, each containing:

- **id: String** - representing the unique identifier of the query.
- **queryString: String** - The actual query text. The queryString may be truncated if the actual query string is too long.
- **waited: Integer** - The time in milliseconds for which the query has waited in the waiting queue before being picked up by a worker thread.
- **elapsed: Integer** - The time in milliseconds representing the running time of the query.
- **state: Current state of the query (running | waiting | cancelling).**

The default list order is queries that are running, followed by waiting and cancelling.

## ListQueries Examples

### AWS CLI

```
aws neptune-graph list-queries \
  --graph-identifier <graph-id> \
  --region us-east-1 \
  --max-results 200
  --state waiting
```

### AWSCURL

```
awscurl -X GET "https://<graph-id>.<endpoint>/queries?state=WAITING&maxResults=200"
 \
 -H "Content-Type: application/x-www-form-urlencoded" \
 --region us-east-1 \
 --service neptune-graph
```

## GetQuery

The GetQuery API can be used to get the status of a specific query request.

### GetQuery inputs

- graph-identifier (required)

Type: String

The identifier representing a graph.

- region (required)

Type: String

The region where the graph is present.

- query-id (required)

Type: String

The id of the query request for which you want to get information.

## GetQuery outputs

- **id:** The same id used in this request.
- **queryString:** Non-truncated query string associated to this query-id.
- **waited:** Time in milliseconds this query request had to wait to be executed.
- **elapsed:** Time in milliseconds the query spent while in execution.
- **state:** Current state of the query - running | waiting | cancelling.

```
{  
  "id" : "d6873456-40a7-44d7-be5c-46b4acfcd171",  
  "queryString" : "UNWIND range(1,100000) AS i MATCH (n) RETURN i, n",  
  "waited" : 1,  
  "elapsed" : 8645,  
  "state" : "RUNNING"  
}
```

## GetQuery examples

### AWS CLI

```
aws neptune-graph get-query \  
  --graph-identifier <graph-id> \  
  --region <region> \  
  --query-id <query-id>
```

### AWSCURL

```
awscurl -X GET "https://<graph-id>.<endpoint>/queries/<query-id>" \  
  -H "Content-Type: application/x-www-form-urlencoded" \  
  --region us-east-1 \  
  --service neptune-graph
```

## CancelQuery

CancelQuery cancels a specific query request.

## CancelQuery inputs

- graph-identifier (required)

Type: String

The identifier representing a graph.

- region (required)

Type: String

The region where the graph is present.

- query-id (required)

Type: String

The id of the query request for which you want to cancel.

## CancelQuery outputs

CancelQuery does not have any output.

## CancelQuery examples

### AWS CLI

```
aws neptune-graph cancel-query \
--graph-identifier <graph-id> \
--region <region> \
--query-id <query-id>
```

### AWSCURL

```
awscurl -X DELETE "https://<graph-id>.<endpoint>/queries/<query-id>" --region us-east-1 --service neptune-graph
```

## GraphSummary

You can use the GetGraphSummary API to quickly gain a high-level understanding of your graph data, size and content. In a graph application, this API can be used to improve the search results by providing discovered node or edge labels as part of the search.

The GetGraphSummary API retrieves a read-only list of node and edge labels and property keys, along with counts of nodes, edges, and properties. The API also accepts an optional parameter named mode, which can take one of two values, namely basic (the default) and detailed. The detailed graph summary response contains two additional fields, nodeStructures and edgeStructures.

### GetGraphSummary inputs

GetGraphSummary accepts two inputs:

- graph-identifier (required) - The unique identifier of the graph.
- mode (optional) - Can be basic or detailed.

### GetGraphSummary outputs

The response contains the following fields:

- version - The version of this graph summary response.
- lastStatisticsComputationTime - The timestamp, in ISO 8601 format, of the time at which Neptune Analytics last computed statistics.
- graphSummary
  - numNodes - The number of nodes in the graph.
  - numEdges - The number of edges in the graph.
  - numNodeLabels - The number of distinct node labels in the graph.
  - numEdgeLabels - The number of distinct edge labels in the graph.
  - nodeLabels - List of distinct node labels in the graph.
  - edgeLabels - List of distinct edge labels in the graph.
  - numNodeProperties - The number of distinct node properties in the graph.
  - numEdgeProperties - The number of distinct edge properties in the graph.

- **nodeProperties** - List of distinct node properties in the graph along with the count of nodes where each property is used.
- **edgeProperties** - List of distinct edge properties in the graph along with the count of edges where each property is used.
- **totalNodePropertyValues** - Total number of usages of all node properties.
- **totalEdgePropertyValues** - Total number of usages of all edge properties.
- **nodeStructures** (only present for mode=detailed) - Contains a list of node structures, each containing the following fields:
  - **count** - Number of nodes that have this specific structure.
  - **nodeProperties** - List of node properties present in this specific structure.
  - **distinctOutgoingEdgeLabels** - List of distinct outgoing edge labels present in this specific structure.
- **edgeStructures** (only present for mode=detailed) - Contains a list of edge structures each containing the following fields:
  - **count** - Number of edges that have this specific structure.
  - **edgeProperties** - List of edge properties present in this specific structure.

## GetGraphSummary examples

### AWS CLI

```
# Sample query
aws neptune-graph get-graph-summary \
--graph-identifier <graph-id> \
--region <region>
--mode detailed

# parameters supported
mode [Optional] : basic | detailed
```

### AWSCURL

```
# Sample query
awscurl "https://<graph-id>.<endpoint>/summary" \
--region <region> \
--service neptune-graph
```

## Sample output payload:

```
# this is the graph summary with "mode=detailed"
{
  "version": "v1",
  "lastStatisticsComputationTime": "2024-01-25T19:50:42+00:00",
  "graphSummary": {
    "numNodes": 3749,
    "numEdges": 57645,
    "numNodeLabels": 4,
    "numEdgeLabels": 2,
    "nodeLabels": [
      "continent",
      "country",
      "version",
      "airport"
    ],
    "edgeLabels": [
      "contains",
      "route"
    ],
    "numNodeProperties": 14,
    "numEdgeProperties": 1,
    "nodeProperties": [
      {
        "code": 3749
      },
      {
        "desc": 3749
      },
      {
        "type": 3749
      },
      {
        "city": 3504
      },
      {
        "country": 3504
      },
      {
        "elev": 3504
      },
      {
        "icao": 3504
      }
    ]
  }
}
```

```
},
{
  "lat": 3504
},
{
  "lon": 3504
},
{
  "longest": 3504
},
{
  "region": 3504
},
{
  "runways": 3504
},
{
  "author": 1
},
{
  "date": 1
}
],
"edgeProperties": [
  {
    "dist": 50637
  }
],
"totalNodePropertyValues": 42785,
"totalEdgePropertyValues": 50637,
"nodeStructures": [           // will not be present with mode=basic
  {
    "count": 3475,
    "nodeProperties": [
      "city",
      "code",
      "country",
      "desc",
      "elev",
      "icao",
      "lat",
      "lon",
      "longest",
      "region",
      "runways"
    ]
  }
]
```

```
        "runways",
        "type"
    ],
    "distinctOutgoingEdgeLabels": [
        "route"
    ]
},
{
    "count": 238,
    "nodeProperties": [
        "code",
        "desc",
        "type"
    ],
    "distinctOutgoingEdgeLabels": [
        "contains"
    ]
},
{
    "count": 29,
    "nodeProperties": [
        "city",
        "code",
        "country",
        "desc",
        "elev",
        "icao",
        "lat",
        "lon",
        "longest",
        "region",
        "runways",
        "type"
    ],
    "distinctOutgoingEdgeLabels": []
},
{
    "count": 6,
    "nodeProperties": [
        "code",
        "desc",
        "type"
    ],
    "distinctOutgoingEdgeLabels": []
}
```

```

    },
    {
        "count": 1,
        "nodeProperties": [
            "author",
            "code",
            "date",
            "desc",
            "type"
        ],
        "distinctOutgoingEdgeLabels": []
    }
],
"edgeStructures": [           //will not be present with mode=basic
    {
        "count": 50637,
        "edgeProperties": [
            "dist"
        ]
    }
]
}
}

```

## IAM role mappings

When you're calling Neptune Analytics API methods on a cluster, you require an IAM policy attached to the user or role making the calls that provides permissions for the actions you want to make. You set those permissions in the policy using corresponding IAM actions. You can also restrict the actions that can be taken using [IAM condition keys](#).

Most IAM actions have the same name as the API methods that they correspond to, but some methods in the data API have different names, because some are shared by more than one method. The table below lists data methods and their corresponding IAM actions.

Data API operation name	IAM correspondences
ListQueries	Action: ListQueries
GetQuery	Action: GetQueryStatus

Data API operation name	IAM correspondences
Cancel Query	Action: CancelQuery
GetGraphSummary	Action: GetGraphSummary
ExecuteQuery	Action: ReadDataViaQuery
	Action: WriteDataViaQuery
	Action: DeleteDataViaQuery

For more information, see [Actions, resources and condition keys for Neptune Analytics](#).

## Query plan cache

When a query is submitted to Neptune, the query string is parsed and translated into a query plan, which then gets optimized and executed by the engine. Often, the applications are backed by common query patterns that are instantiated with different values, and query plan cache would be optimal to reduce latency of those common query patterns. The query plan cache does this by storing a parameterized version of frequently used query plans (at most 1000 at any point), which gets reused and instantiated properly based on new parameter values provided, if any.

### Why use the query plan cache?

Reusing the query plan can reduce the latency, as the later executions skip parsing and optimization steps.

### Where can it be used?

Query plan cache can be used for all type of queries. By default, it automatically caches plan for low-latency parameterized queries, whose execution time is less than 100ms.

### How to force enable/disable the query plan cache?

For read-only queries, query plan cache is enabled by default for low-latency queries. A plan is cached only when latency is lower than the threshold of 100ms. This behavior can be overridden on a per-query basis by HTTP parameter. HTTP parameter `--plan-cache` can take enabled or disabled as a value.

```
# Forcing plan to be cached or reused
% aws neptune-graph execute-query \
  --graph-identifier <graph-id> \
  --query-string "MATCH (n) RETURN n LIMIT 1"
  --region <region> \
  --plan-cache "enabled"
  --language open_cypher /tmp/out.txt

% aws neptune-graph execute-query \
  --graph-identifier <graph-id> \
  --query-string "RETURN \$arg"
  --region <region> \
  --plan-cache "enabled" \
  --parameters "{\"arg\": 123}"
  --language open_cypher /tmp/out.txt
```

## How to check if a plan is cached?

To check if a plan is cached, use `explain`. For read-only queries, if the query was submitted and the plan was cached, `explain` would show `explain` details relevant to the query plan cache.

```
% aws neptune-graph execute-query \
  --graph-identifier <graph-id> \
  --query-string "MATCH (n) RETURN n LIMIT 1"
  --region <region> \
  --plan-cache "enabled" \
  --explain-mode "static" \
  --language open_cypher /tmp/out.txt
```

```
Query: <QUERY STRING>
Plan cached by request: <REQUEST ID OF FIRST TIME EXECUTION>
Plan cached at: <TIMESTAMP OF FIRST TIME EXECUTION>
Parameters: <PARAMETERS IF QUERY IS PARAMETERIZED QUERY>
Plan cache hits: <NUMBER OF CACHE HITS FOR CACHED PLAN>
First query evaluation time: <LATENCY OF FIRST TIME EXECUTION>
```

The query has been executed based on a cached query plan. Detailed `explain` with operator runtime statistics can be obtained by running the query with plan cache disabled (using HTTP parameter `planCache=disabled`).

**Note**

For a mutation query, explain is not yet supported.

## Eviction

A query plan is evicted by cache TTL or maximum number of cached query plans reached. When the query plan is hit, the TTL is refreshed. The defaults are:

- The maximum number of plans cached per instance is 1000.
- TTL: 300\_000 milliseconds or 5 minutes. Note that cache hit refreshes the TTL back to 5 min.

## Conditions when a query plan is not cached

The following list demonstrates conditions for when a query plan would not be cached.

- If submitted with query-specific parameter `--plan-cache "disabled"`.
  - If a cache is wanted, you can rerun the query without `--plan-cache "disabled"`.
- If the query evaluation time is larger than latency threshold, it's not cached since it's a long-running query and is considered to not benefit from query plan cache.
- If the query contains pattern that does not return any results.
  - i.e. `MATCH (n:nonexistentLabel) return n` when there are zero nodes with specified label.
  - i.e. `MATCH (n {name: $param}) return n` with `parameters={"param": "abcde"}` when there are zero nodes with name=abcde.
- If the query parameter is composite type (list, map).

```
aws neptune-graph execute-query \
  --graph-identifier <graph-id> \
  --query-string "RETURN \$arg"
  --region <region> \
  --plan-cache "enabled" \
  --parameters "{\"arg\": [1, 2, 3]}"
  --language open_cypher /tmp/out.txt
```

```
aws neptune-graph execute-query \
  --graph-identifier <graph-id> \
```

```
--query-string "RETURN \$arg"
--region <region> \
--plan-cache "enabled" \
--parameters "{\"arg\": {\"a\": 1}}"
--language open_cypher /tmp/out.txt
```

- If the query parameter is a string that has not been part of data load or data insertion.
  - If CREATE (n {name: "X"}), is done to insert "X".
  - RETURN "X" is cached, while RETURN "Y" isn't, as "Y" has not been inserted and does not exist in the database.

## Mitigation for query plan cache issue

We have detected an issue in query plan cache when `skip` or `limit` is used in an inner `WITH` clause and are parameterized. For example:

```
MATCH (n:Person)
WHERE n.age > $age
WITH n skip $skip LIMIT $limit
RETURN n.name, n.age

parameters={"age": 21, "skip": 2, "limit": 3}
```

In this case, the parameter values for `skip` and `limit` from the first plan will be applied to subsequent queries, too, leading to unexpected results.

### Mitigation

To prevent this issue, add the HTTP parameter `planCache=disabled` or SDK parameter `-planCache "disabled"` when submitting a query that includes a parameterized `skip` and/or `limit` sub-clause. Alternatively, you can hard-code the values into the query, or add a random comment to create a new plan for each request.

#### Option 1: Using request parameter

##### Curl example

```
curl -k https://<endpoint>:8182/opencypher -d 'query=MATCH (n:Person) WHERE n.age > $age WITH n skip $skip LIMIT $limit RETURN n.name, n.age' -d 'parameters={"age": 21, "skip": 2, "limit": 3}' -d planCache=disabled
```

## SDK example

```
aws neptune-graph execute-query \
  --graph-identifier <graph-id> \
  --query-string "MATCH (n:Person) WHERE n.age > $age WITH n skip $skip LIMIT $limit
  RETURN n.name, n.age"
  --region <region> \
  --plan-cache "disabled" \
  --language open_cypher
```

## Option 2: Using hard-coded values for skip and limit

```
MATCH (n:Person)
WHERE n.age > $age
WITH n skip 2 LIMIT 3
RETURN n.name, n.age

parameters={"age": 21}
```

## Option 3: Using a random comment

```
MATCH (n:Person)
WHERE n.age > $age
WITH n skip $skip LIMIT $limit
RETURN n.name, n.age // 411357f6-00d2-4f03-92ce-060d8e037c0b

parameters={"age": 21, "skip": 2, "limit": 3}
```

# Query explain

The openCypher explain feature is a feature that helps users to understand how the query is executed. Usually this is used in the context of query performance analysis.

## Explain inputs

To invoke explain, you can pass the explain-mode parameter to an ExecuteQuery request specifying the desired explain mode (i.e., level of detail), where this explain mode value can be one of the following:

- **static** - In static mode, explain doesn't run the query, but instead prints only the static structure of the query plan.

- **details** - In details mode, `explain` runs the query, and includes dynamic aspects of the query plan. These may include the number of intermediate bindings flowing through the operators, the ratio of incoming bindings to outgoing bindings, and the total time taken by each operator. Additional details, such as the actual openCypher query string and the estimated range count for the pattern underlying a join operator, are also shown.

The following code examples provide the `explain`-mode when using either the AWS CLI or AWSCURL.

### AWS CLI

```
aws neptune-graph execute-query \
--region <region> \
--graph-identifier <graph-id> \
--query-string <query-string> \
--explain-mode <explain-mode> \
--language open_cypher /tmp/out.txt
```

### AWSCURL

```
awscurl -X POST "https://<graph-id>.<endpoint>/queries" \
-H "Content-Type: application/x-www-form-urlencoded" \
--region <region> \
--service neptune-graph \
-d "query=<query>&explain=<mode>"
```

## Explain outputs

### DFE operators in openCypher explain output

To use the information that the openCypher `explain` feature provides, you need to understand some details about how the DFE query engine works (DFE being the engine that Neptune uses to process openCypher queries).

The DFE engine translates every query into a pipeline of operators. Starting from the first operator, intermediate solutions flow from one operator to the next through this operator pipeline. Each row in the `explain` table represents a result, up to the point of evaluation. The operators that can appear in a DFE query plan are as follows:

- **DFEApply** – Executes the function specified by functor in the arguments section, on the value stored in the specified variable
- **DFEAlgoWriteProperty** – Explain operator for the property-writing portion of mutate algorithm invocations.
- **DFEBFSAlgo** – Explain operator for invocations of the Breadth First Search algorithm, which searches for nodes from a starting vertex (or starting vertices, also called multi-source BFS) in a graph in breadth-first order.
- **DFEBindRelation** – Binds together variables with the specified names.
- **DFEChunkLocalSubQuery** – This is a non-blocking operation that acts as a wrapper around subqueries being performed.
- **DFEClosenessCentralityAlgo** – Explain operator for invocations of the Closeness Centrality algorithm, which computes a metric that can be used as a positive measure of how close a given node is to all other nodes or how central it is in the graph.
- **DFECommonNeighborsAlgo** – Explain operator for invocations of the Common Neighbors algorithm, which counts the number of common neighbors of two input nodes.
- **DFECreateConstant** – Extends the given input relation with new columns containing constant values.
- **DFEDegreeAlgo** – Explain operator for invocations of the Degree algorithm, which calculates the number of edges that are incident to a vertex.
- **DFEDistinctColumn** – Returns the distinct subset of the input values based on the variable specified.
- **DFEDistinctRelation** – Returns the distinct subset of the input solutions based on the variable specified.
- **DFEDrain** – Appears at the end of a subquery to act as a termination step for that subquery. The number of solutions is recorded as Units In. Units Out is always zero.
- **DFEForwardValue** – Copies all input chunks directly as output chunks to be passed to its downstream operator.
- **DFEGroupByHashIndex** – This is a blocking operation that organizes the rows of a relation according to a set of variables, outputting a single group identifier column that is one-to-one with the rows of the input relation. Groups here are defined by the join variables used to build the hash index (See **DFEHashIndexBuild** for where this hash index might be built.)
- **DFEHashIndexBuild** – Builds a hash index over a set of variables as a side-effect. This hash index is typically reused in later operations. (See **DFEHashIndexJoin** for where this hash index might be used.)

- **DFEHashIndexJoin** – Performs a join over the incoming solutions against a previously built hash index. (See **DFEHashIndexBuild** for where this hash index might be built.)
- **DFEJaccardSimilarityAlgo** – Explain operator for invocations of the Jaccard similarity algorithm, which measures the similarity between two sets of nodes.
- **DFEJoinExists** – Takes a left and right hand input relation, and retains values from the left relation that have a corresponding value in the right relation as defined by the given join variables.
- **DFELabelPropagationAlgo** – Explain operator for invocations of the Label Propagation algorithm, which is used for community detection.
- **DFELoopSubQuery** – This is a non-blocking operation that acts as a wrapper for a subquery, allowing it to be run repeatedly for use in loops.
- **DFEMergeChunks** – This is a blocking operation that combines chunks from its upstream operator into a single chunk of solutions to pass to its downstream operator (inverse of **DFESplitChunks**).
- **DFEMinus** – Takes a left and right hand input relation, and retains values from the left relation that do not have a corresponding value in the right relation as defined by the given join variables. If there is no overlap in join variables across both relations, then this operator simply returns the left hand input relation as is.
- **DFENotExists** – Takes a left and right hand input relation, and retains values from the left relation that do not have a corresponding value in the right relation as defined by the given join variables. If there is no overlap in join variables, then this operator will return an empty relation.
- **DFEOptionalJoin** – Performs the optional join  $A \text{ OPTIONAL } B \equiv (A \text{ JOIN } B) \text{ UNION } (A \text{ MINUS\_NE } B)$ . This is a blocking operation.
- **DFEOverlapSimilarityAlgo** – Explain operator for invocations of the Overlap Similarity algorithm, which measures the overlap between the neighbors of two nodes.
- **DFEPagerankAlgo** – Explain operator for invocations of the Page Rank algorithm, which calculates a score for a given node based on the number, quality, and importance of the edges pointing to that node.
- **DFEPipelineJoin** – Joins the input against the tuple pattern defined by the pattern argument.
- **DFEPipelineRangeCount** – Counts the number of solutions matching a given pattern, and returns a single solution containing the count value.
- **DFEPipelineScan** – Scans the database for the given pattern argument, with or without a given filter on column(s).
- **DFEProject** – Takes multiple input columns and projects only the desired columns.

- DFEReduce – Performs the specified aggregation function on specified variables.
- DFERelationalJoin – Joins the input of the previous operator based on the specified pattern keys using a merge join. This is a blocking operation.
- DFERouteChunks – Takes input chunks from its singular incoming edge and routes those chunks along its multiple outgoing edges.
- DFESCCAlgo – Explain operator for invocations of the Strongly Connected Components algorithm, which calculates the maximally connected subgraphs of a directed graph where every node is reachable from every other node.
- DFESelectRows – This operator selectively takes rows from its left input relation solutions to forward to its downstream operator. The rows selected based on the row identifiers supplied in the operator's right input relation.
- DFESerialize – Serializes a query's final results into a JSON string serialization, mapping each input solution to the appropriate variable name. For node and edge results, these results are serialized into a map of entity properties and metadata.
- DFESort – Takes an input relation and produces a sorted relation based on the provided sort key.
- DFESplitByGroup – Splits each single input chunk from one incoming edge into smaller output chunks corresponding to row groups identified by row ids from the corresponding input chunk from the other incoming edge.
- DFESplitChunks – Splits each single input chunk into smaller output chunks (inverse of DFEMergeChunks).
- DFESSSPAlgo – Explain operator for invocations of the single source shortest path (SSSP) algorithms (Delta-stepping and Bellman-ford).
- DFESstreamingHashIndexBuild – Streaming version of DFEHashIndexBuild.
- DFESstreamingGroupByHashIndex – Streaming version of DFEGroupByHashIndex.
- DFESubquery – This operator appears at the beginning of all plans and encapsulates the portions of the plan that are run on the DFE engine, which is the entire plan for openCypher.
- DFESymmetricHashJoin – Joins the input of the previous operator based on the specified pattern keys using a hash join. This is a non-blocking operation.
- DFESync – This operator is a synchronization operator supporting non-blocking plans. It takes solutions from two incoming edges and forwards these solutions to the appropriate downstream edges. For synchronization purposes, the inputs along one of these edges may be buffered internally.
- DFETee – This is a branching operator that sends the same set of solutions to multiple operators.

- DFETermResolution – Performs a localize or globalize operation on its inputs, resulting in columns of either localized or globalized identifiers respectively.
- DFETopKSSSPAlgo – Explain operator for invocations of the TopK hop-limited single source (weighted) shortest path algorithm algorithm, which finds the single-source weighted shortest paths from a source node to its neighbors out to the distance specified by maxDepth.
- DFETotalNeighborsAlgo – Explain operator for invocations of the Total Neighbors algorithm, which counts the total number of unique neighbors of two input vertices.
- DFEUnfold – Unfolds lists of values from an input column into the output column as individual elements.
- DFEUnion – Takes two or more input relations and produces a union of those relations using the desired output schema.
- DFEVSSAlgo – Explain operator for invocations of the Vector similarity search algorithms, which find similar vectors based on the distance to each other.
- DFEWCCAlgo – Explain operator for invocations of the Weakly Connected Components algorithm, which finds the weakly-connected components in a directed graph.
- SolutionInjection – Appears before everything else in the explain output, with a value of one in the Units Out column. However, it serves a no-op, and doesn't actually inject any solutions into the DFE engine.
- TermResolution – Appears at the end of plans and translates of objects from the Neptune engine into openCypher objects.

## Columns in openCypher explain output

The query plan information generated as openCypher explain output contains tables with one operator per row. The table has the following columns:

- ID – The numeric ID of this operator in the plan.
- Out #1 (and Out #2) – The ID(s) of operator(s) that are downstream from this operator. There can be at most two downstream operators.
- Name – The name of this operator.
- Arguments – Any relevant details for the operator. This includes things like input schema, output schema, pattern (for PipelineScan and PipelineJoin), and so on.

- Mode – A label describing fundamental operator behavior. This column is mostly blank (-). One exception is TermResolution, where mode can be `id2value_opencypher`, indicating a resolution from ID to openCypher value.
- Units In – The number of solutions passed as input to this operator. Operators without upstream operators, such as DFEPipelineScan, SolutionInjections, and a DFESubquery with no static value injected, would have zero value.
- Units Out – The number of solutions produced as output of this operator. DFEDrain is a special case, where the number of solutions being drained is recorded in Units In and Units Out is always zero.
- Ratio – The ratio of Units Out to Units In.
- Time (ms) – The CPU time consumed by this operator, in milliseconds.

 **Note**

Depending on the level of detail selected via the `explain mode` parameter, some of these columns may not appear in the output.

## Explain examples

The following is a basic example of openCypher explain output. The query is a single-node lookup in the air routes dataset for a node with the airport code ATL that invokes explain using the details mode:

```
## sample query
aws neptune-graph execute-query \
--region <region> \
--graph-identifier <graph-id> \
--query-string "MATCH (n {code: 'ATL'}) RETURN n" \
--explain-mode details \
--language open_cypher /tmp/out.txt

## output
Query:
MATCH (n {code: 'ATL'}) RETURN n
#####
#####
```

At the top-level, `SolutionInjection` appears before everything else, with 1 unit out. Note that it doesn't actually inject any solutions. You can see that the next operator, `DFESubquery`, has 0 units in.

After `SolutionInjection` at the top-level is the `DFESubquery` operator. `DFESubquery` encapsulates the parts of the query execution plan that are pushed to the DFE engine (for `openCypher` queries, the entire query plan is executed by the DFE). All the operators in the query plan are nested inside `subQuery1` that is referenced by `DFESubquery`.

All the operators that are pushed down to the DFE engine have names that start with a DFE prefix. As mentioned above, the whole `openCypher` query plan is executed by the DFE, so as a result, all of the operators start with DFE.

Inside `subQuery1`, there can be zero (as in this case) or more `DFEChunkLocalSubQuery` or `DFELoopSubQuery` operators that encapsulate a part of the pushed execution plan that is executed in a memory-bounded mechanism. A `DFEChunkLocalSubQuery` contains one `SolutionInjection` that is used as an input to the subquery. To find the table for that subquery in the output, search for the `subQuery=graph` URI specified in the `Arguments` column for the `DFEChunkLocalSubQuery` or `DFELoopSubQuery` operator.

In `subQuery1`, `DFEPipelineScan` with ID 0 scans the database for a specified pattern. The pattern scans for vertices `?n` with property `code` saved as a variable `?n_code2`. The `inlineFilters` argument shows the filtering for the `code` property equaling ATL.

Next, the `DFEProject` operator propagates forward only the `?n` variable we're interested in. Finally, the `DFESerialize` operator performs result serialization, transforming the input solutions into a readable format.

## Statistics

Neptune Analytics uses similar statistics for planning query execution as in [Neptune Database](#). Computing these statistics is performed as an integrated part of the Neptune Analytics storage system. There are a number of differences between the features and usage of statistics between Neptune Analytics and Neptune Database:

1. Initial statistics generation is performed as part of either the initial import task or an initial data load occurring before any query-driven updates. Subsequently, statistics re-computation is triggered automatically based on the amount of update operations performed by the database.
2. Like with Neptune Database, Neptune Analytics has a size limit for statistics data, beyond which statistics will be disabled. The number of predicate statistics, may not exceed one million (the same as Neptune Database). There is no hard limit on the number of characteristic sets present

in the underlying data. However, beyond 10,000 characteristic sets, the system will begin to merge statistics data in order to limit the overall size of data being managed.

3. Statistics generation is fully managed by the storage system. There are no APIs to disable or re-compute statistics.
4. There are no CloudWatch metrics relating to statistics generation.

## Exceptions

The following table lists query-side exceptions that could be encountered while using a query.

Neptune Analytics error code	HTTP status	Retriable	Description
Validation Exception	400	No	Something is wrong with the required information - Eg. a malformed query.
AccessDeniedException	403	No	User is not authorized to perform the requested operation.
ResourceNotFoundException	404	No	Requested resource is not available.
ThrottlingException	429	Yes	The server has received too many concurrent requests.
InternalServerException	500	Yes	The server failed to process the request for an unknown reason.
UnprocessableException	422	No	Request cannot be processed due to

Neptune Analytics error code	HTTP status	Retriable	Description
			known reasons - Eg. The query timed out.
ConflictException	409	Yes	Concurrently running queries attempted to modify resources or data records concurrently and the conflict could not be resolved automatically. Please retry with an exponential back-off strategy.

## Neptune Analytics openCypher data model

For details on the openCypher data model, please refer to the Neptune Database [documentation](#). There are some differences in modeling of vertices without labels. Neptune Database adds vertices with a default label if one is not explicitly provided. All but the last label of a vertex can be deleted.

### What is a vertex?

As well as loading both vertices and edges, unlike Neptune Database, Neptune Analytics also allows loading just edges and is still able to run algorithms and queries from that starting point. This is useful if your main interest is, for example, loading a file of edge data from a CSV file and running an algorithm over the data without needing to provide any additional vertex information. This has some implications on how vertices are managed. For the Neptune Analytics query engine, a vertex implicitly exists if it either has an explicit label, a property, or an edge. Likewise, a vertex gets implicitly deleted if all its labels, properties, and edges get removed. Unlike Neptune Database, Neptune Analytics stores a label for a vertex only if one is explicitly provided by the user, and all labels of a vertex can be deleted.

This affects some common openCypher queries. An attempt to create a vertex that has neither a label nor properties or edges has no effect. That is, queries such as `CREATE (n)` or `CREATE (n`

{`~id`: "xyz"}) do not add any vertices to the graph. `CREATE (n {key:value})`, where key is different from `~id`, creates a vertex with the property key, and `CREATE (n)-[knows]->(m)` creates two vertices with the one shared edge.

`CREATE (n {key:value})`, where key is different from `~id`, creates a vertex with the property key, and a subsequent `MATCH (n)` will discover that vertex. A query such as `MATCH (n {key:value}) REMOVE n.key` will remove the only property for the (edge- and label-less) vertex, which implicitly deletes the vertex. A subsequent `MATCH (n)` query will not return that vertex. Likewise, `CREATE (n:Label)` adds a vertex with the label Label (and no other properties or edges). Now, `MATCH (n) REMOVE n:Label` deletes the only label of the vertex, which implicitly deletes the vertex.

Similarly, `CREATE (n)-[knows]->(m)` creates two nodes and one edge. `MATCH (n)` will discover those two vertices. Now, `MATCH (n)-[r:knows]->(m) DELETE r` will delete that edge, and implicitly deletes the two vertices. Those two vertices are no longer returned when running a `MATCH (n)` query.

Merge on empty vertices, `MERGE (n)` or `MERGE (n {`~id`: "xyz"})`, are not permitted and will throw an exception. `MERGE (n {key:value})` creates a vertex with property key if a matching vertex does not exist.

The following table illustrates the differences between Neptune Database and Neptune Analytics.

Query (run on empty graph)	Neptune Database	Neptune Analytics
<code>CREATE (n)</code>	<p>Adds a vertex with label "vertex" to the graph.</p> <p>Each repeat request adds a new vertex to the graph.</p>	<p>No change to the graph, query returns without exception.</p> <p>Repeat requests similarly do not change the graph, and query returns without exception.</p>
<code>CREATE (n {`~id`: "xyz"})</code>	<p>Adds a vertex with id "xyz" and label "vertex" to the graph.</p>	<p>No change to the graph, query returns without exception.</p>

Query (run on empty graph)	Neptune Database	Neptune Analytics
	Repeat request fails with exception.	Repeat requests similarly do not change the graph, and query returns without exception.
CREATE (n {key:value})	Adds a vertex with label "vertex" and property "key" to the graph.	Adds a vertex with property "key" to the graph. This vertex has no label.
CREATE (n {key:value}) MATCH (n {key:value}) REMOVE n.key	The REMOVE query removes the "key" property on the vertex. The graph contains a vertex with label "vertex" but no property.  MATCH (n) returns the vertex.	The remove query removes the property on the vertex, and as a side effect the vertex gets deleted from the graph.  MATCH (n) does not return the vertex.
CREATE (n:Label {`~id`: "xyz", key:value})  MATCH (n {`~id`: "xyz"}) REMOVE n:Label	The REMOVE query errors out, the last label on a vertex cannot be deleted.	The REMOVE query removes the label. The graph contains a graph with id "xyz" and property "key".
CREATE (n)-[:knows]->(m)	Adds two vertices with label "vertex" and an edge with label "knows" to the graph.  MATCH (n) returns both those vertices.	Adds an edge between two new vertices to the graph.  MATCH (n) returns both those vertices.

Query (run on empty graph)	Neptune Database	Neptune Analytics
<code>CREATE (n)-[:knows]-&gt;(m)</code>	Deletes the edge. The graph contains two isolated vertices.	Deletes the edge, and as a side effect the two vertices also get deleted from the graph. The graph is now empty.
<code>MATCH (n)-[r:knows]-&gt;(n) DELETE r</code>	<code>MATCH (n)</code> returns both those vertices.	<code>MATCH (n)</code> does not return the two vertices.
<code>MERGE (n)</code>	<p>Adds a vertex with label "vertex" if graph is empty.</p> <p>Matches all vertices in a non-empty graph.</p>	Throws an exception.
<code>MERGE (n {`~id`: "xyz"})</code>	<p>Adds a vertex with label "vertex" and id "xyz" if one does not exist in the graph.</p> <p>Matches vertex with id "xyz".</p>	Throws an exception.
<code>MERGE (n {key:value})</code>	Adds a vertex with label "vertex" and property "key" to the graph, if such a vertex does not already exist.	Adds a vertex with property "key" to the graph, if such a vertex does not already exist. This vertex has no label.
<code>MERGE (n)-[knows]-&gt;(m)</code>	<p>Adds two vertices with label "vertex" and an edge with label "knows" to the graph, if an edge with label "knows" does not exist.</p> <p><code>MATCH (n)</code> returns both those vertices.</p>	<p>Adds an edge between two new vertices to the graph, if an edge with label "knows" does not exist. The two vertices have no label.</p> <p><code>MATCH (n)</code> returns both those vertices.</p>

**Note**

A workaround to implicit deletion of a vertex when all of its labels, properties, and edges get removed is to assign immutable labels to all vertices. This way, the deletion of all properties, edges, or mutable labels of a vertex will not lead to an implicit deletion. A vertex would not get deleted until explicitly deleted.

Likewise a workaround to no-op vertex create queries is to always create a vertex with a label or a property. To combine it with the previous point, always create a vertex with an immutable label. Extending this to bulk or batch loads, include all vertices in some vertex files and assign a property or an immutable label to all vertices.

## Neptune Analytics OpenCypher specification compliance

Refer to the Neptune Database documentation found [here](#) for openCypher specification compliance, with the exception that Neptune Analytics does not support custom edge IDs.

Amazon Neptune also supports several features beyond the scope of the OpenCypher specification. Refer to [OpenCypher extensions in Amazon Neptune](#) for details.

## Vertex and edge IDs

### Custom IDs for vertices

Neptune Analytics supports both querying and creating vertices with custom IDs. See [openCypher custom IDs](#) for more details.

### Custom IDs for edges

Neptune Analytics does not support edge creation with custom edge IDs. Custom IDs are not permitted in CREATE or MERGE clauses. Edges are assigned IDs by Neptune, using a reserved prefix `neptune_reserved_`. Edges can be queried by the server assigned ids, just as in [Neptune Database](#).

```
# Supported
MATCH (n)-[r:knows {`~id`: 'neptune_reserved_1_123456789'}]->(m)
RETURN r
```

```
# Unsupported
```

```
CREATE (n:Person {name: 'John'})-[:knows {`~id`: 'john-knows->jim'}]->(m:Person {name: 'Jim'})  
  
# Unsupported  
MERGE (n)-[r:knows {`~id`: 'neptune_reserved_1_123456789'}]->(m)  
RETURN r
```

Server assigned IDs are recycled. After an edge is deleted, a new edge created could get assigned the same ID.

### Note

The edges could get assigned new IDs if the graph gets restructured and the older IDs would then become invalid. If the edges are reassigned IDs, older IDs would match no other edges. It is not recommended to store these IDs externally for long-term querying purposes.

## IRIs and language-tagged literals

Neptune Analytics supports values that are of type IRI or language-tagged literal. See [Handling RDF values](#) for more information.

## OpenCypher reduce() function

Reduce sequentially processes each list element by combining it with a running total or 'accumulator.' Starting from an initial value, it updates the accumulator after each operation and uses that updated value in the next iteration. Once all elements have been processed, it returns the final accumulated result.

### A typical reduce() structure

```
reduce(accumulator = initial , variable IN list | expression)
```

#### Type specifications:

- **initial:** starting value for the accumulator - (LONG | FLOAT | STRING | LIST OF (STRING, LONG, FLOAT)).
- **list:** the input list - LIST OF T where T matches the initial type.
- **variable :** represents each element in the input list.

- **expression** : Only supports the `+` operator.
- **return** : The return will be the same type as the initial type.

## Restrictions:

The `reduce()` expression currently only supports addition or concatenation (string or list). Both are represented by the `+` operator. The expression should be a binary expression specified as `accumulator + any variable`.

## Examples

The following examples show the different supported input types:

### Long Addition:

```
RETURN reduce(sum = 0, n IN [1, 2, 3] | sum + n)
{
  "results": [
    "reduce(sum = 0, n IN [1, 2, 3] | sum + n)": 6
  ]
}
```

### String Concatenation:

```
RETURN reduce(str = "", x IN ["A", "B", "C"] | str + x)
{
  "results": [
    "reduce(str = "", x IN ["A", "B", "C"] | str + x)": "ABC"
  ]
}
```

### List Combination:

```
RETURN reduce(lst = [], x IN [1, 2, 3] | lst + x)
{
  "results": [
    "reduce(lst = [], x IN [1, 2, 3] | lst + x)": [1, 2, 3]
  ]
}
```

### Float Addition:

```
RETURN reduce(total = 0.0, x IN [1.5, 2.5, 3.5] | total + x)
{
```

```
"results": [{}  
  "reduce(total = 0.0, x IN [1.5, 2.5, 3.5] | total + x)": 7.5  
}  
}]
```

## Transaction isolation levels in Neptune Analytics

Neptune Analytics has some differences with isolation level supported by [Neptune Database](#).

**Read-only query isolation in Neptune Analytics:** Neptune Analytics evaluates read-only queries under snapshot isolation, just like Neptune Database.

**Mutation query isolation in Neptune Analytics:** Reads for mutation queries are normally executed under snapshot isolation, unlike Neptune Database. This is less stricter isolation than Neptune Database as the conditions in the query for proceeding to a write satisfied in a snapshot could have changed concurrently before the query commits.

For some specific steps, such as node/relationship deletion or conditional creation of new data using the MERGE step, reads also look at the concurrent writes, to avoid inconsistencies. Below are some examples where concurrent execution of queries one and two always lead to a consistent state. At most, one vertex gets created in example #1. The age is set to 10 or 11 in example #2, not both. And in example #3, either the vertex is fully deleted or the age is set to 11 without any deletion or removal of other properties.

```
# EXAMPLE 1  
Query 1: MERGE (m:Person {ssn: '123456789'})  
Query 2: MERGE (n:Person {ssn: '123456789'})
```

```
# EXAMPLE 2  
Query 1: MATCH (n {ssn : '123456789'}) SET n.age=10  
Query 2: MATCH (n {ssn : '123456789'}) SET n.age=11
```

```
# EXAMPLE 3  
Query 1: MATCH (n {ssn : '123456789'}) DETACH DELETE n  
Query 2: MATCH (n {ssn : '123456789'}) SET n.age = 11
```

**Conflict detection:** Different from Neptune Database, conflicts are evaluated more precisely over individual graph elements (properties or edges) rather than over a range of data. Queries one and

two in example #4 would not conflict when run concurrently because they search and merge on different property values ('lname1' and 'lname2'). However, queries one and two in example #5 merge on different property-value sets, but they could still conflict when run concurrently because they share a property-value (firstName: 'fname').

```
# EXAMPLE 4
Query 1: MERGE (n {lastName: 'lname1'})
Query 2: MERGE (n {lastName: 'lname2'})
```

```
# EXAMPLE 5
Query 1: MERGE (n {firstName: 'fname', lastName: 'lname1'})
Query 2: MERGE (n {firstName: 'fname', lastName: 'lname2'})
```

# Neptune Analytics algorithms

Graph algorithms are powerful tools for gaining insights into data. Neptune Analytics provides a set of optimized in-database implementations of common graph algorithms that are exposed as openCypher procedures. These algorithms analyze inherent aspects of the underlying graph structure, such as connectedness (path finding), relative importance (centrality), and community membership (community detection).

Neptune Analytics natively supports over 25 optimized graph algorithms and variants in the 5 most popular categories that help customers extract insights from their graphs, which are listed in the following table.

Category	Action	Algorithms	Common Uses
<a href="#"><u>Pathfinding</u></a>	Find the existence, quality, or availability of a path between nodes.	<ul style="list-style-type: none"><li>Breadth-First Search</li><li>Single-Source Shortest Path</li><li>Top-K Source Shortest Path</li><li>Source-Target Shortest Path</li><li>EgoNet</li></ul>	<ul style="list-style-type: none"><li>Logistics optimization</li><li>Social network recommendations</li><li>Route optimization</li></ul>
<a href="#"><u>Centrality</u></a>	Determines the absolute or relative importance of a node in the graph.	<ul style="list-style-type: none"><li>Degree</li><li>PageRank</li><li>Closeness Centrality</li><li>Degree Distribution</li></ul>	<ul style="list-style-type: none"><li>Fraud ring/Collision detection</li><li>Social network influencer identification</li><li>Supply chain risk analysis</li></ul>
<a href="#"><u>Similarity</u></a>	Compare the similarities between different graph structures.	<ul style="list-style-type: none"><li>Common Neighbors</li><li>Total Neighbors</li></ul>	<ul style="list-style-type: none"><li>Biological structural analysis</li><li>Social network cluster comparison</li></ul>

Category	Action	Algorithms	Common Uses
		<ul style="list-style-type: none"> <li>• Jaccard Similarity</li> <li>• Overlap Similarity</li> </ul>	<ul style="list-style-type: none"> <li>• Link prediction</li> </ul>
<a href="#"><u>Clustering and Community Detection</u></a>	Identify meaningful groups or clusters within graph structures.	<ul style="list-style-type: none"> <li>• Weakly Connected Components (WCC)</li> <li>• Strongly Connected Components (SCC)</li> <li>• Label Propagation</li> <li>• Louvain</li> </ul>	<ul style="list-style-type: none"> <li>• Social network clusters</li> <li>• Fraud ring identification</li> <li>• Householding</li> <li>• Biological interaction</li> </ul>
<a href="#"><u>Vector Similarity Search</u></a>	Identify approximate nearest neighbor (ANN) nodes by comparing vector embeddings using the Hierarchical Navigable Small World (HNSW) algorithm.	<ul style="list-style-type: none"> <li>• Distance</li> <li>• Top-K</li> </ul>	<ul style="list-style-type: none"> <li>• RAG applications</li> <li>• Knowledge graph backed chat bots</li> <li>• Approximate nearest neighbors</li> </ul>

Many of these algorithms require interacting with most or all the nodes and edges in a graph, often in an iterative fashion. As a result, they are too computationally expensive to process using normal analytic technologies. Neptune Analytics has built highly optimized implementations that allow them to run over graphs of any size.

Algorithms in Neptune Analytics are integrated naturally into openCypher through the `CALL` clause, as illustrated below. This lets you combine algorithms naturally with openCypher clauses, functions, and semantics to build very complex queries. For example, you could look for the top 10 most important airports in the US-AK region like this:

```

MATCH (n:airport {region: 'US-AK'})
CALL neptune.algo.pageRank(n, {edgeLabels: ['route'], numOfIterations: 10})
YIELD rank
RETURN n.code, rank
  
```

```
ORDER BY rank DESC LIMIT 10
```

You can run algorithms in the SDKs using the `ExecuteOpenCypherQuery` operation or in `boto3` and the AWS CLI using the `execute-query` command. If you don't want to use the SDK or CLI, you can use `awscurl` to sign your Neptune Analytics requests using [signed using Signature Version 4 \(Sig4\)](#). For example, you can run a simple breadth-first search like this:

```
awscurl -X POST -H "Content-Type: application/x-www-form-urlencoded" \
https://(graphIdentifier).(region).neptune-graph.amazonaws.com/opencypher \
--service neptune-graph \
--region (region) \
-d "query=CALL neptune.algo.bfs([\"101\", \"102\"], {edgeLabels: [\"route\"]})"
```

You could run the same query using the AWS CLI like this:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string 'CALL neptune.algo.bfs(["101", "102"], {edgeLabels: ["route"]})' \
--language open_cypher \
/tmp/out.txt
```

Algorithms having signatures with different kinds of input in Neptune Analytics are exposed as separate algorithms. Unless otherwise indicated, the examples here are using the [Air Routes dataset](#).

Neptune Analytics currently supports five main categories of algorithm:

- [Path finding algorithms](#) – These find the existence, quality, or availability of a path or paths between two or more nodes in the graph. A path in this sense is a set of nodes and connecting edges.

By efficiently determining the optimal route between two nodes, path-finding algorithms enable you to model real-world systems like roads or social networks as interconnected nodes and edges. Finding the shortest paths between various points is crucial in applications like route planning for GPS systems, logistics optimization, and even in solving complex problems in fields like biology or engineering.

- [Centrality algorithms](#) – These are used to determine the absolute or relative importance or influence of a node or nodes in the graph.

By identifying the most influential or important nodes within a network, centrality algorithms can provide insights about key players or critical points of interaction. This is valuable in social network analysis, where it helps pinpoint influential individuals, and in transportation networks, where it aids in identifying crucial hubs for efficient routing and resource allocation.

- [Similarity algorithms](#) – Graph similarity algorithms allow you to compare and analyze the similarities and dissimilarities between different graph structures, which can provide insight into relationships, patterns, and commonalities across diverse datasets. This is invaluable in various fields, such as biology, for comparing molecular structures, such as social networks, for identifying similar communities, and such as recommendation systems, for suggesting similar items based on user preferences.
- [Clustering or community-detection algorithms](#) – Community-detection algorithms can identify meaningful groups or clusters of nodes in a network, revealing hidden patterns and structures that can provide insights into the organization and dynamics of complex systems. This is valuable in social network analysis, and in biology, for identifying functional modules in protein-protein interaction networks, and more generally for understanding information flow and influence propagation in many different domains.
- [Vector Similarity Search](#) – Vector similarity algorithms work by using vector based representations of data, a.k.a. embeddings, to answer questions about the data's context and its similarity and connection to other data. This is valuable in applications such as Retrieval Augmented Generation (RAG) applications, knowledge graph backed chatbots, and recommendation engines.

# Path-finding algorithms in Neptune Analytics

Path-finding algorithms are a category of graph algorithms that focus on finding a path, a connected set of nodes and edges, between two or more sets of nodes within a graph. They are often used to find available or optimized paths based on the existence, quantity, or quality of the paths and the values of properties along those paths.

By efficiently determining the best route between two nodes, path-finding algorithms enable you to model real-world systems like roads or social networks as interconnected nodes and edges. Finding the shortest paths between various points is crucial in applications like route planning for GPS systems, logistics optimization, and even in solving complex problems in fields like biology or engineering.

## Breadth-first search (BFS) path finding algorithms

Breadth-first search (BFS) path-finding algorithms search for nodes in breadth-first order, starting from a single vertex. They can also, in the multi-source case, start from more than one vertex.

They can systematically explore and evaluate all neighboring nodes from a starting point before moving on to the neighbors of those nodes, which ensures that the algorithm searches the shallowest levels of the graph first.

Breadth-first-search is used in computer networking to find the shortest path between two devices, and in social networks to understand how information spreads through connections, and in games to explore possible moves and strategies.

**Time complexity** – The time complexity of breadth-first search algorithms is  $O(|V| + |E|)$ , where  $|V|$  is the number of vertices in the graph and  $|E|$  is the number of edges in the graph.

A breadth-first algorithm can be invoked as a *standalone* operation whose inputs are explicitly defined, or as a *query-algorithm integration* which takes as its input the output of an immediately preceding MATCH clause.

Neptune Analytics supports these BFS algorithms:

- [.bfs](#) – This standard breadth-first search algorithm starts from the source vertex of the graph and returns a column of visited vertices.
- [.bfs.parents](#) – This variant of BFS starts from a source vertex or vertices and finds the parent of each vertex during the search. It returns a key column of the vertices and a value column of the parents of the key vertices.

- [.bfs.levels](#) – This variant of BFS starts from a source vertex or vertices and finds the levels of each vertex during the search. It returns a key column of the vertices and a value column of integers that are the level values of the key vertices.

Note that the level of a source vertex is 0.

## Standard breadth-first search (BFS) algorithm

Standard breadth-first search (BFS) is an algorithm for finding nodes from a starting node or nodes in a graph in breadth-first order.

It returns the source node or nodes that it started from, and all of the nodes visited by each search.

### Note

Because every source node passed in leads to its own execution of the algorithm, your queries should limit the number of source nodes as much as possible.

### .bfs syntax

```
CALL neptune.algo.bfs(  
  [source-node list (required)],  
  {  
    edgeLabels: [list of edge labels for filtering (optional)],  
    vertexLabel: a node label for filtering (optional),  
    maxDepth: maximum number of hops to traverse from a source node (optional),  
    traversalDirection: traversal direction (optional),  
    concurrency: number of threads to use (optional)  
  }  
)  
YIELD the outputs to generate (source and/or node)  
RETURN the outputs to return
```

### .bfs inputs

- **a source node list (required)** – *type: Node[] or NodeId[]; default: none.*

The source-node list contains the node or nodes used as the starting locations for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source-node list is empty then the query result is also empty.
- If the algorithm is called following a MATCH clause (this is known as query-algorithm integration), the output of the MATCH clause is used as the source-node list for the algorithm.

- **a configuration object that contains:**

- **edgeLabels (optional)** – *type*: a list of edge label strings; *example*: `["route", ...]`; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel (optional)** – *type*: string; *example*: `"airport"`; *default*: no node filtering.

If you provide a node label to filter on then only nodes matching that label will be traversed. This does not, however, filter out any nodes in the source node list.

- **maxDepth (optional)** – *type*: positive integer or 0 or -1; *default*: -1.

The maximum number of hops to traverse from a source node. If set at -1 then there's no maximum depth limit. If set to 0, only the nodes in the source node list are returned.

- **traversalDirection (optional)** – *type*: string; *default*: `"outbound"`.

The direction of edge to follow. Must be one of: `"inbound"`, `"outbound"`, or `"both"`.

- **concurrency (optional)** – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## .bfs outputs

The `.bfs` algorithm returns:

- **source** – *type*: `Node[]`.

The source nodes.

- **node** – *type*: `Node[]`.

The nodes that the algorithm traversed from each source node.

## .bfs query examples

This is a standalone example, where the query provides an explicit source node list.

```
CALL neptune.algo.bfs(
  ["101", "102"],
  {
    edgeLabels: ["route"],
    vertexLabel: "airport",
    maxDepth: 11,
    traversalDirection: "both",
    concurrency: 2
  }
)
YIELD node
```

You can run that query using the `execute-query` operation in the AWS CLI like this:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string 'CALL neptune.algo.bfs(["101", "102"],
  {edgeLabels: ["route"], vertexLabel: "airport", maxDepth: 11,
  traversalDirection: "both", concurrency: 2})' \
--language open_cypher \
/tmp/out.txt
```

A query like this one would return an empty result because the source list is empty:

```
CALL neptune.algo.bfs([], {edgeLabels: ["route"]})
```

By default, both the source nodes ("source" output) and the visited nodes ("node" output) are returned. You can use `YIELD` to specify which of those outputs you would like to see. For example, to see only the "node" outputs:

```
CALL neptune.algo.bfs(["101"], {edgeLabels: ["route"]}) YIELD node
```

The examples below are query integration examples, where `.bfs` follows a `MATCH` clause and uses the output of the `MATCH` clause as its source node list:

```
MATCH (n) WITH n LIMIT 5
CALL neptune.algo.bfs(n, {edgeLabels: ["route"]})
```

```
YIELD node
RETURN node
```

The MATCH clause can also explicitly specify a starting node list using the `id()` function, like this:

```
MATCH (n) where id(n)="101"
CALL neptune.algo.bfs(n, {edgeLabels: ["route"]})
YIELD node
RETURN node
```

Also:

```
MATCH (n) where id(n) IN ["101", "102"]
CALL neptune.algo.bfs(n, {edgeLabels: ["route"]})
YIELD node
RETURN COUNT(node)
```

### Warning

It is not good practice to use `MATCH(n)` without restriction in query integrations. Keep in mind that every node returned by the `MATCH(n)` clause invokes the algorithm once, which can result in a very long-running query if a large number of nodes is returned. Use `LIMIT` or put conditions on the `MATCH` clause to restrict its output appropriately.

## Sample . bfs output

Here is an example of the output returned by `.bfs` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.bfs(['101'], {maxDepth: 1}) yield source, node
return source, node limit 2" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "source": {
```

```
  "~id": "101",
  "~entityType": "node",
  "~labels": ["airport"],
  "~properties": {
    "lat": 13.681099891662599,
    "elev": 5,
    "longest": 13123,
    "city": "Bangkok",
    "type": "airport",
    "region": "TH-10",
    "desc": "Suvarnabhumi Bangkok International Airport",
    "code": "BKK",
    "lon": 100.74700164794901,
    "country": "TH",
    "icao": "VTBS",
    "runways": 2
  }
},
"node": {
  "~id": "1483",
  "~entityType": "node",
  "~labels": ["airport"],
  "~properties": {
    "lat": 39.490000000000002,
    "elev": 4557,
    "longest": 9186,
    "city": "Ordos",
    "type": "airport",
    "region": "CN-15",
    "desc": "Ordos Ejin Horo Airport",
    "code": "DSN",
    "lon": 109.861388889,
    "country": "CN",
    "icao": "ZBDS",
    "runways": 1
  }
}
}, {
  "source": {
    "~id": "101",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "lat": 13.681099891662599,
```

```
        "elev": 5,
        "longest": 13123,
        "city": "Bangkok",
        "type": "airport",
        "region": "TH-10",
        "desc": "Suvarnabhumi Bangkok International Airport",
        "code": "BKK",
        "lon": 100.74700164794901,
        "country": "TH",
        "icao": "VTBS",
        "runways": 2
    },
    "node": {
        "~id": "103",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
            "lat": 55.972599029541001,
            "elev": 622,
            "longest": 12139,
            "city": "Moscow",
            "type": "airport",
            "region": "RU-MOS",
            "desc": "Moscow, Sheremetyevo International Airport",
            "code": "SVO",
            "lon": 37.414600372314503,
            "country": "RU",
            "icao": "UUUE",
            "runways": 2
        }
    }
}
}]
```

## Parents breadth-first search (BFS) algorithm

The parents variant of breadth-first search is an algorithm for finding nodes from a starting node or vertices in breadth-first order and then performing a breadth-first search for the parent of each node.

It returns a key column of vertices, and a value column of the vertices that are the parents of the key vertices. The parent of a source node is itself.

### Note

Because every source node passed in initiates its own execution of the algorithm, your queries should limit the number of source nodes as much as possible.

### .bfs.parents syntax

```
CALL neptune.algo.bfs.parents(  
  [source-node list (required)],  
  {  
    edgeLabels: [list of edge labels for filtering (optional)],  
    vertexLabel: a node label for filtering (optional),  
    maxDepth: maximum number of hops to traverse from a source node (optional),  
    traversalDirection: traversal direction (optional),  
    concurrency: number of threads to use (optional)  
  }  
)  
YIELD the outputs to generate (source and/or node and/or parent)  
RETURN the outputs to return
```

### .bfs.parents inputs

- **a source node list (required)** – *type: Node[] or NodeId[]; default: none.*

The source-node list contains the node or nodes used as the starting locations for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source-node list is empty then the query result is also empty.
- If the algorithm is called following a MATCH clause (this is known as query-algorithm integration), the output of the MATCH clause is used as the source-node list for the algorithm.

- **a configuration object that contains:**

- **edgeLabels (optional)** – *type*: a list of edge label strings; *example*: `["route", ...]`; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel (optional)** – *type*: string; *example*: `"airport"`; *default*: no node filtering.

If you provide a node label to filter on then only vertices matching that label will be traversed. This does not, however, filter out any nodes in the source node list.

- **maxDepth (optional)** – *type*: positive integer or 0 or -1; *default*: -1.

The maximum number of hops to traverse from a source node. If set at -1 then there's no maximum depth limit. If set to 0, only the vertices in the source node list are returned.

- **traversalDirection (optional)** – *type*: string; *default*: outbound.

The direction of edge to follow. Must be one of: inbound, outbound, or both.

- **concurrency (optional)** – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## **.bfs.parents outputs**

The `.bfs.parents` algorithm returns:

- **source** – *type*: `Node[]`.

The source nodes.

- **node** – *type*: `Node[]`.

The vertices that the algorithm traversed from each source node.

- **parent** – *type*: `Node[]`.

---

The parents of those traversed nodes.

## .bfs.parents query examples

Thus is a standalone examples, where the source node list is explicitly provided in the query:

```
CALL neptune.algo.bfs.parents(  
  ["105", "113"],  
  {  
    edgeLabels: ["route"],  
    vertexLabel: "airport",  
    maxDepth: 2,  
    traversalDirection: "both",  
    concurrency: 2  
  }  
)  
YIELD node, parent
```

A query like this one would return an empty result because the source list is empty:

```
CALL neptune.algo.bfs.parents([], {edgeLabels: ["route"]})
```

This is a query integration example, where .bfs.parents follows a MATCH clause that provides the source node list for .bfs.parents:

```
Match (n) with n LIMIT 5  
CALL neptune.algo.bfs.parents(n, {edgeLabels: ["route"]})  
YIELD node  
RETURN n, node
```

This query is an example of aliasing the algorithm output:

```
MATCH (n {code: "AUS"})  
CALL neptune.algo.bfs.parents(n, { edgeLabels: ["route"], maxDepth: 2})  
YIELD node AS ReachedNode  
RETURN ReachedNode
```

This query searches for routes to BFS from BKK, returning the starting node (BKK), 5 visited vertices, and their parents:

```
MATCH (n) where n.code CONTAINS "BKK"  
CALL neptune.algo.bfs.parents(n, {edgeLabels: ["route"]})  
YIELD node, parent
```

```
RETURN n, node, parent
LIMIT 5
```

### Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample . bfs . parents output

Here is an example of the output returned by .bfs.parents when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.bfs.parents(['101'], {maxDepth: 1})
                YIELD source, node, parent
                RETURN source, node, parent
                LIMIT 2"
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "source": {
        "~id": "101",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 13.6810998916626,
          "elev": 5,
          "longest": 13123,
          "city": "Bangkok",
          "type": "airport",
          "region": "TH-10",
          "desc": "Suvarnabhumi Bangkok International Airport",
          "code": "BKK",
        }
      }
    }
  ]
}
```

```
        "lon": 100.747001647949,
        "country": "TH",
        "icao": "VTBS",
        "runways": 2
    },
},
"node": {
    "~id": "1483",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "lat": 39.49,
        "elev": 4557,
        "longest": 9186,
        "city": "Ordos",
        "type": "airport",
        "region": "CN-15",
        "desc": "Ordos Ejin Horo Airport",
        "code": "DSN",
        "lon": 109.861388889,
        "country": "CN",
        "icao": "ZBDS",
        "runways": 1
    }
},
"parent": {
    "~id": "101",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "lat": 13.6810998916626,
        "elev": 5,
        "longest": 13123,
        "city": "Bangkok",
        "type": "airport",
        "region": "TH-10",
        "desc": "Suvarnabhumi Bangkok International Airport",
        "code": "BKK",
        "lon": 100.747001647949,
        "country": "TH",
        "icao": "VTBS",
        "runways": 2
    }
}
}
```

```
},
{
  "source": {
    "~id": "101",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "lat": 13.6810998916626,
      "elev": 5,
      "longest": 13123,
      "city": "Bangkok",
      "type": "airport",
      "region": "TH-10",
      "desc": "Suvarnabhumi Bangkok International Airport",
      "code": "BKK",
      "lon": 100.747001647949,
      "country": "TH",
      "icao": "VTBS",
      "runways": 2
    }
  },
  "node": {
    "~id": "103",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "lat": 55.972599029541,
      "elev": 622,
      "longest": 12139,
      "city": "Moscow",
      "type": "airport",
      "region": "RU-MOS",
      "desc": "Moscow, Sheremetyevo International Airport",
      "code": "SVO",
      "lon": 37.4146003723145,
      "country": "RU",
      "icao": "UUEE",
      "runways": 2
    }
  },
  "parent": {
    "~id": "101",
    "~entityType": "node",
    "~labels": ["airport"],
```

```
  "properties": {  
    "lat": 13.6810998916626,  
    "elev": 5,  
    "longest": 13123,  
    "city": "Bangkok",  
    "type": "airport",  
    "region": "TH-10",  
    "desc": "Suvarnabhumi Bangkok International Airport",  
    "code": "BKK",  
    "lon": 100.747001647949,  
    "country": "TH",  
    "icao": "VTBS",  
    "runways": 2  
  }  
}  
]  
}
```

## Levels breadth-first search (BFS) algorithm

The levels variant of breadth-first search is an algorithm for searching nodes from a starting node or nodes in breadth-first order. From there it performs a breadth-first search and records the hop level from the starting node of each node that it finds.

It returns a key column of nodes, and a value column containing the level values of those key nodes.

The level of a source node is 0. Note that because every source node passed into breadth-first search levels initiates its own execution of the algorithm, your queries should filter to a subset of the graph before executing BFS levels whenever possible.

### .bfs.levels syntax

```
CALL neptune.algo.bfs.levels(
  [source-node list (required)],
  {
    edgeLabels: [list of edge labels for filtering (optional)],
    vertexLabel: a node label for filtering (optional),
    maxDepth: maximum number of hops to traverse from a source node (optional),
    traversalDirection: traversal direction (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD the outputs to generate (source and/or node)
RETURN the outputs to return
```

### .bfs.levels inputs

- **a source node list (required)** – *type: Node[] or NodeId[]; default: none.*

The source-node list contains the node or nodes used as the starting locations for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source-node list is empty then the query result is also empty.
- If the algorithm is called following a MATCH clause (this is known as query-algorithm integration), the output of the MATCH clause is used as the source-node list for the algorithm.
- **a configuration object that contains:**
  - **edgeLabels (optional)** – *type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.*

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **vertexLabel** *(optional)* – *type*: string; *example*: "airport"; *default*: no node filtering.

If you provide a node label to filter on then only nodes matching that label will be traversed. This does not, however, filter out any nodes in the source node list.

- **maxDepth** *(optional)* – *type*: positive integer or 0 or -1; *default*: -1.

The maximum number of hops to traverse from a source node. If set at -1 then there's no maximum depth limit. If set to 0, only the nodes in the source node list are returned.

- **traversalDirection** *(optional)* – *type*: string; *default*: "outbound".

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

- **concurrency** *(optional)* – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## .bfs.levels outputs

The .bfs.levels algorithm returns:

- **source** – *type*: Node[].

The source nodes.

- **node** – *type*: Node[].

The nodes that the algorithm traversed from each source node.

- **level** – *type*: integer[].

The hop levels of those traversed nodes.

## .bfs.levels standalone query examples

The examples below are standalone examples, where the query provides an explicit source node list.

A query like this one would return an empty result because the source list is empty:

```
CALL neptune.algo.bfs.levels(  
  ["101", "102"],  
  {  
    edgeLabels: ["route"],  
    vertexLabel: "airport",  
    maxDepth: 6,  
    traversalDirection: "both",  
    concurrency: 2  
  }  
)  
YIELD node
```

You can run the algorithm using the `execute-query` operation in the AWS CLI like this:

```
aws neptune-graph execute-query \  
  --graph-identifier ${graphIdentifier} \  
  --query-string 'CALL neptune.algo.bfs.levels(["101", "102"], {edgeLabels: ["route"]})' \  
  --language open_cypher \  
  /tmp/out.txt
```

By default, all the outputs are generated. You can use `YIELD` to specify which of those outputs to generate. For example, to generate only the "node" and level outputs:

```
CALL neptune.algo.bfs.levels(["101"], {edgeLabels: ["route"]}) YIELD node, level
```

## .bfs.levels query integration examples

The examples below are query integration examples, where `.bfs.levels` follows a `MATCH` clause and uses the output of the `MATCH` clause as its source node list:

```
MATCH (n) WITH n LIMIT 5  
CALL neptune.algo.bfs.levels(n, {edgeLabels: ["route"]})  
YIELD node, level
```

```
RETURN n, node, level
```

This query illustrates various ways to constrain the input and output:

```
MATCH (n) where id(n)="101"
CALL neptune.algo.bfs.levels(n, { edgeLabel: "route", maxDepth: 2})
YIELD node, level WHERE node.city CONTAINS "New"
RETURN n.city, node.city, level
```

### Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample . bfs . levels output

Here is an example of the output returned by .bfs.levels when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.bfs.levels(['101'], {maxDepth: 1}) yield source,
node, level return source, node, level limit 2" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "source": {
        "~id": "101",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 13.6810998916626,
          "elev": 5,
          "longest": 13123,
```

```
        "city": "Bangkok",
        "type": "airport",
        "region": "TH-10",
        "desc": "Suvarnabhumi Bangkok International Airport",
        "code": "BKK",
        "lon": 100.747001647949,
        "country": "TH",
        "icao": "VTBS",
        "runways": 2
    }
},
"node": {
    "~id": "1483",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "lat": 39.49,
        "elev": 4557,
        "longest": 9186,
        "city": "Ordos",
        "type": "airport",
        "region": "CN-15",
        "desc": "Ordos Ejin Horo Airport",
        "code": "DSN",
        "lon": 109.861388889,
        "country": "CN",
        "icao": "ZBDS",
        "runways": 1
    }
},
"level": 1
},
{
    "source": {
        "~id": "101",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
            "lat": 13.6810998916626,
            "elev": 5,
            "longest": 13123,
            "city": "Bangkok",
            "type": "airport",
            "region": "TH-10",
            "desc": "Suvarnabhumi Bangkok International Airport",
            "code": "BKK",
            "lon": 100.747001647949,
            "country": "TH",
            "icao": "VTBS",
            "runways": 2
        }
    }
}
```

```
        "desc": "Suvarnabhumi Bangkok International Airport",
        "code": "BKK",
        "lon": 100.747001647949,
        "country": "TH",
        "icao": "VTBS",
        "runways": 2
    },
    "node": {
        "~id": "103",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
            "lat": 55.972599029541,
            "elev": 622,
            "longest": 12139,
            "city": "Moscow",
            "type": "airport",
            "region": "RU-MOS",
            "desc": "Moscow, Sheremetyevo International Airport",
            "code": "SVO",
            "lon": 37.4146003723145,
            "country": "RU",
            "icao": "UUEE",
            "runways": 2
        }
    },
    "level": 1
}
]
}
```

## Single-source shortest-path algorithms

A single-source-shortest-path algorithm finds the shortest paths (or the distance of the shortest paths) between a given vertex and all reachable vertices in the graph (including itself).

By determining the most efficient routes from a single starting node to all other nodes in the graph, single-source-shortest-path can be used calculate the shortest distances or lowest cost required to reach each destination. This is applicable in GPS systems to find the fastest routes between a starting point and different destinations, and in logistics to optimize delivery routes, and in transportation planning for efficient navigation through road networks.

Neptune Analytics supports the following single-source-shortest-path (SSSP) algorithms:

- [`.sssp.bellmanFord`](#) – Computes the shortest path distances from a source vertex to all other vertices in the graph using the [Bellman-Ford](#) algorithm. Positive edge weights must be provided using the `edgeWeightProperty`, and the traversal direction must not be set to both.
- [`.sssp.bellmanFord.parents`](#) – Identifies the parent vertices along the shortest paths from the source vertex to all other vertices in the graph using the Bellman-Ford algorithm. Positive edge weights must be provided using the `edgeWeightProperty`, and the traversal direction must not be set to both.
- [`.sssp.bellmanFord.path`](#) – Finds the shortest path between a given source vertex and a target vertex in the graph using the [Bellman-Ford](#) algorithm. To compute all shortest paths from a given source vertex, the regular SSSP algorithm can be used. Positive edge weights must be provided using the `edgeWeightProperty`, and the traversal direction must not be set to both.
- [`.sssp.deltaStepping`](#) – Computes the shortest path distances from a source vertex to all other vertices in the graph using a [delta-stepping](#) algorithm. Positive edge weights must be provided using the `edgeWeightProperty`, and the traversal direction must not be set to both.
- [`.sssp.deltaStepping.parents`](#) – Identifies the parent vertices along the shortest paths from the source vertex to all other vertices in the graph using a delta-stepping algorithm. Positive edge weights must be provided using the `edgeWeightProperty`, and the traversal direction must not be set to both.
- [`.sssp.deltaStepping.path`](#) – Finds the shortest path between a given source vertex and a target vertex in the graph using the delta-stepping algorithm. To compute all shortest paths from a given source vertex, the regular SSSP algorithm can be used. Positive edge weights must be provided using the `edgeWeightProperty`, and the traversal direction must not be set to both.
- [`.topksssp`](#) – The TopK hop-limited single source shortest path algorithm finds the single-source weighted shortest paths starting from a source vertex to all its `maxDepth` neighbors. The distance or cost from the source vertex to each target vertex is accumulated on the edge weights of the path. The topK distances of the paths are sorted in descending or ascending order.

The algorithm can be run unweighted as well as weighted. When you run it unweighted, it's equivalent to [`.bfs.levels`](#).

## Bellman-Ford single source shortest path (SSSP) algorithm

The `.sssp.bellmanFord` algorithm computes the shortest path distances from a single source vertex to all other vertices in the graph using the [Bellman-Ford](#) algorithm.

Neptune Analytics implements the algorithm such that:

- Positive edge weights must be provided using the `edgeWeightProperty` field
- Negative edge weights are not supported.
- The traversal direction cannot be set to both.

### `.sssp.bellmanFord` syntax

```
CALL neptune.algo.sssp.bellmanFord(
  [source-node list (required)],
  {
    edgeWeightProperty: edge weight predicate for traversal (required)
    edgeWeightType: numeric type of the edge weight property (required)
    edgeLabels: [list of edge labels for filtering (optional)],
    vertexLabel: a node label for filtering (optional),
    traversalDirection: traversal direction (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD the outputs to generate (source and/or node)
RETURN the outputs to return
```

### `.sssp.bellmanFord` inputs

- **a source node list (required)** – `type: Node[] or NodeId[]`; `default: none`.

The node or nodes to use as the starting location(s) for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source-node list is empty then the query result is also empty.
- If the algorithm is called following a MATCH clause (this is known as query-algorithm integration), the output of the MATCH clause is used as the source-node list for the algorithm.
- **a configuration object that contains:**
  - **`edgeWeightProperty` (required)** – `type: string`; `default: none`.

The edge weight predicate for traversal.

- **edgeWeightType** (*required*) – *type*: string; *valid values*: "int", "long", "float", "double".

The numeric data type of the values in the property specified by `edgeWeightProperty`.

- **edgeLabels** (*optional*) – *type*: a list of edge label strings; *example*: ["route", ...]; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel** (*optional*) – *type*: string; *example*: "airport"; *default*: no node filtering.

A node label for node filtering. If a node label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list.

- **traversalDirection** (*optional*) – *type*: string; *default*: "outbound".

The direction of edge to follow. Must be one of: "inbound" or "outbound".

- **concurrency** (*optional*) – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `.sssp.bellmanFord` algorithm

For every node that can be reached from the specified source list, the algorithm returns:

- **source** – The source node.
- **node** – A node found traversing from the source.
- **distance** – The distance between the source node and the found node.

## `.sssp.bellmanFord` query examples

This is a standalone query, where a source node (or nodes) is explicitly provided:

```
CALL neptune.algo.sssp.bellmanFord(  
  ["101"],  
  {  
    edgeLabels: ["route"],  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int"  
  }  
)
```

This is a query integration example, where `.sssp.bellmanFord` follows a `MATCH` clause and uses the output of the `MATCH` clause as its source node list:

```
MATCH (source:airport {code: 'ANC'})  
CALL neptune.algo.sssp.bellmanFord(  
  source,  
  {  
    edgeLabels: ["route"],  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int",  
    vertexLabel: "airport",  
    traversalDirection: "outbound",  
    concurrency: 1  
  }  
)  
YIELD node, parent, distance  
RETURN source, node, parent, distance
```

### Warning

It is not good practice to use `MATCH(n)` without restriction in query integrations. Keep in mind that every node returned by the `MATCH(n)` clause invokes the algorithm once, which can result in a very long-running query if a large number of nodes is returned. Use `LIMIT` or put conditions on the `MATCH` clause to restrict its output appropriately.

### Sample `.sssp.bellmanFord` output

Here is an example of the output returned by `.sssp.bellmanFord` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
```

```
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.sssp.bellmanFord(['101'],
  {edgeWeightProperty: 'dist', edgeWeightType: 'int'})
  yield source, node, distance
  return source, node, distance
  limit 2" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "source": {
        "~id": "101",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 13.6810998916626,
          "elev": 5,
          "longest": 13123,
          "city": "Bangkok",
          "type": "airport",
          "region": "TH-10",
          "desc": "Suvarnabhumi Bangkok International Airport",
          "code": "BKK",
          "prscore": 0.002498496090993285,
          "degree": 308,
          "lon": 100.747001647949,
          "wccid": 2357352929951779,
          "country": "TH",
          "icao": "VTBS",
          "runways": 2
        }
      },
      "node": {
        "~id": "2709",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 65.4809036254883,
          "elev": 49,
          "longest": 8711,
          "city": "Nadym",
        }
      }
    }
  ]
}
```

```
        "type": "airport",
        "region": "RU-YAN",
        "desc": "Nadym Airport",
        "code": "NYM",
        "prscore": 0.00016044313088059425,
        "degree": 18,
        "lon": 72.6988983154297,
        "wccid": 2357352929951779,
        "country": "RU",
        "icao": "USMM",
        "runways": 1
    }
},
"distance": 3812
},
{
  "source": {
    "~id": "101",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "lat": 13.6810998916626,
      "elev": 5,
      "longest": 13123,
      "city": "Bangkok",
      "type": "airport",
      "region": "TH-10",
      "desc": "Suvarnabhumi Bangkok International Airport",
      "code": "BKK",
      "prscore": 0.002498496090993285,
      "degree": 308,
      "lon": 100.747001647949,
      "wccid": 2357352929951779,
      "country": "TH",
      "icao": "VTBS",
      "runways": 2
    }
  },
  "node": {
    "~id": "2667",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "lat": 56.8567008972168,
```

```
        "elev": 2188,
        "longest": 6562,
        "city": "Ust-Kut",
        "type": "airport",
        "region": "RU-IRK",
        "desc": "Ust-Kut Airport",
        "code": "UKX",
        "prscore": 0.00005827549999999997,
        "degree": 4,
        "lon": 105.730003356934,
        "wccid": 2357352929951779,
        "country": "RU",
        "icao": "UITT",
        "runways": 1
    }
},
"distance": 2993
]
}
```

## Bellman-Ford single source shortest path (SSSP) parents algorithm

The `.sssp.bellmanFord.parents` algorithm uses the [Bellman-Ford](#) algorithm to find the parent nodes along with the shortest path distances from the source node to all other nodes in the graph.

Neptune Analytics implements the algorithm such that:

- Positive edge weights must be provided using the `edgeWeightProperty` field
- Negative edge weights are not supported.
- The traversal direction cannot be set to both.

### `.sssp.bellmanFord.parents` syntax

```
CALL neptune.algo.sssp.bellmanFord.parents(
  [source-node list (required)],
  {
    edgeWeightProperty: edge weight predicate for traversal (required)
    edgeWeightType: numeric type of the edge weight property (required)
    edgeLabels: [list of edge labels for filtering (optional)],
    vertexLabel: a node label for filtering (optional),
    traversalDirection: traversal direction (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD the outputs to generate (source and/or node)
RETURN the outputs to return
```

### `.sssp.bellmanFord.parents` inputs

- **a source node list (required)** – `type: Node[] or NodeId[]`; `default: none`.

The node or nodes to use as the starting location(s) for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source-node list is empty then the query result is also empty.
- If the algorithm is called following a `MATCH` clause (this is known as query-algorithm integration), the output of the `MATCH` clause is used as the source-node list for the algorithm.

- a **configuration object** that contains:

- **edgeWeightProperty** (*required*) – *type*: string; *example*: "distance"; *default*: none.

The edge weight predicate for traversal.

- **edgeWeightType** (*required*) – *type*: string; *valid values*: "int", "long", "float", "double".

The numeric data type of the values in the property specified by `edgeWeightProperty`.

- **edgeLabels** (*optional*) – *type*: a list of edge label strings; *example*: ["route", ...]; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel** (*optional*) – *type*: string; *example*: "airport"; *default*: no node filtering.

A node label for node filtering. If a node label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list.

- **traversalDirection** (*optional*) – *type*: string; *default*: "outbound".

The direction of edge to follow. Must be one of: "inbound" or "outbound".

- **concurrency** (*optional*) – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `.sssp.bellmanFord.parents` algorithm

For every node that can be reached from the specified source list, the algorithm returns:

- **source** – The source node.
- **node** – A node found traversing from the source.
- **distance** – The distance between the source node and the found node.
- **parent** – The parent of the found node. Note that the parent of the source vertex is itself.

## .sssp.bellmanFord.parents query examples

This is a standalone query, where a source node (or nodes) is explicitly provided:

```
CALL neptune.algo.sssp.bellmanFord.parents(
  ["101"],
  {
    edgeLabels: ["route"],
    edgeWeightProperty: "dist",
    edgeWeightType: "int"
  }
)
```

This is a query integration example, where where .sssp.bellmanFord.parents follows a MATCH clause and uses the output of the MATCH clause as its source node list:

```
MATCH (source:airport {code: 'ANC'})
CALL neptune.algo.sssp.bellmanFord.parents(
  source,
  {
    edgeLabels: ["route"],
    edgeWeightProperty: "dist",
    edgeWeightType: "int",
    vertexLabel: "airport",
    traversalDirection: "outbound",
    concurrency: 1
  }
)
YIELD node, parent, distance
RETURN source, node, parent, distance
```

### Warning

It is not good practice to use MATCH( $n$ ) without restriction in query integrations. Keep in mind that every node returned by the MATCH( $n$ ) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .sssp.bellmanFord.parents output

Here is an example of the output returned by .sssp.bellmanFord.parents when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.sssp.bellmanFord.parents(['101'],
  {edgeWeightProperty: 'dist', edgeWeightType: 'int'})
  yield source, node, parent
  return source, node, parent
  limit 2" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "source": {
        "~id": "101",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 13.6810998916626,
          "elev": 5,
          "longest": 13123,
          "city": "Bangkok",
          "type": "airport",
          "region": "TH-10",
          "desc": "Suvarnabhumi Bangkok International Airport",
          "code": "BKK",
          "prscore": 0.002498496090993285,
          "degree": 308,
          "lon": 100.747001647949,
          "wccid": 2357352929951779,
          "country": "TH",
          "icao": "VTBS",
          "runways": 2
        }
      },
      "node": {
```

```
    "~id": "2709",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "lat": 65.4809036254883,
        "elev": 49,
        "longest": 8711,
        "city": "Nadym",
        "type": "airport",
        "region": "RU-YAN",
        "desc": "Nadym Airport",
        "code": "NYM",
        "prscore": 0.00016044313088059425,
        "degree": 18,
        "lon": 72.6988983154297,
        "wccid": 2357352929951779,
        "country": "RU",
        "icao": "USMM",
        "runways": 1
    }
},
"parent": {
    "~id": "810",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "lat": 55.0125999450684,
        "elev": 365,
        "longest": 11818,
        "city": "Novosibirsk",
        "type": "airport",
        "region": "RU-NVS",
        "desc": "Tolmachevo Airport",
        "code": "OVB",
        "prscore": 0.0012910010991618038,
        "degree": 162,
        "lon": 82.6507034301758,
        "wccid": 2357352929951779,
        "country": "RU",
        "icao": "UNNT",
        "runways": 2
    }
}
},
```

```
{  
  "source": {  
    "~id": "101",  
    "~entityType": "node",  
    "~labels": ["airport"],  
    "~properties": {  
      "lat": 13.6810998916626,  
      "elev": 5,  
      "longest": 13123,  
      "city": "Bangkok",  
      "type": "airport",  
      "region": "TH-10",  
      "desc": "Suvarnabhumi Bangkok International Airport",  
      "code": "BKK",  
      "prscore": 0.002498496090993285,  
      "degree": 308,  
      "lon": 100.747001647949,  
      "wccid": 2357352929951779,  
      "country": "TH",  
      "icao": "VTBS",  
      "runways": 2  
    }  
  },  
  "node": {  
    "~id": "2667",  
    "~entityType": "node",  
    "~labels": ["airport"],  
    "~properties": {  
      "lat": 56.8567008972168,  
      "elev": 2188,  
      "longest": 6562,  
      "city": "Ust-Kut",  
      "type": "airport",  
      "region": "RU-IRK",  
      "desc": "Ust-Kut Airport",  
      "code": "UKX",  
      "prscore": 0.00005827549999999997,  
      "degree": 4,  
      "lon": 105.730003356934,  
      "wccid": 2357352929951779,  
      "country": "RU",  
      "icao": "UITT",  
      "runways": 1  
    }  
  }  
}
```

```
},
"parent": {
  "~id": "1038",
  "~entityType": "node",
  "~labels": ["airport"],
  "~properties": {
    "lat": 52.2680015563965,
    "elev": 1675,
    "longest": 10384,
    "city": "Irkutsk",
    "type": "airport",
    "region": "RU-IRK",
    "desc": "Irkutsk Airport",
    "code": "IKT",
    "prscore": 0.0008466026629321277,
    "degree": 84,
    "lon": 104.388999938965,
    "wccid": 2357352929951779,
    "country": "RU",
    "icao": "UIII",
    "runways": 1
  }
}
}
]
}
```

## Bellman-Ford single source single target shortest path algorithm

The `.sssp.bellmanFord.path` algorithm uses the Bellman-Ford algorithm to find the shortest path along with the shortest path distances from a source node to a target node in the graph. If there are multiple shortest paths between the source node and the target node, only one will be returned. The algorithm can run only weighted, with `edgeWeightProperty` provided.

Neptune Analytics implements the algorithm such that:

- Positive edge weights must be provided using the `edgeWeightProperty` field.
- Negative edge weights are not supported.
- The traversal direction cannot be set to both.

### `.sssp.bellmanFord.path` syntax

```
CALL neptune.algo.sssp.bellmanFord.path(
  [source node(s) (required)], [target node(s) (required)]
  {
    edgeWeightProperty: edge weight predicate for traversal (required)
    edgeWeightType: numeric type of the edge weight property (required)
    edgeLabels: [list of edge labels for filtering (optional)],
    vertexLabel: a node label for filtering (optional),
    traversalDirection: traversal direction (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD the outputs to generate (source and/or node)
RETURN the outputs to return
```

### `.sssp.bellmanFord.path` inputs

- **source node(s) (required)** – `type: Node[] or NodeId[]`; `default: none`.

The node or nodes to use as the starting location(s) for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source node(s) is empty then the query result is also empty.
- If the algorithm is called following a MATCH clause (this is known as query-algorithm integration), the output of the MATCH clause is used as the source node(s) for the algorithm.
- **target node(s) (required)** – `type: Node[] or NodeId[]`; `default: none`.

The node or nodes to use as the ending location(s) for the algorithm.

- Each source-target node pair produces an output of the algorithm.
- If the algorithm is called following a MATCH clause (this is known as query-algorithm integration), the output of the MATCH clause is used as the target node(s) for the algorithm.
- a **configuration object that contains:**
  - **edgeWeightProperty** (*required*) – *type: string; default: none.*

The edge weight predicate for traversal.

- **edgeWeightType** (*required*) – *type: string; valid values: "int", "long", "float", "double".*

The numeric data type of the values in the property specified by edgeWeightProperty.

- **edgeLabels** (*optional*) – *type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.*

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **vertexLabel** (*optional*) – *type: string; example: "airport"; default: no node filtering.*

A node label for node filtering. If a node label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list.

- **traversalDirection** (*optional*) – *type: string; default: "outbound".*

The direction of edge to follow. Must be one of: "inbound" or "outbound".

- **concurrency** (*optional*) – *type: 0 or 1; default: 0.*

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `.sssp.bellmanFord.path` algorithm

For every pair of source and target nodes, the algorithm returns:

- **source** – The source vertex.
- **target** – The target vertex.
- **distance** – The total shortest path distance from source to target.
- **vertexPath** – A list of vertices in the path in visit order (including the source and the target).
- **allDistances** – A list of cumulative distances to the vertices in the traversal path (including the source and the target).
- **path** – An openCypher path object representing the shortest path between the source and the target. (A list of vertices from the source vertex to the target vertex, interleaved with the corresponding edges, representing the shortest path. Sequence of vertex id (source), edge id, vertex id, edge id, ..., vertex id (target)).
  - Starts and ends with a vertex, and has edges in between each vertex.
  - Includes the source and the target vertices.

### .sssp.bellmanFord.path query examples

This is a standalone query, where a source node and target node are explicitly provided:

```
CALL neptune.algo.sssp.bellmanFord.path(  
  "9", "37",  
  {  
    edgeLabels: ["route"],  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int"  
  }  
)
```

This is a query integration example, where .sssp.bellmanFord.path follows a MATCH clause and uses the output of the MATCH clause as its source node(s) and target node(s):

```
MATCH (source:airport {code: 'FLL'})  
MATCH (target:airport {code: 'HNL'})  
CALL neptune.algo.sssp.bellmanFord.path(  
  source, target,  
  {  
    edgeLabels: ["route"],  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int",  
    vertexLabel: "airport",
```

```
traversalDirection: "outbound",
concurrency: 1
}
)
YIELD distance, vertexPath, allDistances, path
RETURN source, target, distance, vertexPath, allDistances, path
```

## Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes are returned; and that every source-target node pair produces an output, which can result in a very large query output if a large number of nodes are returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .sssp.bellmanFord.path output

Here is an example of the output returned by .sssp.bellmanFord.path when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH (n:airport {code: 'FLL'})
MATCH (m:airport {code: 'HNL'})
CALL neptune.algo.sssp.bellmanFord.path(n, m, {
  edgeWeightProperty: "dist",
  edgeWeightType: "int",
  edgeLabels: ["route"],
  vertexLabel: "airport",
  traversalDirection: "outbound",
  concurrency: 1
})
YIELD source, target, distance, vertexPath, allDistances, path
RETURN source, target, distance, vertexPath, allDistances, path" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
```

```
"results": [{}  
  "source": {  
    "~id": "9",  
    "~entityType": "node",  
    "~labels": ["airport"],  
    "~properties": {  
      "region": "US-FL",  
      "runways": 2,  
      "country": "US",  
      "city": "Fort Lauderdale",  
      "type": "airport",  
      "icao": "KFLL",  
      "lon": -80.152702331542997,  
      "code": "FLL",  
      "lat": 26.0725994110107,  
      "longest": 9000,  
      "elev": 64,  
      "desc": "Fort Lauderdale/Hollywood International Airport"  
    }  
  },  
  "target": {  
    "~id": "37",  
    "~entityType": "node",  
    "~labels": ["airport"],  
    "~properties": {  
      "region": "US-HI",  
      "runways": 4,  
      "country": "US",  
      "city": "Honolulu",  
      "type": "airport",  
      "icao": "PHNL",  
      "lon": -157.92199707031199,  
      "code": "HNL",  
      "lat": 21.318700790405298,  
      "longest": 12312,  
      "elev": 13,  
      "desc": "Honolulu International Airport"  
    }  
  },  
  "distance": 4854,  
  "vertexPath": [{  
    "~id": "9",  
    "~entityType": "node",  
    "~labels": ["airport"],  
    "order": 1  
  },  
  {"id": "37",  
   "entityType": "node",  
   "label": "airport",  
   "order": 2}]]
```

```
"~properties": {
    "region": "US-FL",
    "runways": 2,
    "country": "US",
    "city": "Fort Lauderdale",
    "type": "airport",
    "icao": "KFLL",
    "lon": -80.152702331542997,
    "code": "FLL",
    "lat": 26.0725994110107,
    "longest": 9000,
    "elev": 64,
    "desc": "Fort Lauderdale/Hollywood International Airport"
}
}, {
    "~id": "11",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "region": "US-TX",
        "runways": 5,
        "country": "US",
        "city": "Houston",
        "type": "airport",
        "icao": "KIAH",
        "lon": -95.341400146484403,
        "code": "IAH",
        "lat": 29.984399795532202,
        "longest": 12001,
        "elev": 96,
        "desc": "George Bush Intercontinental"
    }
}, {
    "~id": "37",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "region": "US-HI",
        "runways": 4,
        "country": "US",
        "city": "Honolulu",
        "type": "airport",
        "icao": "PHNL",
        "lon": -157.92199707031199,
```

```
        "code": "HNL",
        "lat": 21.318700790405298,
        "longest": 12312,
        "elev": 13,
        "desc": "Honolulu International Airport"
    }
],
"allDistances": [0, 964, 4854],
"path": [
    {
        "~id": "9",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
            "region": "US-FL",
            "runways": 2,
            "country": "US",
            "city": "Fort Lauderdale",
            "type": "airport",
            "icao": "KFLL",
            "lon": -80.152702331542997,
            "code": "FLL",
            "lat": 26.0725994110107,
            "longest": 9000,
            "elev": 64,
            "desc": "Fort Lauderdale/Hollywood International Airport"
        }
    },
    {
        "~id": "neptune_reserved_1_1152921504607567884",
        "~entityType": "relationship",
        "~start": "9",
        "~end": "11",
        "~type": "route",
        "~properties": {
            "dist": 964
        }
    },
    {
        "~id": "11",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
            "region": "US-TX",
            "runways": 5,
            "country": "US",
            "city": "Houston",
            "desc": "George Bush Intercontinental Airport"
        }
    }
]
```

```
        "type": "airport",
        "icao": "KIAH",
        "lon": -95.341400146484403,
        "code": "IAH",
        "lat": 29.984399795532202,
        "longest": 12001,
        "elev": 96,
        "desc": "George Bush Intercontinental"
    }
}, {
    "~id": "neptune_reserved_1_1152921508902600717",
    "~entityType": "relationship",
    "~start": "11",
    "~end": "37",
    "~type": "route",
    "~properties": {
        "dist": 3890
    }
}, {
    "~id": "37",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "region": "US-HI",
        "runways": 4,
        "country": "US",
        "city": "Honolulu",
        "type": "airport",
        "icao": "PHNL",
        "lon": -157.92199707031199,
        "code": "HNL",
        "lat": 21.318700790405298,
        "longest": 12312,
        "elev": 13,
        "desc": "Honolulu International Airport"
    }
}
]
}
]
```

## Delta-stepping single source shortest path (SSSP) algorithm

The `.sssp.deltaStepping` algorithm computes the shortest path distances from a single source vertex to all other vertices in the graph using a [delta-stepping](#) algorithm.

Neptune Analytics implements the algorithm such that:

- Positive edge weights must be provided using the `edgeWeightProperty` field
- Negative edge weights are not supported.
- The traversal direction cannot be set to both.

### `.sssp.deltaStepping` syntax

```
CALL neptune.algo.sssp.deltaStepping(  
  [source-node list (required)],  
  {  
    edgeWeightProperty: edge weight predicate for traversal (required)  
    edgeWeightType: numeric type of the edge weight property (required)  
    delta: the stepping delta (optional)  
    edgeLabels: [list of edge labels for filtering (optional)],  
    vertexLabel: a node label for filtering (optional),  
    traversalDirection: traversal direction (optional),  
    concurrency: number of threads to use (optional)  
  }  
)  
YIELD the outputs to generate (source and/or node)  
RETURN the outputs to return
```

### `.sssp.deltaStepping` inputs

- **a source node list (required)** – `type: Node[]` or `NodeId[]`; `default: none`.

The node or nodes to use as the starting location(s) for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source-node list is empty then the query result is also empty.
- If the algorithm is called following a `MATCH` clause (this is known as query-algorithm integration), the output of the `MATCH` clause is used as the source-node list for the algorithm.
- **a configuration object that contains:**
  - **`edgeWeightProperty (required)`** – `type: string`; `default: none`.

The edge weight predicate for traversal.

- **edgeWeightType** *(required)* – *type*: string; *valid values*: "int", "long", "float", "double".

The numeric data type of the values in the property specified by `edgeWeightProperty`.

- **delta** *(optional)* – *type*: float; *example*: 3.0; *default*: 2.0.

The delta stepping value.

- **edgeLabels** *(optional)* – *type*: a list of edge label strings; *example*: ["route", ...]; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel** *(optional)* – *type*: string; *example*: "airport"; *default*: no node filtering.

A node label for node filtering. If a node label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list.

- **traversalDirection** *(optional)* – *type*: string; *default*: "outbound".

The direction of edge to follow. Must be one of: "inbound" or "outbound".

- **concurrency** *(optional)* – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `sssp.deltaStepping` algorithm

For every node that can be reached from the specified source list, the algorithm returns:

- **source** – The source node.
- **node** – A node found traversing from the source.
- **distance** – The distance between the source node and the found node.

## .sssp.deltaStepping query examples

This is a standalone query, where a source node (or nodes) is explicitly provided:

```
CALL neptune.algo.sssp.deltaStepping(  
  ["101"],  
  {  
    edgeLabels: ["route"],  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int"  
  }  
)
```

This is a query integration example, where where .sssp.deltaStepping follows a MATCH clause and uses the output of the MATCH clause as its source node list:

```
MATCH (source:airport {code: 'ANC'})  
CALL neptune.algo.sssp.deltaStepping(  
  source,  
  {  
    edgeLabels: ["route"],  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int",  
    vertexLabel: "airport",  
    traversalDirection: "outbound",  
    concurrency: 1  
  }  
)  
YIELD node, parent, distance  
RETURN source, node, parent, distance
```

### Warning

It is not good practice to use MATCH( $n$ ) without restriction in query integrations. Keep in mind that every node returned by the MATCH( $n$ ) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .sssp.deltaStepping output

Here is an example of the output returned by .sssp.deltaStepping when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.sssp.deltaStepping(['101'],
    {edgeWeightProperty: 'dist', edgeWeightType: 'int'})
    yield source, node, distance
    return source, node, distance
    limit 2" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "source": {
        "~id": "101",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 13.6810998916626,
          "elev": 5,
          "longest": 13123,
          "city": "Bangkok",
          "type": "airport",
          "region": "TH-10",
          "desc": "Suvarnabhumi Bangkok International Airport",
          "code": "BKK",
          "prscore": 0.002498496090993285,
          "degree": 308,
          "lon": 100.747001647949,
          "wccid": 2357352929951779,
          "country": "TH",
          "icao": "VTBS",
          "runways": 2
        }
      },
      "node": {
        "~id": "2709",
        "~entityType": "node",
        "dist": 1
      }
    }
  ]
}
```

```
"~labels": ["airport"],
"~properties": {
  "lat": 65.4809036254883,
  "elev": 49,
  "longest": 8711,
  "city": "Nadym",
  "type": "airport",
  "region": "RU-YAN",
  "desc": "Nadym Airport",
  "code": "NYM",
  "prscore": 0.00016044313088059425,
  "degree": 18,
  "lon": 72.6988983154297,
  "wccid": 2357352929951779,
  "country": "RU",
  "icao": "USMM",
  "runways": 1
}
},
"distance": 3812
},
{
"source": {
  "~id": "101",
  "~entityType": "node",
  "~labels": ["airport"],
  "~properties": {
    "lat": 13.6810998916626,
    "elev": 5,
    "longest": 13123,
    "city": "Bangkok",
    "type": "airport",
    "region": "TH-10",
    "desc": "Suvarnabhumi Bangkok International Airport",
    "code": "BKK",
    "prscore": 0.002498496090993285,
    "degree": 308,
    "lon": 100.747001647949,
    "wccid": 2357352929951779,
    "country": "TH",
    "icao": "VTBS",
    "runways": 2
  }
},
}
```

```
"node": {  
    "~id": "2667",  
    "~entityType": "node",  
    "~labels": ["airport"],  
    "~properties": {  
        "lat": 56.8567008972168,  
        "elev": 2188,  
        "longest": 6562,  
        "city": "Ust-Kut",  
        "type": "airport",  
        "region": "RU-IRK",  
        "desc": "Ust-Kut Airport",  
        "code": "UKX",  
        "prscore": 0.00005827549999999997,  
        "degree": 4,  
        "lon": 105.730003356934,  
        "wccid": 2357352929951779,  
        "country": "RU",  
        "icao": "UITT",  
        "runways": 1  
    }  
},  
    "distance": 2993  
}  
]  
}
```

## Delta-stepping single source shortest path (SSSP) parents algorithm

The `.sssp.deltaStepping.parents` algorithm computes the shortest path distances from a single source vertex to all other vertices in the graph using a [delta-stepping](#) algorithm.

Neptune Analytics implements the algorithm such that:

- Positive edge weights must be provided using the `edgeWeightProperty` field
- Negative edge weights are not supported.
- The traversal direction cannot be set to both.

### `.sssp.deltaStepping.parents` syntax

```
CALL neptune.algo.sssp.deltaStepping.parents(
  [source-node list (required)],
  {
    edgeWeightProperty: edge weight predicate for traversal (required)
    edgeWeightType: numeric type of the edge weight property (required)
    delta: the stepping delta (optional)
    edgeLabels: [list of edge labels for filtering (optional)],
    vertexLabel: a node label for filtering (optional),
    traversalDirection: traversal direction (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD the outputs to generate (source and/or node)
RETURN the outputs to return
```

### `.sssp.deltaStepping.parents` inputs

- **a source node list (required)** – `type: Node[]` or `NodeId[]`; `default: none`.

The node or nodes to use as the starting location(s) for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source-node list is empty then the query result is also empty.
- If the algorithm is called following a `MATCH` clause (this is known as query-algorithm integration), the output of the `MATCH` clause is used as the source-node list for the algorithm.
- **a configuration object that contains:**
  - **`edgeWeightProperty (required)`** – `type: string`; `default: none`.

The edge weight predicate for traversal.

- **edgeWeightType** *(required)* – *type*: string; *valid values*: "int", "long", "float", "double".

The numeric data type of the values in the property specified by `edgeWeightProperty`.

- **delta** *(optional)* – *type*: float; *example*: 3.0; *default*: 2.0.

The delta stepping value.

- **edgeLabels** *(optional)* – *type*: a list of edge label strings; *example*: ["route", ...]; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel** *(optional)* – *type*: string; *example*: "airport"; *default*: no node filtering.

A node label for node filtering. If a node label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list.

- **traversalDirection** *(optional)* – *type*: string; *default*: "outbound".

The direction of edge to follow. Must be one of: "inbound" or "outbound".

- **concurrency** *(optional)* – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `sssp.deltaStepping.parents` algorithm

For every node that can be reached from the specified source list, the algorithm returns:

- **source** – The source node.
- **node** – A node found traversing from the source.
- **distance** – The distance between the source node and the found node.
- **parent** – The parent of the found node. Note that the parent of the source vertex is itself.

## .sssp.deltaStepping.parents query examples

This is a standalone query, where a source node (or nodes) is explicitly provided:

```
CALL neptune.algo.sssp.deltaStepping.parents(  
  ["101"],  
  {  
    edgeLabels: ["route"],  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int"  
  }  
)
```

This is a query integration example, where where .sssp.deltaStepping.parents follows a MATCH clause and uses the output of the MATCH clause as its source node list:

```
MATCH (source:airport {code: 'ANC'})  
CALL neptune.algo.sssp.deltaStepping.parents(  
  source,  
  {  
    edgeLabels: ["route"],  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int",  
    vertexLabel: "airport",  
    traversalDirection: "outbound",  
    concurrency: 1  
  }  
)  
YIELD node, parent, distance  
RETURN source, node, parent, distance
```

### Warning

It is not good practice to use MATCH( $n$ ) without restriction in query integrations. Keep in mind that every node returned by the MATCH( $n$ ) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .sssp.deltaStepping.parents output

Here is an example of the output returned by .sssp.deltaStepping.parents when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.sssp.deltaStepping.parents(['101'],
  {edgeWeightProperty: 'dist', edgeWeightType: 'int'})
  yield source, node, distance
  return source, node, distance
  limit 2" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "source": {
        "~id": "101",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 13.6810998916626,
          "elev": 5,
          "longest": 13123,
          "city": "Bangkok",
          "type": "airport",
          "region": "TH-10",
          "desc": "Suvarnabhumi Bangkok International Airport",
          "code": "BKK",
          "prscore": 0.002498496090993285,
          "degree": 308,
          "lon": 100.747001647949,
          "wccid": 2357352929951779,
          "country": "TH",
          "icao": "VTBS",
          "runways": 2
        }
      },
      "node": {
```

```
    "~id": "2709",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "lat": 65.4809036254883,
        "elev": 49,
        "longest": 8711,
        "city": "Nadym",
        "type": "airport",
        "region": "RU-YAN",
        "desc": "Nadym Airport",
        "code": "NYM",
        "prscore": 0.00016044313088059425,
        "degree": 18,
        "lon": 72.6988983154297,
        "wccid": 2357352929951779,
        "country": "RU",
        "icao": "USMM",
        "runways": 1
    }
},
"parent": {
    "~id": "810",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "lat": 55.0125999450684,
        "elev": 365,
        "longest": 11818,
        "city": "Novosibirsk",
        "type": "airport",
        "region": "RU-NVS",
        "desc": "Tolmachevo Airport",
        "code": "OVB",
        "prscore": 0.0012910010991618038,
        "degree": 162,
        "lon": 82.6507034301758,
        "wccid": 2357352929951779,
        "country": "RU",
        "icao": "UNNT",
        "runways": 2
    }
}
},
```

```
{  
  "source": {  
    "~id": "101",  
    "~entityType": "node",  
    "~labels": ["airport"],  
    "~properties": {  
      "lat": 13.6810998916626,  
      "elev": 5,  
      "longest": 13123,  
      "city": "Bangkok",  
      "type": "airport",  
      "region": "TH-10",  
      "desc": "Suvarnabhumi Bangkok International Airport",  
      "code": "BKK",  
      "prscore": 0.002498496090993285,  
      "degree": 308,  
      "lon": 100.747001647949,  
      "wccid": 2357352929951779,  
      "country": "TH",  
      "icao": "VTBS",  
      "runways": 2  
    }  
  },  
  "node": {  
    "~id": "2667",  
    "~entityType": "node",  
    "~labels": ["airport"],  
    "~properties": {  
      "lat": 56.8567008972168,  
      "elev": 2188,  
      "longest": 6562,  
      "city": "Ust-Kut",  
      "type": "airport",  
      "region": "RU-IRK",  
      "desc": "Ust-Kut Airport",  
      "code": "UKX",  
      "prscore": 0.00005827549999999997,  
      "degree": 4,  
      "lon": 105.730003356934,  
      "wccid": 2357352929951779,  
      "country": "RU",  
      "icao": "UITT",  
      "runways": 1  
    }  
  }  
}
```

```
},
"parent": {
  "~id": "1038",
  "~entityType": "node",
  "~labels": ["airport"],
  "~properties": {
    "lat": 52.2680015563965,
    "elev": 1675,
    "longest": 10384,
    "city": "Irkutsk",
    "type": "airport",
    "region": "RU-IRK",
    "desc": "Irkutsk Airport",
    "code": "IKT",
    "prscore": 0.0008466026629321277,
    "degree": 84,
    "lon": 104.388999938965,
    "wccid": 2357352929951779,
    "country": "RU",
    "icao": "UIII",
    "runways": 1
  }
}
}
]
}
```

## DeltaStepping single source single target shortest path algorithm

The `.sssp.deltaStepping.path` algorithm uses the deltaStepping algorithm to find the shortest path along with the shortest path distances from a source node to a target node in the graph. If there are multiple shortest paths between the source node and the target node, only one will be returned. The algorithm can run only weighted, with `edgeWeightProperty` provided.

Neptune Analytics implements the algorithm such that:

- Positive edge weights must be provided using the `edgeWeightProperty` field.
- Negative edge weights are not supported.
- The traversal direction cannot be set to both.

### `.sssp.deltaStepping.path` syntax

```
CALL neptune.algo.sssp.deltaStepping.path(
  [source node(s) (required)], [target node(s) (required)]
  {
    edgeWeightProperty: edge weight predicate for traversal (required)
    edgeWeightType: numeric type of the edge weight property (required),
    delta: the stepping delta (optional)
    edgeLabels: [list of edge labels for filtering (optional)],
    vertexLabel: a node label for filtering (optional),
    traversalDirection: traversal direction (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD the outputs to generate (source and/or node)
RETURN the outputs to return
```

### `.sssp.deltaStepping.path` inputs

- **source node(s) (required)** – `type: Node[] or NodeId[]`; `default: none`.

The node or nodes to use as the starting location(s) for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source node(s) is empty then the query result is also empty.
- If the algorithm is called following a `MATCH` clause (this is known as query-algorithm integration), the output of the `MATCH` clause is used as the source node(s) for the algorithm.

- **target node(s) (required)** – *type: Node[] or NodeId[]; default: none.*

The node or nodes to use as the ending location(s) for the algorithm.

- Each source-target node pair produces an output of the algorithm.
- If the algorithm is called following a MATCH clause (this is known as query-algorithm integration), the output of the MATCH clause is used as the target node(s) for the algorithm.
- **a configuration object that contains:**

- **edgeWeightProperty (required)** – *type: string; default: none.*

The edge weight predicate for traversal.

- **edgeWeightType (required)** – *type: string; valid values: "int", "long", "float", "double".*

The numeric data type of the values in the property specified by edgeWeightProperty.

- **delta (optional)** – *type: float; example: 3.0; default: 2.0*

The delta stepping value.

- **edgeLabels (optional)** – *type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.*

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **vertexLabel (optional)** – *type: string; example: "airport"; default: no node filtering.*

A node label for node filtering. If a node label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list.

- **traversalDirection (optional)** – *type: string; default: "outbound".*

The direction of edge to follow. Must be one of: "inbound" or "outbound".

- **concurrency (optional)** – *type: 0 or 1; default: 0.*

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `.sssp.deltaStepping.path` algorithm

For every pair of source and target nodes, the algorithm returns:

- **source** – The source vertex.
- **target** – The target vertex.
- **distance** – The total shortest path distance from source to target.
- **vertexPath** – A list of vertices in the path in visit order (including the source and the target).
- **allDistances** – A list of cumulative distances to the vertices in the traversal path (including the source and the target).
- **path** – An openCypher path object representing the shortest path between the source and the target. (A list of vertices from the source vertex to the target vertex, interleaved with the corresponding edges, representing the shortest path. Sequence of vertex id (source), edge id, vertex id, edge id, ..., vertex id (target)).
  - Starts and ends with a vertex, and has edges in between each vertex.
  - Includes the source and the target vertices.

### `.sssp.deltaStepping.path` query examples

This is a standalone query, where a source node and target node are explicitly provided:

```
CALL neptune.algo.sssp.deltaStepping.path(
  "9", "37",
  {
    edgeLabels: ["route"],
    edgeWeightProperty: "dist",
    edgeWeightType: "int",
    delta: 2.0
  }
)
```

This is a query integration example, where `.sssp.deltaStepping.path` follows a `MATCH` clause and uses the output of the `MATCH` clause as its source node(s) and target node(s):

```
MATCH (source:airport {code: 'FLL'})
MATCH (target:airport {code: 'HNL'})
CALL neptune.algo.sssp.deltaStepping.path(
  source, target,
```

```
{  
  edgeLabels: ["route"],  
  edgeWeightProperty: "dist",  
  delta: 2.0,  
  edgeWeightType: "int",  
  vertexLabel: "airport",  
  traversalDirection: "outbound",  
  concurrency: 1  
}  
)  
YIELD distance, vertexPath, allDistances, path  
RETURN source, target, distance, vertexPath, allDistances, path
```

## Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes are returned; and that every source-target node pair produces an output, which can result in a very large query output if a large number of nodes are returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .sssp.deltaStepping.path output

Here is an example of the output returned by .sssp.deltaStepping.path when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \  
--graph-identifier ${graphIdentifier} \  
--query-string "MATCH (n:airport {code: 'FLL'})  
MATCH (m:airport {code: 'HNL'})  
CALL neptune.algo.sssp.deltaStepping.path(n, m, {  
  edgeWeightProperty: "dist",  
  edgeWeightType: "int",  
  delta: 2.0,  
  edgeLabels: ["route"],  
  vertexLabel: "airport",  
  traversalDirection: "outbound",  
  concurrency: 1
```

```
})
YIELD source, target, distance, vertexPath, allDistances, path
RETURN source, target, distance, vertexPath, allDistances, path" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "source": {
        "~id": "9",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "region": "US-FL",
          "runways": 2,
          "country": "US",
          "city": "Fort Lauderdale",
          "type": "airport",
          "icao": "KFLL",
          "lon": -80.152702331542997,
          "code": "FLL",
          "lat": 26.0725994110107,
          "longest": 9000,
          "elev": 64,
          "desc": "Fort Lauderdale/Hollywood International Airport"
        }
      },
      "target": {
        "~id": "37",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "region": "US-HI",
          "runways": 4,
          "country": "US",
          "city": "Honolulu",
          "type": "airport",
          "icao": "PHNL",
          "lon": -157.92199707031199,
          "code": "HNL",
          "lat": 21.318700790405298,
          "longest": 12312,
          "elev": 13,
        }
      }
    }
  ]
}
```

```
        "desc": "Honolulu International Airport"
    }
},
"distance": 4854,
"vertexPath": [
    {
        "~id": "9",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
            "region": "US-FL",
            "runways": 2,
            "country": "US",
            "city": "Fort Lauderdale",
            "type": "airport",
            "icao": "KFLL",
            "lon": -80.152702331542997,
            "code": "FLL",
            "lat": 26.0725994110107,
            "longest": 9000,
            "elev": 64,
            "desc": "Fort Lauderdale/Hollywood International Airport"
        }
    },
    {
        "~id": "11",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
            "region": "US-TX",
            "runways": 5,
            "country": "US",
            "city": "Houston",
            "type": "airport",
            "icao": "KIAH",
            "lon": -95.341400146484403,
            "code": "IAH",
            "lat": 29.984399795532202,
            "longest": 12001,
            "elev": 96,
            "desc": "George Bush Intercontinental"
        }
    },
    {
        "~id": "37",
        "~entityType": "node",
        "~labels": ["airport"],
```

```
"~properties": {
    "region": "US-HI",
    "runways": 4,
    "country": "US",
    "city": "Honolulu",
    "type": "airport",
    "icao": "PHNL",
    "lon": -157.92199707031199,
    "code": "HNL",
    "lat": 21.318700790405298,
    "longest": 12312,
    "elev": 13,
    "desc": "Honolulu International Airport"
  }
},
],
"allDistances": [0, 964, 4854],
"path": [{  
    "~id": "9",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "region": "US-FL",
      "runways": 2,
      "country": "US",
      "city": "Fort Lauderdale",
      "type": "airport",
      "icao": "KFLL",
      "lon": -80.152702331542997,
      "code": "FLL",
      "lat": 26.0725994110107,
      "longest": 9000,
      "elev": 64,
      "desc": "Fort Lauderdale/Hollywood International Airport"
    }
  },
  {
    "~id": "neptune_reserved_1_1152921504607567884",
    "~entityType": "relationship",
    "~start": "9",
    "~end": "11",
    "~type": "route",
    "~properties": {
      "dist": 964
    }
  },
  {
```

```
    "~id": "11",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "region": "US-TX",
        "runways": 5,
        "country": "US",
        "city": "Houston",
        "type": "airport",
        "icao": "KIAH",
        "lon": -95.341400146484403,
        "code": "IAH",
        "lat": 29.984399795532202,
        "longest": 12001,
        "elev": 96,
        "desc": "George Bush Intercontinental"
    }
}, {
    "~id": "neptune_reserved_1_1152921508902600717",
    "~entityType": "relationship",
    "~start": "11",
    "~end": "37",
    "~type": "route",
    "~properties": {
        "dist": 3890
    }
}, {
    "~id": "37",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "region": "US-HI",
        "runways": 4,
        "country": "US",
        "city": "Honolulu",
        "type": "airport",
        "icao": "PHNL",
        "lon": -157.92199707031199,
        "code": "HNL",
        "lat": 21.318700790405298,
        "longest": 12312,
        "elev": 13,
        "desc": "Honolulu International Airport"
    }
}
```

```
  }]  
}  
}
```

## TopK hop-limited single source (weighted) shortest path algorithm

The `.topksssp` algorithm finds the single-source weighted shortest paths from a source node to its neighbors out to the distance specified by `maxDepth`. It accumulates the path lengths using the edge weights along the paths and then returns a sorted list of the shortest paths.

### .topksssp syntax

```
CALL neptune.algo.topksssp(
  [source-node list (required)],
  {
    hopCount: maximum hops on the shortest path (required),
    perHopLimits: [a list of the maximum number of nodes to carry forward at each hop (required)],
    edgeLabels: [list of edge labels for filtering (optional)],
    edgeWeightProperty: a numeric edge property to weight the traversal (optional),
    edgeWeightType: numeric type of the specified edgeWeightProperty (optional),
    vertexLabel: a node label for filtering (optional),
    traversalDirection: traversal direction (optional, default: outbound),
    costFunction: determines whether the topK distances are in ascending or descending order (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD source, node, distance
RETURN source, node, distance
```

### Inputs for the topksssp algorithm

- **a source node list (required)** – `type: Node[]` or `NodeId[]`; `default: none`.

The node or nodes to use as the starting location(s) for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source-node list is empty then the query result is also empty.
- If the algorithm is called following a `MATCH` clause (this is known as query-algorithm integration), the output of the `MATCH` clause is used as the source-node list for the algorithm.
- **a configuration object that contains:**
  - **hopCount (required)** – `type: positive integer`; `default: none`.

Restricts the number of hops on a shortest path, which restricts the number of iterations of the SSSP algorithm to be used.

- **perHopLimits (required)** – *type*: a list of integers; *valid values*: positive integers, or -1 meaning unlimited; *default*: none.

Each integer represents the maximum number of candidate vertices to carry to the next hop.

- **edgeLabels (optional)** – *type*: a list of edge label strings; *example*: `["route", ...]`; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **edgeWeightProperty (optional)** – *type*: string; *default*: `none`.

The edge weight predicate to use for traversal. If no property is specified then the algorithm runs unweighted. If multiple properties exist on an edge having the specified name, then one of them is selected at random for the weight value.

- **edgeWeightType (optional)** – *type*: string; *valid values*: `"int"`, `"long"`, `"float"`, `"double"`.

The numeric data type of the values in the property specified by edgeWeightProperty. If the edgeWeightProperty is not present, edgeWeightType is ignored and the algorithm runs unweighted. If an edge contains a property specified by edgeWeightProperty that has a numeric type different from what is specified in edgeWeightType, the property value is typecast to the type specified by edgeWeightType.

- **vertexLabel (optional)** – *type*: string; *default*: `none`.

A node label for node filtering. If a node label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list.

- **costFunction (optional)** – *type*: string; *valid values*: `"min"`, `"max"`; *default*: `"min"`.

Specifies the ordering of the topK distances returned. A `"min"` value indicates that the topK distances between the source and target vertices should be returned in descending order, whereas a `"max"` value indicates that they should be returned in ascending order.

- **concurrency (optional)** – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `topksssp` algorithm

For every node that can be reached from the specified source list, the algorithm returns:

- **source** – The source node.
- **node** – A node found traversing from the source.
- **distance** – The distance between the source node and the found node.

## .topksssp query examples

This is a standalone query, where the source node list is explicitly provided in the query:

```
CALL neptune.algo.topksssp(  
  ["101"],  
  {  
    edgeLabels: ["route"],  
    hopCount: 3,  
    perHopLimits: [10, 100, 1000],  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int"  
  }  
)
```

This is a query integration example, where `.topksssp` follows a `MATCH` clause and uses the output of the `MATCH` clause as its source node list:

```
MATCH (n) WHERE id(n) IN ["108", "109"]  
CALL neptune.algo.topksssp(  
  n,  
  {  
    edgeLabels: ["route"],  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int",  
    hopCount: 5,  
    perHopLimits: [5, 10, 15, 20, 25]
```

```
    }
}

YIELD distance
RETURN n, collect(distance) AS distances'
```

## ⚠ Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result in a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .topksssp output

Here is an example of the output returned by .topksssp when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier}
--query-string "CALL neptune.algo.topksssp(['101'], {hopCount: 2, perHopLimits: [3, 5]})"
    YIELD source, node, distance
    RETURN source, node, distance limit 2" \
--language open_cypher
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "source": {
        "~id": "101",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 13.6810998916626,
          "elev": 5,
          "longest": 13123,
          "city": "Bangkok",
          "type": "airport",
          "region": "TH-10",
        }
      }
    }
  ]
}
```

```
"desc": "Suvarnabhumi Bangkok International Airport",
"code": "BKK",
"prscore": 0.002498496090993285,
"degree": 308,
"lon": 100.747001647949,
"wccid": 2357352929951779,
"country": "TH",
"icao": "VTBS",
"runways": 2
}
},
"node": {
  "~id": "170",
  "~entityType": "node",
  "~labels": ["airport"],
  "~properties": {
    "lat": 40.8860015869,
    "elev": 294,
    "longest": 8622,
    "city": "Naples",
    "type": "airport",
    "region": "IT-72",
    "desc": "Naples International Airport",
    "code": "NAP",
    "prscore": 0.001119577675126493,
    "degree": 222,
    "lon": 14.2908000946,
    "wccid": 2357352929951779,
    "country": "IT",
    "icao": "LIRN",
    "runways": 1
  }
},
"distance": 2.0
},
{
  "source": {
    "~id": "101",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "lat": 13.6810998916626,
      "elev": 5,
      "longest": 13123,
```

```
        "city": "Bangkok",
        "type": "airport",
        "region": "TH-10",
        "desc": "Suvarnabhumi Bangkok International Airport",
        "code": "BKK",
        "prscore": 0.002498496090993285,
        "degree": 308,
        "lon": 100.747001647949,
        "wccid": 2357352929951779,
        "country": "TH",
        "icao": "VTBS",
        "runways": 2
    }
},
"node": {
    "~id": "12",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "lat": 40.63980103,
        "elev": 12,
        "longest": 14511,
        "city": "New York",
        "type": "airport",
        "region": "US-NY",
        "desc": "New York John F. Kennedy International Airport",
        "code": "JFK",
        "prscore": 0.002885053399950266,
        "degree": 403,
        "lon": -73.77890015,
        "wccid": 2357352929951779,
        "country": "US",
        "icao": "KJFK",
        "runways": 4
    }
},
"distance": 2.0
}
]
}
```

## Egonet algorithms

This EgoNet algorithm finds the (filtered) EgoNet of a vertex to its hopCount-neighbors. An EgoNet, also known as the egocentric network, is a subgraph of a social network that encapsulates the connections of a single individual, known as the ego, and all the people they are socially connected to, known as alters. EgoNet can be used for further analysis in social networks.

Neptune Analytics supports the following EgoNet algorithms:

- [.egonet](#) – The EgoNet algorithm finds the (filtered) EgoNet of a vertex to its hopCount-neighbors. An EgoNet, also known as the egocentric network, is a subgraph of a social network that encapsulates the connections of a single individual, known as the ego, and all the people they are socially connected to, known as alters.
- [.egonet.edgeList](#) – This algorithm has a different output schema than `egonet`.

## .egonet

This EgoNet algorithm finds the (filtered) EgoNet of a vertex to its hopCount-neighbors. An EgoNet, also known as the egocentric network, is a subgraph of a social network that encapsulates the connections of a single individual, known as the ego, and all the people they are socially connected to, known as alters.

For each hop, the algorithm gets the topK (K is specified per hop by the user via `perHopMaxNeighbor`) neighbors those have the highest/lowest (based on the `costFunction`) edge weights, and these neighbors become the source vertices for the next hop. The algorithm assumes the graph is an edge weighted graph.

### .egonet syntax

```
CALL neptune.algo.egonet(
  [source/ego-node list (required)],
  {
    hopCount: fixed hops of traversal (required),
    perHopMaxNeighbor: [list of the max number of top neighbor vertices at each hop (required)],
    perHopEdgeWeightProperty: [list of edge weight predicates at each hop (required)],
    edgeWeightType: numeric type of the specified edgeWeightProperty (required),
    edgeLabels: [list of edge labels for filtering (optional)],
    perHopVertexLabel: [list of node labels for filtering at each hop (optional)],
    perHopTraversalDirection: [list of traversal directions at each hop (optional,
      default: outbound)],
    costFunction: determines whether the edges having the maximum weights or the
      minimum weight will be included in the EgoNet (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD egoNode, nodeList, edgeList
RETURN egoNode, nodeList, edgeList
```

### Inputs for the .egonet algorithm

- a **source/ego node list (required)** – `type: Node[] or NodeId[]`; `default: none`.

The node or nodes to use as the starting location(s) for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source-node list is empty then the query result is also empty.

- If the algorithm is called following a MATCH clause (this is known as query-algorithm integration), the output of the MATCH clause is used as the source-node list for the algorithm.
- a **configuration object that contains:**
  - **hopCount (required)** – *type*: positive integer; *valid values*: 1, 2 or 3; other values will be rejected. *default*: none.

Restricts the number of hops during traversal.

- **perHopMaxNeighbor (required)** – *type*: a list of integers; *valid values*: positive integers, or -1 meaning unlimited; *default*: none.

Each integer represents the maximum number of candidate vertices to carry to the next hop. It should have the same size as the value of hopCount.

- **perHopEdgeWeightProperty (required)** – *type*: a list of strings; *default*: none.

The edge weight predicate for traversal at each hop. If multiple properties exist on an edge having the specified name, then one of them is selected at random for the weight value. It should have the same size as the value of hopCount.

- **edgeWeightType (required)** – *type*: string; *valid values*: "int", "long", "float", "double"; *default*: none.

The numeric data type of the values in the property specified by perHopEdgeWeightProperty. If an edge contains a property specified by perHopEdgeWeightProperty that has a numeric type different from what is specified in edgeWeightType, the property value is typecast to the type specified by edgeWeightType.

- **edgeLabels (optional)** – *type*: a list of edge label strings; *example*: ["route", ...]; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **perHopVertexLabel (optional)** – *type*: a list of vertex label strings; *default*: none.

A list of node labels for node filtering at each hop. At each hop, if a node label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list. It should have the same size as the value of hopCount.

- **perHopTraversalDirection (optional)** – *type*: a list of strings; *valid values*: "inbound", "outbound", or "both"; *default*: outbound.

The direction of edge to follow at each hop. It should have the same size as the value of `hopCount`.

- **costFunction (optional)** – `type: string; valid values: "min", "max"; default: "max".`

This determines whether the edges having the maximum weights or the minimum weight will be included in the EgoNet adhering the `perHopMaxNeighbor` limits. A `min` value indicates that the edge with minimum weights will be included in the EgoNet, whereas a `max` value indicates that the edge with maximum weights will be included in the EgoNet.

- **concurrency (optional)** – `type: 0 or 1; default: 0.`

Controls the number of concurrent threads used to run the algorithm.

If set to `0`, uses all available threads to complete execution of the individual algorithm invocation. If set to `1`, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `.egonet` algorithm

The `.egonet` algorithm returns:

- **egoNode** – The ego vertex for the egonet.
- **nodeList** – A list of traversed vertices from the ego vertex.
- **edgeList** – A list of traversed edges from the ego vertex.

## .egonet query examples

This is a standalone query, where the source node list is explicitly provided in the query:

```
CALL neptune.algo.egonet(["101"], {  
  hopCount: 2,  
  perHopMaxNeighbor: [-1,-1],  
  edgeLabels: ["route"],  
  perHopEdgeWeightProperty: ["dist", "dist"],  
  edgeWeightType: "int",  
  perHopVertexLabel: ["airport", "airport"],  
  perHopTraversalDirection: ["outbound", "outbound"],  
  costFunction: "max",  
  concurrency: 1
```

```
})
YIELD egoNode, nodeList, edgeList
RETURN egoNode, nodeList, edgeList
```

This is a query integration example, where `.egonet` follows a `MATCH` clause and uses the output of the `MATCH` clause as its source node list:

```
MATCH (n:airport {code: 'ANC'})
CALL neptune.algo.egonet(n, {
  hopCount: 2,
  perHopMaxNeighbor: [-1,-1],
  edgeLabels: ["route"],
  perHopEdgeWeightProperty: ["dist", "dist"],
  edgeWeightType: "int",
  perHopVertexLabel: ["airport", "airport"],
  perHopTraversalDirection: ["outbound", "outbound"],
  costFunction: "max",
  concurrency: 1
})
YIELD nodeList, edgeList
RETURN n, nodeList, edgeList
```

### **Warning**

It is not good practice to use `MATCH(n)` without restriction in query integrations. Keep in mind that every node returned by the `MATCH(n)` clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use `LIMIT` or put conditions on the `MATCH` clause to restrict its output appropriately.

## Sample `.egonet` output

Here is an example of the output returned by `.egonet` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier}
--query-string "CALL neptune.algo.egonet(["1"], \
{perHopEdgeWeightProperty: ["dist"], \
edgeWeightType: "int", \
hopCount: 1, \
perHopMaxNeighbor: [-1,-1], \
edgeLabels: ["route"], \
perHopVertexLabel: ["airport", "airport"], \
perHopTraversalDirection: ["outbound", "outbound"], \
costFunction: "max", \
concurrency: 1})"
YIELD nodeList, edgeList
RETURN n, nodeList, edgeList
```

```
perHopMaxNeighbor: [3], \
perHopTraversalDirection: ["both"]}) \
yield egoNode, edgeList, nodeList \
return egoNode, edgeList, nodeList" \
--language open_cypher
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    "egoNode": {
      "~id": "1",
      "~entityType": "node",
      "~labels": ["airport"],
      "~properties": {
        "region": "US-GA",
        "runways": 5,
        "country": "US",
        "city": "Atlanta",
        "type": "airport",
        "icao": "KATL",
        "lon": -84.4281005859375,
        "code": "ATL",
        "lat": 33.6366996765137,
        "longest": 12390,
        "elev": 1026,
        "desc": "Hartsfield - Jackson Atlanta International Airport"
      }
    },
    "edgeList": [
      {
        "~id": "neptune_reserved_1_1152921770894950415",
        "~entityType": "relationship",
        "~start": "67",
        "~end": "1",
        "~type": "route",
        "~properties": {
          "dist": 7640
        }
      },
      {
        "~id": "neptune_reserved_1_1152922020003053583",
        "~entityType": "relationship",
        "~start": "126",
        "~end": "1",
        "~type": "route",
      }
    ]
  }
}
```

```
"~properties": {
  "dist": 8434
}
}, {
  "~id": "neptune_reserved_1_1152921521787699214",
  "~entityType": "relationship",
  "~start": "1",
  "~end": "58",
  "~type": "route",
  "~properties": {
    "dist": 7581
  }
}],
"nodeList": [
  {
    "~id": "126",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "region": "ZA-GT",
      "runways": 2,
      "country": "ZA",
      "city": "Johannesburg",
      "type": "airport",
      "icao": "FAJS",
      "lon": 28.2460002899,
      "code": "JNB",
      "lat": -26.139200210599999,
      "longest": 14495,
      "elev": 5558,
      "desc": "Johannesburg, OR Tambo International Airport"
    }
  },
  {
    "~id": "67",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "region": "CN-31",
      "runways": 2,
      "country": "CN",
      "city": "Shanghai",
      "type": "airport",
      "icao": "ZSPD",
      "lon": 121.80500030517599,
      "code": "PVG",
      "elev": 13
    }
  }
]
```

```
"lat": 31.1434001922607,  
"longest": 13123,  
"elev": 13,  
"desc": "Shanghai - Pudong International Airport"  
}  
}, {  
"~id": "58",  
"~entityType": "node",  
"~labels": ["airport"],  
"~properties": {  
"region": "AE-DU",  
"runways": 2,  
"country": "AE",  
"city": "Dubai",  
"type": "airport",  
"icao": "OMDB",  
"lon": 55.36439895630001,  
"code": "DXB",  
"lat": 25.2527999878,  
"longest": 13124,  
"elev": 62,  
"desc": "Dubai International Airport"  
}  
}, {  
"~id": "1",  
"~entityType": "node",  
"~labels": ["airport"],  
"~properties": {  
"region": "US-GA",  
"runways": 5,  
"country": "US",  
"city": "Atlanta",  
"type": "airport",  
"icao": "KATL",  
"lon": -84.4281005859375,  
"code": "ATL",  
"lat": 33.6366996765137,  
"longest": 12390,  
"elev": 1026,  
"desc": "Hartsfield - Jackson Atlanta International Airport"  
}  
}  
]  
]
```

{}

## .egonet.edgeList

This EgoNet EdgeList algorithm is the same as the standard EgoNet algorithm, except that this variant has a different output schema, which returns the EgoNet in an edge list form.

### .egonet.edgeList syntax

```
CALL neptune.algo.egonet.edgeList(
  [source/ego-node list (required)],
  {
    hopCount: fixed hops of traversal (required),
    perHopMaxNeighbor: [list of the max number of top neighbor vertices at each hop (required)],
    perHopEdgeWeightProperty: [list of edge weight predicates at each hop (required)],
    edgeWeightType: numeric type of the specified edgeWeightProperty (required),
    edgeLabels: [list of edge labels for filtering (optional)],
    perHopVertexLabel: [list of node labels for filtering at each hop (optional)],
    perHopTraversalDirection: [list of traversal directions at each hop (optional, default: outbound)],
    costFunction: determines whether the edges having the maximum weights or the minimum weight will be included in the EgoNet (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD egoNode, source, target, weight
RETURN egoNode, source, target, weight
```

### Inputs for the .egonet.edgeList algorithm

- **a source/ego node list (required)** – *type: Node[] or NodeId[]; default: none.*

The node or nodes to use as the starting location(s) for the algorithm.

- Each starting node triggers its own execution of the algorithm.
- If the source-node list is empty then the query result is also empty.
- If the algorithm is called following a MATCH clause (this is known as query-algorithm integration), the output of the MATCH clause is used as the source-node list for the algorithm.

- **a configuration object that contains:**

- **hopCount (required)** – *type: positive integer; valid values: 1, 2 or 3; other values will be rejected. default: none.*

Restricts the number of hops during traversal.

- **perHopMaxNeighbor** (*required*) – *type*: a list of integers; *valid values*: positive integers, or -1 meaning unlimited; *default*: none.

Each integer represents the maximum number of candidate vertices to carry to the next hop. It should have the same size as the value of hopCount.

- **perHopEdgeWeightProperty** (*required*) – *type*: a list of strings; *default*: none.

The edge weight predicate for traversal at each hop. If multiple properties exist on an edge having the specified name, then one of them is selected at random for the weight value. It should have the same size as the value of hopCount.

- **edgeWeightType** (*required*) – *type*: string; *valid values*: "int", "long", "float", "double"; *default*: none.

The numeric data type of the values in the property specified by perHopEdgeWeightProperty. If an edge contains a property specified by perHopEdgeWeightProperty that has a numeric type different from what is specified in edgeWeightType, the property value is typecast to the type specified by edgeWeightType.

- **edgeLabels** (*optional*) – *type*: a list of edge label strings; *example*: ["route", ...]; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **perHopVertexLabel** (*optional*) – *type*: a list of vertex label strings; *default*: none.

A list of node labels for node filtering at each hop. At each hop, if a node label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list. It should have the same size as the value of hopCount.

- **perHopTraversalDirection** (*optional*) – *type*: a list of strings; *valid values*: "inbound", "outbound", or "both"; *default*: outbound.

The direction of edge to follow at each hop. It should have the same size as the value of hopCount.

- **costFunction** (*optional*) – *type*: string; *valid values*: "min", "max"; *default*: "max".

This determines whether the edges having the maximum weights or the minimum weight will be included in the EgoNet adhering the perHopMaxNeighbor limits. A min value indicates that

the edge with minimum weights will be included in the EgoNet, whereas a `max` value indicates that the edge with maximum weights will be included in the EgoNet.

- **concurrency** (*optional*) – `type: 0 or 1; default: 0.`

Controls the number of concurrent threads used to run the algorithm.

If set to `0`, uses all available threads to complete execution of the individual algorithm invocation. If set to `1`, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `.egonet.edgeList` algorithm

The `.egonet.edgeList` algorithm returns:

- **egoNode** – The ego vertex of the egonet.
- **source** – The source vertex of an edge in the weighted edge list.
- **target** – The source vertex of an edge in the weighted edge list.
- **weight** – The edge weight of the source-target edge in the weighted edge list.

## `.egonet.edgeList` query examples

This ia a standalone query, where the source node list is explicitly provided in the query:

```
CALL neptune.algo.egonet.edgeList(["101"], {  
  hopCount: 2,  
  perHopMaxNeighbor: [-1, -1],  
  edgeLabels: ["route"],  
  perHopEdgeWeightProperty: ["dist", "dist"],  
  edgeWeightType: "int",  
  perHopVertexLabel: ["airport", "airport"],  
  perHopTraversalDirection: ["outbound", "outbound"],  
  costFunction: "max",  
  concurrency: 1  
})  
YIELD egoNode, source, target, weight  
RETURN egoNode, source, target, weight
```

This is a query integration example, where `.egonet.edgeList` follows a `MATCH` clause and uses the output of the `MATCH` clause as its source node list:

```
MATCH (n:airport {code: 'ANC'})  
CALL neptune.algo.egonet.edgeList(n, {  
  hopCount: 2,  
  perHopMaxNeighbor: [-1, -1],  
  edgeLabels: ["route"],  
  perHopEdgeWeightProperty: ["dist", "dist"],  
  edgeWeightType: "int",  
  perHopVertexLabel: ["airport", "airport"],  
  perHopTraversalDirection: ["outbound", "outbound"],  
  costFunction: "max",  
  concurrency: 1  
})  
YIELD source, target, weight  
RETURN n, source, target, weight
```

### Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .egonet.edgeList output

Here is an example of the output returned by .egonet.edgeList when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \  
  --graph-identifier ${graphIdentifier}  
  --query-string "CALL neptune.algo.egonet(["1"], \  
  {perHopEdgeWeightProperty: ["dist", "dist"], \  
  edgeWeightType: "int", \  
  hopCount: 2, \  
  perHopMaxNeighbor: [30, 30], \  
  perHopTraversalDirection: ["both", "both"]}) \  
  YIELD egoNode, source, target, weight \  
  RETURN egoNode, source, target, weight limit 2" \  
  --language open_cypher  
  /tmp/out.txt
```

```
cat /tmp/out.txt
{
  "results": [
    {
      "egoNode": {
        "~id": "1",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "region": "US-GA",
          "runways": 5,
          "country": "US",
          "city": "Atlanta",
          "type": "airport",
          "icao": "KATL",
          "lon": -84.4281005859375,
          "code": "ATL",
          "lat": 33.6366996765137,
          "longest": 12390,
          "elev": 1026,
          "desc": "Hartsfield - Jackson Atlanta International Airport"
        }
      },
      "source": {
        "~id": "1",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "region": "US-GA",
          "runways": 5,
          "country": "US",
          "city": "Atlanta",
          "type": "airport",
          "icao": "KATL",
          "lon": -84.4281005859375,
          "code": "ATL",
          "lat": 33.6366996765137,
          "longest": 12390,
          "elev": 1026,
          "desc": "Hartsfield - Jackson Atlanta International Airport"
        }
      },
      "target": {
        "~id": "27",
        "~entityType": "node",
      }
    }
  ]
}
```

```
"~labels": ["airport"],
"~properties": {
"region": "US-CA",
"runways": 3,
"country": "US",
"city": "Long Beach",
"type": "airport",
"icao": "KLGB",
"lon": -118.15200040000001,
"code": "LGB",
"lat": 33.817699429999998,
"longest": 10003,
"elev": 60,
"desc": "Long Beach Airport"
}
},
"weight": 2460
}, {
"egoNode": {
"~id": "1",
"~entityType": "node",
"~labels": ["airport"],
"~properties": {
"region": "US-GA",
"runways": 5,
"country": "US",
"city": "Atlanta",
"type": "airport",
"icao": "KATL",
"lon": -84.4281005859375,
"code": "ATL",
"lat": 33.6366996765137,
"longest": 12390,
"elev": 1026,
"desc": "Hartsfield - Jackson Atlanta International Airport"
}
},
"source": {
"~id": "134",
"~entityType": "node",
"~labels": ["airport"],
"~properties": {
"region": "PE-LIM",
"runways": 1,
```

```
"country": "PE",
"city": "Lima",
"type": "airport",
"icao": "SPIM",
"lon": -77.1143035889,
"code": "LIM",
"lat": -12.021900176999999,
"longest": 11506,
"elev": 113,
"desc": "Lima, Jorge Chavez International Airport"
}
},
"target": {
"~id": "1",
"~entityType": "node",
"~labels": ["airport"],
"~properties": {
"region": "US-GA",
"runways": 5,
"country": "US",
"city": "Atlanta",
"type": "airport",
"icao": "KATL",
"lon": -84.4281005859375,
"code": "ATL",
"lat": 33.6366996765137,
"longest": 12390,
"elev": 1026,
"desc": "Hartsfield - Jackson Atlanta International Airport"
}
},
"weight": 3189
}]
}
```

# Centrality algorithms in Neptune Analytics

Centrality algorithms utilize the topology of a network to determine the relative importance or influence of a specific node within the graph. By measuring the relative importance of a node or edge within a network, centrality values can indicate which elements in a graph play a critical role in that network.

By identifying the most influential or important nodes within a network, centrality algorithms can provide insights about key players or critical points of interaction. This is valuable in social network analysis, where it helps pinpoint influential individuals, and in transportation networks, where it aids in identifying crucial hubs for efficient routing and resource allocation.

Different types of centrality algorithms use different techniques to measure the importance of a node. Understanding how an algorithm calculates centrality is important to understanding the meaning of its outputs.

In addition to returning centrality data to the client, Neptune Analytics provides mutate variations of the centrality algorithms which store the calculated centrality values as vertex properties in the graph.

Neptune Analytics supports three centrality algorithms along with their mutate variants:

- [degree](#) – This measures a node's centrality by the number of edges connected to it, and can therefore be used to find the most connected nodes in a network.
- [degree.mutate](#) – The degree centrality mutate algorithm measures the number of incident edges of each vertex it traverses and writes that calculated degree value as a property of the vertex.
- [degreeDistribution](#) – The Degree Distribution algorithm is a tool for analyzing and visualizing the structural characteristics of a graph. It calculates the frequency distribution of vertex degrees across the entire network and provides basic statistics of the distribution.
- [pageRank](#) – This is an iterative algorithm that measures a node's centrality by the number and quality of incident edges and adjacent vertices. The centrality of a node connected to a few important nodes may therefore be higher than that of a node connected to many less important nodes. The output of this algorithm is a value that indicates the importance of a given node relative to the other nodes in the graph.
- [pageRank.mutate](#) – This algorithm stores the calculated PageRank of a given node as a property of the node.

- [`closenessCentrality`](#) – This algorithm computes the closeness centrality (CC) metric of nodes in a graph. The closeness centrality metric of a vertex is a positive measure of how close it is to all other vertices, or how central it is in the graph. Because it indicates how quickly all other nodes in a network can be reached from a given node, it can be used in transportation networks to identify key hub locations, and in disease-spread modeling to pinpoint central locations for targeted intervention efforts.
- [`closenessCentrality.mutate`](#) – This algorithm computes the closeness centrality (CC) metric of vertices in a graph and writes them as a property of each vertex.

## Degree centrality algorithm

The `.degree` centrality algorithm counts the number of incident edges at each node that it traverses. This measure of how connected the node is can in turn indicate the node's importance and level of influence in the network.

The `.degree` algorithm is used in social networks to identify popular individuals with many connections, in transportation networks to locate central hubs with numerous roads leading to and from them, and in web analysis to find influential web pages with many incoming links.

The time complexity of `.degree` is  $O(|E|)$ , where  $|E|$  is the number of edges in the graph. The space complexity is  $O(|V|)$ , where  $|V|$  is the number of vertices in the graph.

### `.degree` syntax

```
CALL neptune.algo.degree(
  [node list (required)],
  {
    edgeLabels: [a list of edge labels for filtering (optional)],
    vertexLabels: [a list of vertex labels for filtering (optional)],
    vertexLabel: [a node label for filtering (optional) [deprecated]],
    traversalDirection: traversal direction (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD node, degree
RETURN node, degree
```

### Inputs for the `.degree` algorithm

- **a node list (required)** – *type*: `Node[]` or `NodeId[]`; *default*: `none`.

The node or nodes for which to return the edge count (degree). If an empty list is provided, the query result is also empty.

If the algorithm is called following a `MATCH` clause (query integration), the result returned by the `MATCH` clause is taken as the node list.

- **a configuration object that contains:**

- **edgeLabels (optional)** – *type*: a list of edge label strings; *example*: `["route", ...]`; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **vertexLabels (optional)** – *type*: a list of vertex label strings; *default*: *none*.

Node labels for node filtering. To filter on one or more vertex labels, provide a list of node labels. Vertices matching any label in the vertexLabels list are the only vertices that are processed for degree computation. If no vertexLabels field is provided then all vertices are processed for degree computation.

- **vertexLabel (optional)** – *type*: string; *default*: *none*.

[deprecated]

- **traversalDirection (optional)** – *type*: string; *default*: "outbound".

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

- **concurrency (optional)** – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## .degree outputs

- **node** – A list of the requested nodes. If vertexLabels or vertexLabel is present, only the requested nodes that match in vertexLabels or vertexLabel value are included.
- **degree** – A list of corresponding degree values for the nodes with respect to edges with a label specified in edgeLabels.

If the input vertex list is empty, the output is empty.

## Query examples for .degree

This is a standalone example, where the source node list is explicitly specified in the query:

```
CALL neptune.algo.degree(["101"], {edgeLabels: ["route"]})
```

This is a more complicated standalone query submitted using the AWS CLI:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string 'CALL neptune.algo.degree(
    ["101", "102", "103"],
    {
        edgeLabels: ["route"],
        vertexLabel: ["airport"],
        traversalDirection: "inbound",
        concurrency: 2
    }
)
YIELD node, degree
RETURN node, degree' \
--language open_cypher \
/tmp/out.txt
```

This is a query integration example with frontier injection, where `.degree` follows a `MATCH` clause and finds the degree value for all vertices returned by `MATCH(n:airport)`:

```
MATCH(n:airport)
CALL neptune.algo.degree(n, {edgeLabels: ["route"]})
YIELD degree
RETURN n, degree'
```

This is an example of multiple `.degree` invocations chained together, where the output of one invocation serves as the input of another:

```
CALL neptune.algo.degree(
    ["108"],
    {
        edgeLabels: ["route"],
        vertexLabel: ["airport"]
    }
)
YIELD node
CALL neptune.algo.degree(
    node,
    {
        edgeLabels: ["route"],
        vertexLabel: ["airport"]
```

```
    }
)
YIELD node AS node2 WITH id(node2) AS id
RETURN id
```

### Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result in a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .degree output

Here is an example of the output returned by .degree when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string 'MATCH (n)
  CALL neptune.algo.degree(n)
  YIELD node, degree
  RETURN node, degree
  LIMIT 2' \
--language open_cypher \
/tmp/out.txt
```

```
cat /tmp/out.txt
{
  "results": [
    {
      "node": {
        "~id": "10",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 38.94449997,
          "elev": 313,
          "longest": 11500,
          "city": "Washington D.C.",
          "type": "airport",
        }
      }
    }
  ]
}
```

```
        "region": "US-VA",
        "desc": "Washington Dulles International Airport",
        "code": "IAD",
        "prscore": 0.002264724113047123,
        "lon": -77.45580292,
        "wccid": 2357352929951779,
        "country": "US",
        "icao": "KIAD",
        "runways": 4
    }
},
"degree": 312
},
{
"node": {
    "~id": "12",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "lat": 40.63980103,
        "elev": 12,
        "longest": 14511,
        "city": "New York",
        "type": "airport",
        "region": "US-NY",
        "desc": "New York John F. Kennedy International Airport",
        "code": "JFK",
        "prscore": 0.002885053399950266,
        "lon": -73.77890015,
        "wccid": 2357352929951779,
        "country": "US",
        "icao": "KJFK",
        "runways": 4
    }
},
"degree": 403
}
]
```

## Degree mutate centrality algorithm

The `.degree.mutate` centrality algorithm counts the number of incident edges of every node in the graph. This measure of how connected the node is can in turn indicate the node's importance and level of influence in the network. The `.degree.mutate` algorithm then stores each node's calculated degree value as a property of the node.

The algorithm returns a single success flag (true or false), which indicates whether the writes succeeded or failed.

### `.degree.mutate` syntax

```
CALL neptune.algo.degree.mutate(
  {
    writeProperty: A name for the new node property where the degree values will be written,
    edgeLabels: [a list of edge labels for filtering (optional)],
    vertexLabels: "[a list of vertex labels for filtering (optional)]",
    vertexLabel: "a node label for filtering (optional) [deprecated]",
    traversalDirection: traversal direction (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD success
RETURN success
```

### `.degree.mutate` inputs

a configuration object that contains:

- **writeProperty** *(required)* – `type: string; default: none.`

A name for the new node property that will contain the computed degree values.

- **edgeLabels** *(optional)* – `type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.`

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabels** *(optional)* – `type: a list of vertex label strings; default: none.`

Node labels for node filtering. To filter on one or more vertex labels, provide a list of node labels. Vertices matching any label in the vertexLabels list are the only vertices that are processed for degree computation. If no vertexLabels field is provided then all vertices are processed for degree computation.

- **vertexLabel** (optional) – *type: string; default: none.*

[deprecated] A node label for node filtering. Note that it is deprecated. If vertexLabels is provided, vertexLabel is ignored.

- **traversalDirection** (optional) – *type: string; default: "outbound".*

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

- **concurrency** (optional) – *type: 0 or 1; default: 0.*

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Output of the `.degree.mutate` algorithm

The computed degree values are written to a new vertex property using the property name specified by the `writeProperty` input parameter.

A single Boolean success value (true or false) is returned, which indicates whether or not the writes succeeded.

## `.degree.mutate` query examples

The example below is a standalone example, where the source vertex list is explicitly provided in the query.

This query writes the degree values of all nodes in the graph to a new vertex property called DEGREE:

```
CALL neptune.algo.degree.mutate({writeProperty: "DEGREE", edgeLabels: ["route"]})
```

After using the `mutate` algorithm, the newly written properties can then be accessed in subsequent queries. For example, after the `mutate` algorithm call above, you could use the following query to retrieve the `.degree` property of specific nodes:

```
MATCH (n) WHERE id(n) IN ["101", "102", "103"]
RETURN n.DEGREE'
```

## Sample output from `.degree.mutate`

Here is an example of the output returned by `.degree.mutate` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.degree.mutate({writeProperty: 'degree'}) YIELD
success RETURN success" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    { "success": true }
  ]
}
```

## .degreeDistribution centrality algorithm

The `.degreeDistribution` algorithm is a tool for analyzing and visualizing the structural characteristics of a graph. It calculates the frequency distribution of vertex degrees across the entire network and provides basic statistics of the distribution.

`.degreeDistribution` provides insight into the topology and connectivity patterns of the network, such as identifying the hubs (i.e., super nodes or high-degree nodes) and distinguishing different network types (e.g., tree vs. scale-free), which can help making informed decisions on selecting appropriate algorithms for analysis.

The `%degreeDistribution` magic command in the notebook provides an interactive visualization of the output, please see the [notebook magics](#) documentation for details.

### .degreeDistribution syntax

```
CALL neptune.algo.degreeDistribution(
  {
    edgeLabels: [a list of edge labels for filtering (optional)],
    vertexLabels: "a list of vertex labels for filtering (optional)",
    binWidth: a positive integer that specifies the size of each bin in the degree distribution (optional, default: 1),
    traversalDirection: the direction of edge used for degree computation (optional, default: "both"),
    concurrency: number of threads to use (optional)
  }
)
YIELD output
RETURN output
```

### Inputs for the .degreeDistribution algorithm

- **a configuration object that contains:**

- **edgeLabels (optional)** – *type*: a list of edge label strings; *example*: `["route", ...]`; *default*: no edge filtering.

To filter on one more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabels (optional)** – *type*: a list of vertex label strings; *default*: no vertex filtering.

To filter on one or more vertex labels, provide a list of the ones to filter on. If no `vertexLabels` field is provided then all vertex labels are considered for degree computation.

- **binWidth (optional)** – `type: integer`; `default: 1`.

To specify the size of each bin in the degree distribution, provide an integer value.

- **traversalDirection (optional)** – `type: string`; `default: "both"`.

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

- **concurrency (optional)** – `type: 0 or 1`; `default: 0`.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Sample `.degreeDistribution` output

Here is an example of the output returned by `.degreeDistribution` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
  \
  --region ${region}
  --graph-identifier ${graphIdentifier} \
  --query-string "CALL neptune.algo.degreeDistribution({binWidth: 50, vertexLabels: ['airport', 'country'], edgeLabels: ['route'], traversalDirection: 'inbound'}) YIELD
  output RETURN output" \
  --language open_cypher \
  /tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    "output": {
      "statistics": {
        "maxDeg": 307,
        "mean": 13.511229946524065,
        "minDeg": 0,
        "p50": 3,
      }
    }
  ]
}
```

```
        "p75": 9,
        "p90": 36,
        "p95": 67,
        "p99": 173,
        "p999": 284
    },
    "distribution": [[0, 268], [50, 3204], [100, 162], [150, 54], [200, 29], [250,
16], [300, 5], [350, 2]]
}
}]
}
```

## Query examples for `.degreeDistribution`

This is a standalone example, where the in-degree distribution is computed for the graph with specified vertex labels and edge label, and the mean degree is returned.

```
CALL neptune.algo.degreeDistribution({
  vertexLabels: ['airport', 'country'],
  edgeLabels: ['route'],
  traversalDirection: 'inbound',
})
YIELD output
WITH output.statistics.mean as meanDegree
RETURN meanDegree
```

## PageRank centrality algorithm

PageRank is an algorithm originally developed by Larry Page and Sergey Brin, co-founders of Google. It was originally developed to rank web pages in search engine results. The PageRank score for a given node is calculated based on the number and quality of the edges pointing to that node, as well as the importance of the nodes that are connected to it. The PageRank algorithm assigns a higher score to nodes that are linked to other high-scoring nodes, and a lower score to nodes that are linked to low-scoring nodes.

The output of PageRank can be visualized as a ranking metric for the importance of a node within a given graph, with the most important nodes having the highest score, and the least important node having the lowest score. PageRank is used in search engines to rank web pages based on their importance and influence, in citation networks to identify highly cited scientific papers, and in recommendation systems to suggest popular and relevant content to users.

The space complexity is  $O(|V|)$ , where  $|V|$  is the number of vertices in the graph.

## Personalized PageRank

Personalized PageRank is a variation of the original PageRank algorithm. It is generally used to measure the importance of vertices in a graph. It tailors the ranking process to individual users or specific topics. Compared to PageRank, the result of personalized pagerank is a more customized ranking of web pages or nodes in a graph, reflecting individual interests or specific areas of focus. This approach is particularly useful in recommendation systems, personalized search results, and analyzing large-scale networks with diverse content for a specific focus.

### Example scenario: Online retail platform

Imagine an online retail platform where each product is a node, and customer purchases (or views) between products are edges.

#### Regular PageRank

- Objective: Rank products based on their general popularity across all customers.
- Result: Products that are frequently purchased or viewed by many customers will receive higher PageRank scores. This helps identify the most popular products across the entire platform.

#### Personalized PageRank

- Objective: Rank products based on their relevance to a specific customer's shopping behavior.

- **Inputs:**

- **Source Nodes:** A list of products that the customer has previously purchased or shown interest in.
- **Source Weights:** Optional weights indicating the relative importance of each source product (e.g., higher weight for recently purchased items).
- **Result:** Products that are not only popular but also closely related to the customer's specific shopping behavior will receive higher scores. This helps the platform recommend new products that are more likely to interest the customer.

### **Example scenario: Organizational network security**

Imagine a network of computers within an organization where each computer is a node, and communication paths (like data transfers or network connections) between computers are edges.

#### **Regular PageRank**

- **Objective:** Rank computers based on their general importance within the organizational network.
- **Result:** Computers that have a high number of connections to other computers will receive higher PageRank scores. This helps identify critical nodes in the network that, if compromised, could have a significant impact on the entire network.

#### **Personalized PageRank**

- **Objective:** Rank computers based on their relevance to a specific security concern or department within the organization.
- **Inputs:**
  - **Source Nodes:** A list of computers that are known to handle sensitive data or are critical to a specific department (e.g., HR, Finance).
  - **Source Weights:** Optional weights indicating the relative importance of each source computer (e.g., higher weight for computers handling more sensitive data).
- **Result:** Computers that are not only well-connected but also closely related to the specific security concern or department will receive higher scores. This helps the cybersecurity team prioritize monitoring and protection efforts on the most critical nodes.

## Example scenario: Insurance policyholder network

Imagine a network of policyholders where each policyholder is a node, and the relationships (like shared claims, referrals, or common risk factors) between policyholders are edges.

### Regular PageRank

- Objective: Rank policyholders based on their general importance within the insurance network.
- Result: Policyholders who have a high number of connections to other policyholders (e.g., through shared claims or referrals) will receive higher PageRank scores. This helps identify influential policyholders who may have a significant impact on the network.

### Personalized PageRank

- Objective: Rank policyholders based on their relevance to a specific risk profile or insurance product.
- Inputs:
  - Source Nodes: A list of policyholders that fit a specific risk profile or are relevant to a particular insurance product (e.g., high-risk drivers for auto insurance).
  - Source Weights: Optional weights indicating the relative importance of each source policyholder (e.g., higher weight for policyholders with more recent claims).
- Result: Policyholders who are not only well-connected but also closely related to the specific risk profile or insurance product will receive higher scores. This helps the insurance company tailor its risk assessment and underwriting processes more effectively.

The additional inputs to the algorithm are a list of vertices to be personalized on (`sourceNodes`) and optionally the weight distribution among those vertices (`sourceWeights`). If given, the weights are normalized before pagerank computation.

#### Note

Neptune Analytics allows up 8192 vertices in the personalization vector, sourceNodes.

### .pageRank syntax

```
CALL neptune.algo.pageRank(
```

```

[node list (required)],
{
  numIterations: a small positive integer like 20 (optional),
  dampingFactor: a positive float less than or equal to 1.0, like 0.85 (optional)
  edgeLabels: [a list of edge labels for filtering (optional)],
  vertexLabel: a node label for filtering (optional),
  concurrency: number of threads to use (optional),
  traversalDirection: the direction of edge to follow (optional),
  tolerance: a floating point number between 0.0 and 1.0 (inclusive)(optional),
  edgeWeightProperty: the weight property to consider for weighted pageRank
  computation (optional),
  edgeWeightType: The type of values associated with the edgeWeightProperty argument
  (optional),
  sourceNodes: [A list of node IDs to personalize on (optional)],
  sourceWeights: [A list of non-negative weights for the sourceNodes (optional)]
}
)
YIELD node, rank
RETURN node, rank

```

## .pageRank inputs

- **a node list (required)** – *type: Node[] or NodeId[]; default: none.*

The node or nodes for which to return the page rank values. If an empty list is provided, the query result will also be empty.

If the algorithm is called following a MATCH clause (query integration), the result returned by the MATCH clause is taken as the node list.

- **a configuration object that contains:**

- **numIterations (optional)** – *type: a positive integer greater than zero; default: 20.*

The number of iterations to perform to reach convergence. A number between 10 and 20 is recommended.

- **dampingFactor (optional)** – *type: a positive floating-point number less than or equal to 1.0; default: 0.85.*

A positive floating-point damping factor between 0.0 and 1.0 that expresses the probability, at any step, that the node will continue.

- **edgeLabels (optional)** – *type*: a list of edge label strings; *example*: `["route", ...]`; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel (optional)** – *type*: string; *default*: `none`.

A vertex label for vertex filtering. If a vertex label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list.

- **concurrency (optional)** – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

- **traversalDirection (optional)** – *type*: string; *default*: `"outbound"`.

The direction of edge to follow. Must be one of: `"outbound"` or `"inbound"`.

- **tolerance (optional)** – a floating point number between 0.0 and 1.0 (inclusive). When the average difference in the `pageRank` values of two iterations drops below `tolerance`, the algorithm stops, regardless of whether the `numOfIterations` is reached. Default value is `0.000001` (`1e-6`).

- Note that this tolerance computation is equivalent to L1 error or sum of Mean Absolute Difference (MAE)s.
- The stopping condition is `l1_error_sum < tolerance * numNodes`, equivalent to `l1_error_sum/numNodes < tolerance`.
- **edgeWeightProperty (optional)** – *type*: string *default*: `none`.

The weight property to consider for weighted `pageRank` computation.

- **edgeWeightType (optional) - required if edgeWeightProperty is present** – *type*: string; *default*: `none`.

The type of values associated with the `edgeWeightProperty` argument, specified as a string. *valid values*: `"int"`, `"long"`, `"float"`, `"double"`.

- If the `edgeWeightProperty` is not given, the algorithm runs unweighted no matter if the `edgeWeightType` is given or not.

- Note that if multiple properties exist on the edge with the name specified by `edgeWeightProperty`, one of those property values will be sampled at random.
- **sourceNodes** (*optional*) - *required if running personalized PageRank* – `type: list; default: none`.

A personalization vertex list ["101", ...]

- Can include 1 to 8192 vertices.
- If a `vertexLabel` is provided, nodes that do not have the given `vertexLabel` are ignored.
- **sourceWeights** (*optional*) – `type: list; default: none`.

A personalization weight list. The weight distribution among the personalized vertices.

- If not provided, the default behavior is uniform distribution among the vertices given in `sourceNodes`.
- There must be at least one non-zero weight in the list.
- The length of the `sourceWeights` list must match the `sourceNodes` list.
- The mapping of personalization vertex and weight lists are one to one. The first value in the weight list corresponds to the weight of first vertex in the vertex list, second value is for the second vertex, etc.
- The weights can be one of `int`, `long`, `float`, or `double` types.

## Outputs for the `.pageRank` algorithm

- **node** – A key column of the input nodes.
- **rank** – A key column of the corresponding page-rank scores for those nodes.

If the input nodes list is empty, the output is empty.

## Query examples for `.pageRank`

This is a standalone example, where the input vertex list is explicitly specified in the query.

```
CALL neptune.algo.pageRank(  
  ["101"],  
  {  
    numOfIterations: 1,  
    dampingFactor: 0.85,
```

```
    edgeLabels: ["route"]
  }
)
```

This is a query integration examples, where `.pageRank` follows a `MATCH` clause and uses frontier injection to take the output of the `MATCH` clause as its list of input nodes:

```
MATCH (n)
CALL neptune.algo.pageRank(
  n,
  {
    dampingFactor: 0.85,
    numIterations: 1,
    edgeLabels: ["route"]
  }
)
YIELD rank
RETURN n, rank
```

This query is an example of constraining the results of `.pageRank` based on the PageRank values, and returning them in ascending order:

```
MATCH (n)
CALL neptune.algo.pageRank(
  n,
  {
    numIterations: 10,
    dampingFactor: 0.85,
    tolerance: 0.0001,
    vertexLabel: "airport",
    edgeLabels: ["route"]
  }
)
YIELD rank WHERE rank > 0.004
RETURN n, rank ORDER BY rank
```

## Query examples for Personalized `.pageRank`

Personalized PageRank applies the same integration and constraints. Here are some examples that pass personalization-specific configurations.

This is a query integration example, where `.pageRank` follows a `MATCH` clause and uses frontier injection to take the output of the `MATCH` clause as its input list. We use nodes "101" and "102" as personalization nodes with "1" and "1.5" weights as weights respectively:

```
MATCH (n)
CALL neptune.algo.pageRank( n, {
  tolerance: 0.001,
  edgeLabels:["route"],
  sourceNodes:["101", "102"],
  sourceWeights:[1, 1.5]
} )
YIELD node, rank
RETURN node, rank
```

This is an example of where only source nodes is provided. The weights of "101" and "102" will be "1" and "1" (same, uniform) respectively.

```
MATCH (n)
CALL neptune.algo.pageRank( n, {
  tolerance: 0.001,
  edgeLabels:["route"],
  sourceNodes:["101", "102"],
} )
YIELD node, rank
RETURN node, rank
```

This is an example where the weights are given as integral numbers. Note that this would yield the same result as the first example in which the weights were ("1" and "1.5"):

```
MATCH(n)
CALL neptune.algo.pageRank( n, {
  tolerance: 0.001,
  edgeLabels:["route"],
  sourceNodes:["101", "102"],
  sourceWeights:[2, 3]
} )
YIELD node, rank
RETURN node, rank
```

## Sample .pageRank output

Here is an example of the output returned by .pageRank when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.pageRank(n) YIELD node, rank RETURN node, rank
LIMIT" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "node": {
        "~id": "2709",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 65.4809036254883,
          "elev": 49,
          "longest": 8711,
          "city": "Nadym",
          "type": "airport",
          "region": "RU-YAN",
          "desc": "Nadym Airport",
          "code": "NYM",
          "lon": 72.6988983154297,
          "country": "RU",
          "icao": "USMM",
          "runways": 1
        }
      },
      "rank": 0.00016044313088059425
    },
    {
      "node": {
        "~id": "3747",
        "~entityType": "node",
        "~labels": ["continent"],
        "~properties": {

```

```
        "code": "AN",
        "type": "continent",
        "desc": "Antarctica"
    }
},
"rank": 0.0000404242
}
]
}
```

## PageRank mutate centrality algorithm

The ranking metric computed by `.pageRank().mutate` can indicate the importance of a node within a given graph, with the most important nodes having the highest score, and the least important node having the lowest score. PageRank is used in search engines to rank web pages based on their importance and influence, in citation networks to identify highly cited scientific papers, and in recommendation systems to suggest popular and relevant content to users.

The mutate variant of the PageRank algorithm performs the PageRank calculation over the entire graph unless the configuration parameters establish a filter, and each traversed node's calculated PageRank value is stored on that node as a property.

### pageRank.mutate inputs

Inputs for the `pageRank.mutate` algorithm are passed in a configuration object parameter that contains:

- **edgeLabels (optional)** – `type: string`; `example: ["route", ...]`; `default: no edge filtering`.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **writeProperty (required)** – `type: string`; `default: none`.

A name for the new vertex property that will contain the computed PageRank values. If a property of that name already exists, it is overwritten.

- **vertexLabel (optional)** – `type: string`; `default: none`.

A vertex label for vertex filtering. If a vertex label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list.

- **traversalDirection (optional)** – `type: string`; `default: "outbound"`.

The direction of edge to follow. Must be one of: `"outbound"` or `"inbound"`.

- **numOfIterations (optional)** – `type: integer` greater than zero; `default: 20`.

The number of iterations to perform to reach convergence. A number between 10 and 20 is recommended.

- **dampingFactor (optional)** – `type: floating-point number` less than or equal to `1.0`; `default: 0.85`.

A positive floating-point damping factor between 0.0 and 1.0 that expresses the probability, at any step, that the node will continue.

- **concurrency** (*optional*) – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

- **tolerance** (*optional*) – a floating point number between 0.0 and 1.0 (inclusive). When the average difference in the pageRank values of two iterations drops below tolerance, the algorithm stops, regardless of whether the numOfIterations is reached. Default value is 0.000001 (1e-6).

- Note that this tolerance computation is equivalent to L1 error or sum of Mean Absolute Difference (MAE)s.
- The stopping condition is  $l1\_error\_sum < tolerance * numNodes$ , equivalent to  $l1\_error\_sum/numNodes < tolerance$ .
- **edgeWeightProperty** (*optional*) – *type*: string *default*: none.

The weight property to consider for weighted pageRank computation.

- **edgeWeightType** (*optional*) - required if *edgeWeightProperty* is present – *type*: string; *default*: none.

The type of values associated with the edgeWeightProperty argument, specified as a string. *valid values*: "int", "long", "float", "double".

- If the edgeWeightProperty is not given, the algorithm runs unweighted no matter if the edgeWeightType is given or not.
- Note that if multiple properties exist on the edge with the name specified by edgeWeightProperty, one of those property values will be sampled at random.
- **sourceNodes** (*optional*) - required if running personalized PageRank – *type*: list; *default*: none.

A personalization vertex list ["101", ...]

- Can include 1 to 8192 vertices.
- If a vertexLabel is provided, nodes that do not have the given vertexLabel are ignored.

- **sourceWeights (optional)** – *type: list; default: none.*

A personalization weight list. The weight distribution among the personalized vertices.

- If not provided, the default behavior is uniform distribution among the vertices given in `sourceNodes`.
- There must be at least one non-zero weight in the list.
- The length of the `sourceWeights` list must match the `sourceNodes` list.
- The mapping of personalization vertex and weight lists are one to one. The first value in the weight list corresponds to the weight of first vertex in the vertex list, second value is for the second vertex, etc.
- The weights can be one of `int`, `long`, `float`, or `double` types.

## Outputs for the `pageRank.mutate` algorithm

The computed PageRank values are written to a new vertex property on each node using the property name specified by the `writeProperty` input parameter.

A single Boolean success value (`true` or `false`) is returned, which indicates whether or not the writes succeeded.

## Query example for `pageRank.mutate`

The example below computes the PageRank score of every vertex in the graph, and writes that score to a new vertex property named `P_RANK`:

```
CALL neptune.algo.pageRank.mutate(  
  {  
    writeProperty:"P_RANK",  
    dampingFactor: 0.85,  
    numOfIterations: 1,  
    edgeLabels: ["route"]  
  }  
)
```

This query illustrates how you could then access the PageRank values in the `P_RANK` vertex property. It counts how many nodes have a `P_RANK` property value greater than the "SEA" node's `P_RANK` property value:

```
MATCH (n) WHERE n.code = "SEA" WITH n.P_RANK AS lowerBound
```

```
MATCH (m) WHERE m.P_RANK > lowerBound
RETURN count(m)
```

## Query examples for Personalized pageRank.mutate

Personalized PagerRank applies the same integration and constraints. Here are some examples that pass personalization-specific configurations.

The example below computes the Personalized PageRank score of every vertex in the graph, and writes that score to a new vertex property named "PRS\_RANK":

```
CALL neptune.algo.pageRank.mutate(
{
  writeProperty:"PRS_RANK",
  sourceNodes:["101", "103", "105"],
  sourceWeights:[5, 3, 2],
  dampingFactor: 0.85,
  numOfIterations: 1,
  edgeLabels: ["route"]
}
)
```

## Sample .pageRank.mutate output

Here is an example of the output returned by .pageRank.mutate when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.pageRank.mutate({writeProperty: 'prscore'}) YIELD
success RETURN success" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    { "success": true }
  ]
}
```

## Closeness centrality algorithm

The closeness centrality algorithm computes a Closeness Centrality (CC) metric for specified nodes in a graph. The CC metric of a node can be used as a positive measure of how close it is to all other nodes or how central it is in the graph.

The CC metric can be interpreted to show how quickly all other nodes in a network can be reached from a given node, and how important it is as a central hub for rapid information flow. It can be used in transportation networks to identify key hub locations, and in disease-spread modeling to pinpoint central points for targeted intervention efforts.

The closeness centrality (CC) score of a node is calculated based on the sum of its distances to all other nodes. The CC score itself is the inverse of that number; in other words, one divided by that sum. In practice, the calculation is commonly normalized to use the average length of the shortest paths rather than the actual sum of their lengths.

### .closenessCentrality syntax

```
CALL neptune.algo.closenessCentrality(  
  [node list (required)],  
  {  
    numSources: the number of BFS sources to use for computing the CC (required),  
    edgeLabels: [a list of edge labels for filtering (optional)],  
    vertexLabel: a node label for filtering (optional),  
    traversalDirection: traversal direction (optional),  
    normalize: Boolean, set to false to prevent normalization (optional),  
    concurrency: number of threads to use (optional)  
  }  
)  
YIELD node, score  
RETURN node, score
```

### Inputs for the .closenessCentrality algorithm

- **a source node list (required)** – *type: Node[] or NodeId[]; default: none.*

The node or nodes to use as the starting locations for the algorithm. Each node in the list triggers an execution of the algorithm. If an empty list is provided, the query result is also empty.

If the algorithm is called following a MATCH clause (query algo integration), the source query list is the result returned by the MATCH clause.

- **a configuration object that contains:**

- **numSources (required)** – *type: unsigned long; default: none.*

The number of BFS sources for computing approximate Closeness Centrality (CC). To compute exact closeness centrality, set numSources to a number larger than number of nodes, such as maxInt.

Because of the computational complexity of the algorithm for large graphs, it's generally best to specify a number in the order of thousands to ten thousands, such as 8,192.

- **edgeLabels (optional)** – *type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.*

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **normalize (optional)** – *type: Boolean; default: true.*

You can use this field to turn off normalization, which is on by default. Without normalization, only centrality scores of nodes within the same component can be meaningfully compared. Normalized scores can be compared across different connected components.

The CC is normalized using the Wasserman-Faust normalization formula for unconnected graphs. If there are  $n$  vertices reachable from vertex  $u$  (including vertex  $u$  itself), the Wasserman-Faust normalized closeness centrality score of vertex  $u$  is calculated as follows:

$$(n-1)^2 / (|V| - 1) * \text{sum(distance from } u \text{ to these } n \text{ vertices)}$$

Without normalization, the centrality score of vertex  $u$  is calculated as:

$$(|V| - 1) / \text{sum(distance from } u \text{ to all other vertices in the graph)}$$

- **vertexLabel (optional)** – *type: string; default: none.*

A node label for node filtering. If a node label is provided, nodes matching the label are the only nodes that are included, including nodes in the input list.

- **traversalDirection (optional)** – *type: string; default: "outbound".*

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

- **concurrency (optional)** – *type: 0 or 1; default: 0.*

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `.closenessCentrality` algorithm

- **node** – A key column of the input nodes.
- **score** – A key column of the corresponding closeness-centrality (CC) scores for those nodes.

If the input node list is empty, the output is empty.

### `.closenessCentrality` query examples

This is a standalone example, where the source node list is explicitly provided in the query:

```
CALL neptune.algo.closenessCentrality(
  ["101"],
  {
    numSources: 10,
    edgeLabels: ["route"],
    vertexLabel: "airport",
    traversalDirection: "outbound",
    normalize: true,
    concurrency: 1
  }
)
YIELD node, score
RETURN node, score
```

This is a query integration example, where `.closenessCentrality.mutate` follows a `MATCH` clause and uses the output of the `MATCH` clause as its list of source nodes:

```
Match (n)
CALL neptune.algo.closenessCentrality(
  n,
  {
    numSources: 10,
```

```
    edgeLabels: ["route"],
    vertexLabel: "airport",
    traversalDirection: "outbound",
    normalize: true,
    concurrency: 1
  }
)
YIELD score
RETURN n, score
```

This is a query integration examples that returns the nodes with the 10 highest CC scores:

```
CALL neptune.algo.closenessCentrality(
  n,
  {
    edgeLabels: ["route"],
    numSources: 10
  }
)
YIELD score
RETURN n, score
ORDER BY score DESC
LIMIT 10"
```

### Warning

It is not good practice to use `MATCH(n)` without restriction in query integrations. Keep in mind that every node returned by the `MATCH(n)` clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use `LIMIT` or put conditions on the `MATCH` clause to restrict its output appropriately.

## Sample `.closenessCentrality` output

Here is an example of the output returned by `.closenessCentrality` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.closenessCentrality(n, {numSources: 10}) YIELD
node, score RETURN node, score limit 2" \
```

```
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "node": {
        "~id": "10",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 38.94449997,
          "elev": 313,
          "longest": 11500,
          "city": "Washington D.C.",
          "type": "airport",
          "region": "US-VA",
          "desc": "Washington Dulles International Airport",
          "code": "IAD",
          "prscore": 0.002264724113047123,
          "degree": 312,
          "lon": -77.45580292,
          "wccid": 2357352929951779,
          "country": "US",
          "icao": "KIAD",
          "runways": 4
        }
      },
      "score": 0.20877772569656373
    },
    {
      "node": {
        "~id": "12",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 40.63980103,
          "elev": 12,
          "longest": 14511,
          "city": "New York",
          "type": "airport",
          "region": "US-NY",
          "desc": "New York John F. Kennedy International Airport",
        }
      }
    }
  ]
}
```

```
  "code": "JFK",
  "prscore": 0.002885053399950266,
  "degree": 403,
  "lon": -73.77890015,
  "wccid": 2357352929951779,
  "country": "US",
  "icao": "KJFK",
  "runways": 4
}
},
"score": 0.2199712097644806
}
]
}
```

## Closeness centrality mutatealgorithm

The closeness centrality mutate algorithm computes a Closeness Centrality (CC) metric for specified nodes in a graph. The CC metric of a node can be used as a positive measure of how close it is to all other nodes or how central it is in the graph.

The CC metric can be interpreted to show how quickly all other nodes in a network can be reached from a given node, and how important it is as a central hub for rapid information flow. It can be used in transportation networks to identify key hub locations, and in disease-spread modeling to pinpoint central points for targeted intervention efforts.

The closeness centrality (CC) score of a node is calculated based on the sum of its distances to all other vertices. The CC score itself is the inverse of that number; in other words, one divided by that sum. In practice, the calculation is commonly normalized to use the average length of the shortest paths rather than the actual sum of their lengths.

### .closenessCentrality.mutate syntax

```
CALL neptune.algo.closenessCentrality.mutate(  
  [node list (required)],  
  {  
    numSources: the number of BFS sources to use for computing the CC (required)  
    writeProperty: name of the node property to write the CC score to (required)  
    edgeLabels: [a list of edge labels for filtering (optional)],  
    vertexLabel: "a node label for filtering (optional)",  
    traversalDirection: traversal direction (optional),  
    normalize: Boolean, set to false to prevent normalization (optional)  
    concurrency: number of threads to use (optional)  
  }  
)  
YIELD success  
RETURN success
```

### .closenessCentrality.mutate inputs

- **a source node list (required)** – *type: Node[] or NodeId[]; default: none.*

The node or nodes to use as the starting locations for the algorithm. Each node in the list triggers an execution of the algorithm. If an empty list is provided, the query result is also empty.

If the algorithm is called following a MATCH clause (query algo integration), the source node list is the result returned by the MATCH clause.

- **a configuration object that contains:**

- **numSources (required)** – *type: uint64\_t; default: none.*

The number of BFS sources for computing approximate Closeness Centrality (CC). To compute exact closeness centrality, set numSources to a number larger than number of vertices, such as maxInt.

Because of the computational complexity of the algorithm for large graphs, it's generally best to specify a number in the order of thousands to ten thousands, such as 8,192.

- **writeProperty (required)** – *type: string; default: none.*

A name for the new node property that will contain the computed CC score of each node.

- **edgeLabels (optional)** – *type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.*

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **normalize (optional)** – *type: Boolean; default: true.*

You can use this field to turn off normalization, which is on by default. Without normalization, only centrality scores of nodes within the same component can be meaningfully compared. Normalized scores can be compared across different connected components.

The CC is normalized using the Wasserman-Faust normalization formula for unconnected graphs. If there are  $n$  vertices reachable from vertex  $u$  (including vertex  $u$  itself), the Wasserman-Faust normalized closeness centrality score of vertex  $u$  is calculated as follows:

$$(n-1)^2 / (|V| - 1) * \text{sum(distance from } u \text{ to these } n \text{ vertices)}$$

Without normalization, the centrality score of vertex  $u$  is calculated as:

$$(|V| - 1) / \text{sum(distance from } u \text{ to all other vertices in the graph)}$$

- **vertexLabel (optional)** – *type: string; default: none.*

A node label for node filtering. If a node label is provided, vertices matching the label are the only vertices that are included, including vertices in the input list.

- **traversalDirection (optional)** – *type: string; default: "outbound".*

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

- **concurrency (optional)** – *type: 0 or 1; default: 0.*

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## **.closenessCentrality.mutate outputs**

The closeness centrality score of each source node in the input list is written as a new node property using the property name specified in `writeProperty`.

If the algorithm is invoked as a standalone query, there is no other output.

If the algorithm is invoked following a MATCH clause that provides its source node list (query integration), the algorithm outputs a key column of the source vertices from the MATCH clause and a value column of Booleans (true or false) that indicate whether the CC value was successfully written to the node in question.

## **Query examples for .closenessCentrality.mutate**

This example computes closeness centrality scores and writes them as a new node property called `ccScore`:

```
CALL neptune.algo.closenessCentrality.mutate(
  {
    numSources: 10,
    writeProperty: "ccScore",
    edgeLabels: ["route"],
    vertexLabel: "airport",
    traversalDirection: "outbound",
    normalize: true,
    concurrency: 1
```

```
 }  
)
```

Then you can query the ccScore property in a subsequent query:

```
MATCH (n) RETURN id(n), n.ccScore limit 5
```

## Sample `.closenessCentrality.mutate` output

Here is an example of the output returned by `.closenessCentrality.mutate` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \  
--graph-identifier ${graphIdentifier} \  
--query-string "CALL neptune.algo.closenessCentrality.mutate( \  
    { \  
        writeProperty: 'ccscore', \  
        numSources: 10 \  
    } \  
) \  
YIELD success \  
RETURN success" \  
--language open_cypher \  
/tmp/out.txt \  
  
cat /tmp/out.txt \  
{ \  
    "results": [ \  
        { \  
            "success": true \  
        } \  
    ] \  
}
```

# Similarity algorithms in Neptune Analytics

Graph similarity algorithms allow you to compare and analyze the similarities and dissimilarities between different graph structures, which can provide insight into relationships, patterns, and commonalities across diverse datasets. This is invaluable in various fields, such as biology, for comparing molecular structures, such as social networks, for identifying similar communities, and such as recommendation systems, for suggesting similar items based on user preferences.

Neptune Analytics supports the following similarity algorithms:

- [`neighbors.common`](#) – This algorithm counts the number of common neighbors of two input vertices, which is the intersection of the neighborhoods of those vertices.

By counting how many neighboring nodes are shared by two nodes, it provides a measure of their potential interaction or similarity within the network. It's used in social network analysis to identify individuals with mutual connections, in citation networks to find influential papers referenced by multiple sources, and in transportation networks to locate critical hubs with many direct connections to other nodes.

- [`neighbors.total`](#) – This algorithm counts the number of total unique neighbors among two input vertices, which is the union of the neighborhoods of those vertices.
- [`jaccardSimilarity`](#) – This algorithm measures the similarity between two sets by dividing the size of their intersection by the size of their union.

By measuring the proportion of shared neighbors relative to the total number of unique neighbors, it provides a metric for understanding the degree of overlap or commonality between different parts of a network. Jaccard similarity is applied in recommendation systems to suggest products or content to users based on their shared preferences and in biology to compare genetic sequences for identifying similarities in DNA fragments.

- [`overlapSimilarity`](#) – This algorithm measures the overlap between the neighbors of two vertices.

It quantifies the similarity between nodes by calculating the ratio of common neighbors they share to the total number of neighbors they collectively have, providing a measure of their closeness or similarity within the network. Overlap similarity is applied in social network analysis to identify communities of individuals with shared interests or interactions, and in biological networks to detect common functionalities among proteins in molecular pathways.

## Common neighbors algorithm

Common neighbors is an algorithm that counts the number of common neighbors of two input nodes, which is the intersection of their neighborhoods. This provides a measure of their potential interaction or similarity within the network. The common neighbors algorithm is used in social network analysis to identify individuals with mutual connections, in citation networks to find influential papers referenced by multiple sources, and in transportation networks to locate critical hubs with many direct connections to other nodes.

### .neighbors.common syntax

```
CALL neptune.algo.neighbors.common(
  [first node(s)],
  [second node(s)],
  {
    edgeLabels: [a list of edge labels for filtering (optional)],
    vertexLabel: [a node label for filtering (optional)],
    traversalDirection: traversal direction (optional)
  }
)
YIELD common
RETURN firstNodes, secondNodes, common
```

### .neighbors.common inputs

- **first node(s) (required)** – *type: Node[] or NodeId[]; default: none.*

One or more nodes of which to find the common neighbors with the corresponding second node(s).

- **second node(s) (required)** – *type: Node[] or NodeId[]; default: none.*

One or more nodes of which to find the common neighbors with the corresponding first node(s).

- **a configuration object that contains:**

- **edgeLabels (optional)** – *type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.*

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **vertexLabel (optional)** – *type: string; default: none.*

A node label for node filtering. If a node label is provided, nodes matching the label are the only nodes that are considered neighbors. This does not filter the nodes in the first or second node lists.

- **traversalDirection (optional)** – *type: string; default: outbound.*

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

## .neighbors.common outputs

**common:** A row for each node in the first node list and corresponding node in the second node list, and the number of neighboring nodes they have in common.

If either input node list is empty, the output is empty.

## .neighbors.common query examples

This example specifies only two nodes:

```
MATCH (sydairport:airport {code: 'SYD'})
MATCH (jfkairport:airport {code: 'JFK'})
CALL neptune.algo.neighbors.common( sydairport, jfkairport, { edgeLabels: ['route'] })
YIELD common
RETURN sydairport, jfkairport, common
```

This example specifies multiple nodes. It returns a row for each combination of a US airport and a UK airport, and the number of destinations we could reach from both of those two airports:

```
MATCH (usairports:airport {country: 'US'})
MATCH (ukairports:airport {country: 'UK'})
CALL neptune.algo.neighbors.common(usairports, ukairports, {edgeLabels: ['route']})
YIELD common
RETURN usairports, ukairports, common
```

### Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which

can result a very long-running query if a large number of nodes is returned. Use `LIMIT` or put conditions on the `MATCH` clause to restrict its output appropriately.

## Sample `.neighbors.common` output

Here is an example of the output returned by `.neighbors.common` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH (sydairport:airport {code: 'SYD'}) \
                MATCH (jfkairport:airport {code: 'JFK'}) \
                CALL neptune.algo.neighbors.common(sydairport, jfkairport, \
{edgeLabels: ['route']}) \
                YIELD common \
                RETURN sydairport, jfkairport, common" \
--language open_cypher \
/tmp/out.txt
```

```
cat /tmp/out.txt
{
  "results": [
    {
      "sydairport": {
        "~id": "55",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": -33.9460983276367,
          "elev": 21,
          "type": "airport",
          "code": "SYD",
          "lon": 151.177001953125,
          "runways": 3,
          "longest": 12999,
          "communityId": 2357352929951971,
          "city": "Sydney",
          "region": "AU-NSW",
          "desc": "Sydney Kingsford Smith",
          "prscore": 0.0028037719894200565,
          "degree": 206,
          "wccid": 2357352929951779,
        }
      }
    }
  ]
}
```

```
        "ccscore": 0.19631840288639069,
        "country": "AU",
        "icao": "YSSY"
    },
},
"jfkairport": {
    "~id": "12",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
        "lat": 40.63980103,
        "elev": 12,
        "type": "airport",
        "code": "JFK",
        "lon": -73.77890015,
        "runways": 4,
        "longest": 14511,
        "communityId": 2357352929951971,
        "city": "New York",
        "region": "US-NY",
        "desc": "New York John F. Kennedy International Airport",
        "prscore": 0.002885053399950266,
        "degree": 403,
        "wccid": 2357352929951779,
        "ccscore": 0.2199712097644806,
        "country": "US",
        "icao": "KJFK"
    }
},
"common": 24
}
]
```

## Total neighbors algorithm

Total neighbors is an algorithm that counts the total number of unique neighbors of two input vertices, which is the union of the neighborhoods of those vertices.

### .neighbors.total syntax

```
CALL neptune.algo.neighbors.total(
  [first node(s)],
  [second node(s)],
  {
    edgeLabels: [a list of edge labels for filtering (optional)],
    vertexLabel: a node label for filtering (optional),
    traversalDirection: traversal direction (optional)
  }
)
YIELD total
RETURN firstNodes, secondNodes, total
```

### Inputs for the .neighbors.total algorithm

- **first node(s) (required)** – *type*: Node[] or NodeId[]; *default*: none.

One or more nodes of which to find the common neighbors with the corresponding second nodes.

- **second node(s) (required)** – *type*: Node[] or NodeId[]; *default*: none.

One or more nodes of which to find the common neighbors with the corresponding first nodes.

- **a configuration object that contains:**

- **edgeLabels (optional)** – *type*: a list of edge label strings; *example*: ["route", ...]; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **vertexLabel (optional)** – *type*: string; *default*: none.

A node label for node filtering. If a node label is provided, nodes matching the label are the only nodes that are considered neighbors. This does not filter the nodes in the first or second node lists.

- **traversalDirection (optional)** – *type: string; default: outbound.*

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

## .neighbors.total outputs

**total:** A row for each node in the first node list and corresponding node in the second node list, and the total number of neighboring nodes they have.

If either input node list is empty, the output is empty.

## .neighbors.total query examples

This example returns a row for each combination of a US airport and a UK airport, and the total number of destinations we could reach if we could fly out of either of the two airports.

```
MATCH (usairports:airport {country: 'US'})
MATCH (ukairports:airport {country: 'UK'})
CALL neptune.algo.neighbors.total(usairports, ukairports, {edgeLabels: ['route']})
YIELD total
RETURN usairports, ukairports, total"
```

### Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .neighbors.total output

Here is an example of the output returned by .neighbors.total when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH (sydairport:airport {code: 'SYD'}) \
MATCH (jfkairport:airport {code: 'JFK'}) \
--neighbors.total"
```

```
CALL neptune.algo.neighbors.total(sydaireport, jfkairpot,
{edgeLabels: ['route']})
YIELD total
RETURN sydaireport, jfkairpot, total"
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "sydaireport": {
        "~id": "55",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": -33.9460983276367,
          "elev": 21,
          "type": "airport",
          "code": "SYD",
          "lon": 151.177001953125,
          "runways": 3,
          "longest": 12999,
          "communityId": 2357352929951971,
          "city": "Sydney",
          "region": "AU-NSW",
          "desc": "Sydney Kingsford Smith",
          "prscore": 0.0028037719894200565,
          "degree": 206,
          "wccid": 2357352929951779,
          "ccscore": 0.19631840288639069,
          "country": "AU",
          "icao": "YSSY"
        }
      },
      "jfkairpot": {
        "~id": "12",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 40.63980103,
          "elev": 12,
          "type": "airport",
          "code": "JFK",
        }
      }
    }
  ]
}
```

```
  "lon": -73.77890015,
  "runways": 4,
  "longest": 14511,
  "communityId": 2357352929951971,
  "city": "New York",
  "region": "US-NY",
  "desc": "New York John F. Kennedy International Airport",
  "prscore": 0.002885053399950266,
  "degree": 403,
  "wccid": 2357352929951779,
  "ccscore": 0.2199712097644806,
  "country": "US",
  "icao": "KJFK"
}
},
"total": 279
}
]
```

## Jaccard similarity algorithm

The Jaccard similarity algorithm measures the similarity between two sets. It is calculated by dividing the size of the intersection of the two sets by the size of their union.

By measuring the proportion of shared neighbors relative to the total number of unique neighbors, this algorithm provides a metric for the degree of overlap or commonality between different parts of a network. It can be useful in recommendation systems to suggest products or content to users based on their shared preferences and in biology to compare genetic sequences for identifying similarities in DNA fragments.

### .jaccardSimilarity syntax

```
CALL neptune.algo.jaccardSimilarity(  
  [first node(s)],  
  [second node(s)],  
  {  
    edgeLabels: [a list of edge labels for filtering (optional)],  
    vertexLabel: a node label for filtering (optional),  
    traversalDirection: traversal direction (optional)  
  }  
)  
YIELD score  
RETURN firstNodes, secondNodes, score
```

### .jaccardSimilarity inputs

- **first node(s) (required)** – *type: Node[] or NodeId[]; default: none.*

One or more nodes for which to find the Jaccard similarity score with respect to the corresponding second node(s).

- **second node(s) (required)** – *type: Node[] or NodeId[]; default: none.*

One or more nodes for which to find the Jaccard similarity score with respect to the corresponding first node(s).

- **a configuration object that contains:**

- **edgeLabels (optional)** – *type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.*

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **vertexLabel (optional)** – *type: string; default: none.*

A node label for node filtering. If a node label is provided, nodes matching the label are the only nodes that are considered neighbors. This does not filter the nodes in the first or second node lists.

- **traversalDirection (optional)** – *type: string; default: outbound.*

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

## Outputs for the `.jaccardSimilarity` algorithm

**score:** A row for each node in the first node list and corresponding node in the second node list, and the Jaccard similarity score for the two.

If either input node list is empty, the output is empty.

## .jaccardSimilarity query examples

The example below is a query integration examples, where the node list inputs for `.jaccardSimilarity` come from a preceding MATCH clause:

```
MATCH (n1:Person {name: "Alice"}), (n2:Person {name: "Bob"})
CALL neptune.algo.jaccardSimilarity(n1, n2, {edgeLabels: ['knows']})
YIELD score
RETURN n1, n2, score
```

Another example:

```
MATCH (n {code: "AUS"})
MATCH (m {code: "FLL"})
CALL neptune.algo.jaccardSimilarity(
  n,
  m,
  {
    edgeLabels: ["route"],
    vertexLabel: "airport"
  }
)
```

```
)  
YIELD score  
RETURN n, m, score
```

## ⚠ Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result in a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .jaccardSimilarity output

Here is an example of the output returned by `jaccardSimilarity` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH (n {code: 'AUS'}) \
                  MATCH (m {code: "FLL"}) \
                  CALL neptune.algo.jaccardSimilarity(n, m, \
                  {edgeLabels: ["route"], vertexLabel: "airport"}) \
                  YIELD score \
                  RETURN n, m, score"
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "n": {
        "~id": "3",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 30.1944999694824,
          "elev": 542,
          "type": "airport",
          "code": "AUS",
          "lon": -97.6698989868164,
          "name": "Austin-Bergstrom International Airport"
        }
      }
    }
  ]
}
```

```
        "runways": 2,
        "longest": 12250,
        "communityId": 2357352929951971,
        "city": "Austin",
        "region": "US-TX",
        "desc": "Austin Bergstrom International Airport",
        "prscore": 0.0012390684569254518,
        "degree": 188,
        "wccid": 2357352929951779,
        "ccscore": 0.1833982616662979,
        "country": "US",
        "icao": "KAUS"
    },
    "m": {
        "~id": "9",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
            "lat": 26.0725994110107,
            "elev": 64,
            "type": "airport",
            "code": "FLL",
            "lon": -80.152702331543,
            "runways": 2,
            "longest": 9000,
            "communityId": 2357352929951971,
            "city": "Fort Lauderdale",
            "region": "US-FL",
            "desc": "Fort Lauderdale/Hollywood International Airport",
            "prscore": 0.0024497462436556818,
            "degree": 316,
            "wccid": 2357352929951779,
            "ccscore": 0.19741515815258027,
            "country": "US",
            "icao": "KFLL"
        }
    },
    "score": 0.2953367829322815
}
]
}
```

# Overlap similarity algorithm

Overlap Similarity is an algorithm that measures the overlap between the neighbors of two nodes. It does this by dividing the intersection of the two neighborhoods by the neighbor with minimum degree.

By calculating the ratio of common neighbors shared by two nodes to the total number of neighbors they collectively have, it provides a measure of their closeness or similarity within the network. Overlap similarity is applied in social network analysis to identify communities of individuals with shared interests or interactions, and in biological networks to detect common functionalities among proteins in molecular pathways.

## .overlapSimilarity syntax

```
CALL neptune.algo.overlapSimilarity(  
  [first node(s)],  
  [second node(s)],  
  {  
    edgeLabels: [a list of edge labels for filtering (optional)],  
    vertexLabel: a node label for filtering (optional),  
    traversalDirection: traversal direction (optional)  
  }  
)  
YIELD score  
RETURN firstNodes, secondNodes, score
```

## .overlapSimilarity inputs

- **first node(s) (required)** – *type: Node[] or NodeId[]; default: none.*

One or more nodes for which to find the overlap similarity score with respect to the corresponding second node(s).

- **second node(s) (required)** – *type: Node[] or NodeId[]; default: none.*

One or more nodes for which to find the overlap similarity score with respect to the corresponding first node(s).

- **a configuration object that contains:**

- **edgeLabels (optional)** – *type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.*

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **vertexLabel (optional)** – *type: string; default: none.*

A node label for node filtering. If a node label is provided, nodes matching the label are the only nodes that are considered neighbors. This does not filter the nodes in the first or second node lists.

- **traversalDirection (optional)** – *type: string; default: outbound.*

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

## .overlapSimilarity outputs

**score:** A row for each node in the first node list and corresponding node in the second node list, and the overlap similarity score for the two.

If either input node list is empty, the output is empty.

## .overlapSimilarity query examples

This is a query integration examples, where .overlapSimilarity takes its input node lists from the output of a MATCH clause:

```
MATCH (n1:Person {name: "Alice"}), (n2:Person {name: "Bob"})
CALL neptune.algo.overlapSimilarity(n1, n2, {edgeLabel: 'knows'})
YIELD score
RETURN n1, n2, score
```

Another example:

```
MATCH (n {code: "AUS"})
MATCH (m {code: "FLL"})
CALL neptune.algo.overlapSimilarity(
  n,
  m,
  {
    edgeLabels: ["route"],
    vertexLabel: "airport"
  }
)
```

```
YIELD score
RETURN n, m, score'
```

### ⚠ Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .overlapSimilarity output

Here is an example of the output returned by .overlapSimilarity when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string 'MATCH (n {code: "AUS"})
                  MATCH (m {code: "FLL"})
                  CALL neptune.algo.overlapSimilarity(
                      n,
                      m,
                      {
                          edgeLabels: ["route"],
                          vertexLabel: "airport"
                      }
                  )
                  YIELD score
                  RETURN n, m, score' \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "n": {
        "~id": "3",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
```

```
"lat": 30.1944999694824,  
"elev": 542,  
"type": "airport",  
"code": "AUS",  
"lon": -97.6698989868164,  
"runways": 2,  
"longest": 12250,  
"communityId": 2357352929951971,  
"city": "Austin",  
"region": "US-TX",  
"desc": "Austin Bergstrom International Airport",  
"prscore": 0.0012390684569254518,  
"degree": 188,  
"wccid": 2357352929951779,  
"ccscore": 0.1833982616662979,  
"country": "US",  
"icao": "KAUS"  
}  
,  
"m": {  
  "~id": "9",  
  "~entityType": "node",  
  "~labels": ["airport"],  
  "~properties": {  
    "lat": 26.0725994110107,  
    "elev": 64,  
    "type": "airport",  
    "code": "FLL",  
    "lon": -80.152702331543,  
    "runways": 2,  
    "longest": 9000,  
    "communityId": 2357352929951971,  
    "city": "Fort Lauderdale",  
    "region": "US-FL",  
    "desc": "Fort Lauderdale/Hollywood International Airport",  
    "prscore": 0.0024497462436556818,  
    "degree": 316,  
    "wccid": 2357352929951779,  
    "ccscore": 0.19741515815258027,  
    "country": "US",  
    "icao": "KFLL"  
  }  
,  
  "score": 0.6129032373428345
```

```
    }  
]  
}
```

# Clustering and community detection algorithms in Neptune Analytics

Clustering algorithms evaluate how nodes are clustered in communities, in closely-knit sets, or in highly or loosely interconnected groups.

These algorithms can identify meaningful groups or clusters of nodes in a network, revealing hidden patterns and structures that can provide insights into the organization and dynamics of complex systems. This is valuable in social network analysis and in biology, for identifying functional modules in protein-protein interaction networks, and more generally for understanding information flow and influence propagation in many different domains.

Neptune Analytics supports these community detection algorithms:

- [wcc](#) – The Weakly Connected Components (WCC) algorithm finds weakly-connected components in a directed graph. A weakly-connected component is a group of nodes where every node in the group is reachable from every other node in the group if edge direction is ignored.

Identifying weakly-connected components helps in understanding the overall connectivity and structure of the graph. Weakly-connected components can be used in transportation networks to identify disconnected regions that may require improved connectivity, and in social networks to find isolated groups of users with limited interactions, and in webpage analysis to pinpoint sections with low accessibility.

- [wcc.mutate](#) – This algorithm stores the calculated component value of each given node as a property of the node.
- [labelPropagation](#) – Label Propagation Algorithm (LPA) is an algorithm for community detection that is also used in semi-supervised machine learning for data classification.
- [labelPropagation.mutate](#) – Label Propagation Algorithm (LPA) is an algorithm that assigns labels to nodes based on the consensus of their neighboring nodes, making it useful for identifying groups. Label propagation can be applied in social networks to find groups, and in identity management to identify households, and in recommendation systems to group similar products for personalized suggestions. It can also be used in semi-supervised machine learning for data classification.
- [scc](#) – The Strongly Connected Components (SCC) algorithm identifies maximally connected subgraphs of a directed graph, where every node is reachable from every other node. This can provide insights into the tightly interconnected portions of a graph and highlight key structures

within it. Strongly connected components are valuable in computer programming for detecting loops or cycles in code, in social networks to find tightly connected groups of users who interact frequently, and in web crawling to identify clusters of interlinked pages for efficient indexing.

- [`scc.mutate`](#) – This algorithm finds the maximally connected subgraphs of a directed graph and writes their component IDs as a new property of each subgraph node.
- [`louvain`](#) – The Louvain algorithm is a hierarchical community detection method that identifies groups of densely connected nodes within networks. It works by optimizing modularity - a measure comparing internal community connection density against random networks with the same degree distribution. Through iterative local optimization and network aggregation, it efficiently detects community structures in large networks. The algorithm can run in both weighted and unweighted modes; when an edge weight property is specified, it operates in weighted mode. Louvain is valuable in social networks for identifying user communities, in biological networks to discover functional modules or protein complexes, and in financial networks to detect market segments or potential fraud rings.
- [`louvain.mutate`](#) – This Louvain variant stores the calculated community ID of each node as a property of the node, enabling persistent community assignments for applications like customer segmentation, network infrastructure optimization, and research community identification.

## Weakly connected components algorithm

The Weakly Connected Components (WCC) algorithm finds the weakly-connected components in a directed graph. A weakly-connected component is a group of nodes in which every node is reachable from every other node when edge directions are ignored. Weakly connected components are the maximal connected subgraphs of an undirected graph.

Identifying weakly-connected components helps in understanding the overall connectivity and structure of the graph. Weakly-connected components can be used in transportation networks to identify disconnected regions that may require improved connectivity, and in social networks to find isolated groups of users with limited interactions, and in webpage analysis to pinpoint sections with low accessibility.

The time complexity of the WCC algorithm is  $O(|E| \log D)$ , where  $|E|$  is the number of edges in the graph, and  $D$  is the diameter (the length of the longest path from one node to any other node) of the graph.

The memory used by the WCC algorithm is approximately  $|V| * 20$  bytes.

### .wcc syntax

```
CALL neptune.algo.wcc(  
  [source-node list (required)],  
  {  
    edgeLabels: [list of edge labels for filtering (optional)],  
    vertexLabel: a node label for filtering (optional),  
    concurrency: number of threads to use (optional)  
  }  
)  
YIELD node, component  
RETURN node, component
```

### .wcc inputs

- **a source node list (required)** – *type: Node[] or NodeId[]; default: none.*

The node or nodes to use as the starting locations for the algorithm. Each node in the list triggers an execution of the algorithm. If an empty list is provided, the query result is also empty.

If the algorithm is called following a MATCH clause (query algo integration), the source query list is the result returned by the MATCH clause.

- **a configuration object that contains:**

- **edgeLabels (optional)** – *type*: a list of edge label strings; *example*: `["route", ...]`; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel (optional)** – *type*: `string`; *default*: `none`.

A node label for node filtering. If a node label is provided, only nodes matching the label are considered. This includes the nodes in the source node lists.

- **concurrency (optional)** – *type*: `0` or `1`; *default*: `0`.

Controls the number of concurrent threads used to run the algorithm.

If set to `0`, uses all available threads to complete execution of the individual algorithm invocation. If set to `1`, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## .wcc outputs

For each source node:

- **node** – The source node.
- **component** – The component ID associated with the source node.

If the input node list is empty, the output is empty.

## .wcc query examples

This is a standalone example, where the source node list is explicitly provided in the query:

```
CALL neptune.algo.wcc(  
  ["101"],  
  {  
    edgeLabels: ["route"],  
    vertexLabel: "airport",  
    concurrency: 2  
  }  
)
```

```
YIELD node, component
RETURN node, component
```

This is a query integration examples, where `.wcc` follows a `MATCH` clause and uses the output of the `MATCH` clause as its source node list:

```
MATCH (n) WHERE n.region = 'US-WA'
CALL neptune.algo.wcc(
  n,
  {
    edgeLabels: ["route"],
    vertexLabel: "airport"
  }
)
YIELD component
RETURN n, component
```

### Warning

It is not good practice to use `MATCH(n)` without restriction in query integrations. Keep in mind that every node returned by the `MATCH(n)` clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use `LIMIT` or put conditions on the `MATCH` clause to restrict its output appropriately.

## Sample `.wcc` output

Here is an example of the output returned by `.wcc` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH (n)
  CALL neptune.algo.wcc(n)
  YIELD node, component
  RETURN node, component
  LIMIT 2"
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
```

```
{  
  "results": [  
    {  
      "node": {  
        "~id": "10",  
        "~entityType": "node",  
        "~labels": ["airport"],  
        "~properties": {  
          "lat": 38.94449997,  
          "elev": 313,  
          "longest": 11500,  
          "city": "Washington D.C.",  
          "type": "airport",  
          "region": "US-VA",  
          "desc": "Washington Dulles International Airport",  
          "code": "IAD",  
          "prscore": 0.002264724113047123,  
          "lon": -77.45580292,  
          "wccid": 2357352929951779,  
          "country": "US",  
          "icao": "KIAD",  
          "runways": 4  
        }  
      },  
      "component": 2357352929951779  
    },  
    {  
      "node": {  
        "~id": "12",  
        "~entityType": "node",  
        "~labels": ["airport"],  
        "~properties": {  
          "lat": 40.63980103,  
          "elev": 12,  
          "longest": 14511,  
          "city": "New York",  
          "type": "airport",  
          "region": "US-NY",  
          "desc": "New York John F. Kennedy International Airport",  
          "code": "JFK",  
          "prscore": 0.002885053399950266,  
          "lon": -73.77890015,  
          "wccid": 2357352929951779,  
          "country": "US",  
          "wcc": "2357352929951779"  
        }  
      }  
    }  
  ]  
}
```

```
        "icao": "KJFK",
        "runways": 4
    },
    "component": 2357352929951779
]
}
```

## Weakly connected components mutate algorithm

The mutate variant of the weakly connected components (WCC) algorithm performs the weakly connected components calculation over the entire graph unless the configuration parameters establish a filter, and each traversed node's calculated WCC value is stored as a property on the node.

### .wcc.mutate syntax

```
CALL neptune.algo.wcc.mutate(  
  {  
    writeProperty: the name for the node property to which to write component IDs,  
    edgeLabels: [list of edge labels for filtering (optional)],  
    vertexLabel: a node label for filtering (optional),  
    concurrency: number of threads to use (optional)  
  }  
)  
YIELD success  
RETURN success
```

### .wcc.mutate inputs

Inputs for .wcc.mutate are passed in a configuration object that contains:

- **writeProperty** *(required)* – *type: string; default: none.*

A name for the new node property where the component IDs will be written.

- **edgeLabels** *(optional)* – *type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.*

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **vertexLabel** *(optional)* – *type: string; default: none.*

The node label to filter on for traversing. Only nodes matching this label will be traversed. For example: "airport".

- **concurrency** *(optional)* – *type: 0 or 1; default: 0.*

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## .wcc.mutate outputs

**success:** The computed component IDs are written as a new property on each node using the property name specified by `writeProperty`, and a single success flag (true or false) is returned to indicate whether or not the writes succeeded.

## .wcc.mutate query examples

This query writes the calculated component ID of each vertex in the graph to a new property of the vertex named CCID:

```
CALL neptune.algo.wcc.mutate(  
  {  
    writeProperty: "CCID",  
    edgeLabels: ["route"],  
    vertexLabel: "airport",  
    concurrency: 2  
  }  
)
```

After the `mutate` algorithm call above, the following query can retrieve the CCID property of a specific node:

```
MATCH (n: airport {code: "SEA"})  
RETURN n.CCID
```

## Sample .wcc.mutate output

Here is an example of the output returned by `.wcc.mutate` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \  
  --graph-identifier ${graphIdentifier} \  
  --query-string "CALL neptune.algo.wcc.mutate({writeProperty: 'wccid'}) YIELD success  
  RETURN success"
```

```
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "success": true
    }
  ]
}
```

## Label propagation algorithm (LPA)

Label Propagation Algorithm (LPA) is an algorithm for community detection that is also used in semi-supervised machine learning for data classification.

A community structure is loosely defined as a tightly knit group of entities in social networks. LPA can be enhanced by providing a set of seed nodes, the quality of which can dramatically influence the solution quality of the found communities. If the seeds are well-selected, the quality of the solution can be good, but if not, the quality of the solution can be very bad.

See Xu T. Liu *et al*, [Direction-optimizing label propagation and its application to community detection](#), and Xu T. Liu *et al*, [Direction-optimizing Label Propagation Framework for Structure Detection in Graphs: Design, Implementation, and Experimental Analysis](#), and the [Neo4j Label Propagation API](#).

The time complexity of the algorithm is  $O(k|E|)$ , where  $|E|$  is the number of edges in the graph, and  $k$  is the number of iterations for the algorithm to converge. Its space complexity is  $O(|V|)$ , where  $|V|$  is the number of nodes in the graph.

### .labelPropagation syntax

```
CALL neptune.algo.labelPropagation(  
  [source-node list (required)],  
  {  
    edgeLabels: [list of edge labels for filtering (optional)],  
    vertexLabel: a node label for filtering (optional),  
    vertexWeightProperty: a numeric node property used to weight the community ID  
    (optional),  
    vertexWeightType: numeric type of the specified vertexWeightProperty (optional),  
    edgeWeightProperty: a numeric edge property used to weight the community ID  
    (optional),  
    edgeWeightType: numeric type of the specified edgeWeightProperty (optional),  
    maxIterations: the maximum number of iterations to run (optional, default: 10),  
    traversalDirection: traversal direction (optional, default: outbound),  
    concurrency: number of threads to use (optional)  
  }  
)  
Yield node, community  
Return node, community
```

## .labelPropagation inputs

- a **source node list** (*required*) – *type*: Node[] or NodeId[]; *default*: none.

The node or nodes to use as the starting locations for the algorithm. Each node in the list triggers an execution of the algorithm. If an empty list is provided, the query result is also empty.

If the algorithm is called following a MATCH clause (query algo integration), the source query list is the result returned by the MATCH clause.

- a **configuration object that contains**:

- **edgeLabels** (*optional*) – *type*: a list of edge label strings; *example*: ["route", ...]; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **vertexLabel** (*optional*) – *type*: string; *default*: none.

A node label for node filtering. If a node label is provided, nodes matching the label are the only nodes that are included in the calculation, including nodes in the input list.

- **vertexWeightProperty** (*optional*) – *type*: string; *default*: none.

The node weight used in Label Propagation. When vertexWeightProperty is not specified, each node's communityId is treated equally, as if the node weight were 1.0. When the vertexWeightProperty is specified without an edgeWeightProperty, the weight of the communityId for each node is the value of the node weight property. When both vertexWeightProperty and edgeWeightProperty are specified, the weight of the communityId is the product of the node property value and edge property value.

Note that if multiple properties exist on the node with the name specified by vertexWeightProperty, one of those property values will be sampled at random.

- **vertexWeightType** (*required if vertexWeightProperty is present*) – *type*: string; *valid values*: "int", "long", "float", "double"; *default*: empty.

The type of the numeric values in the node property specified by vertexWeightProperty.

If vertexWeightProperty is not provided, vertexWeightType is ignored. If a node contains a numeric property with the name specified by vertexWeightProperty but its value is a different numeric type than is specified by vertexWeightType, the value is

typecast to the type specified by `vertexWeightType`. If both `vertexWeightType` and `edgeWeightType` are given, the type specified by `edgeWeightType` is used for both node and edge properties.

- **`edgeWeightProperty` (optional)** – `type: string; default: none.`

The numeric edge property used as a weight in Label Propagation. When `vertexWeightProperty` is not specified, the default edge weight is 1.0, so each edge is treated equally. When only `edgeWeightProperty` is provided, the weight of the `communityId` is the value of that edge property. When both `vertexWeightProperty` and `edgeWeightProperty` are present, the weight of a `communityId` is the product of the edge property value and the node property value.

Note that if multiple properties exist on the edge with the name specified by `edgeWeightProperty`, one of those property values will be sampled at random.

- **`edgeWeightType` (required if `edgeWeightProperty` is present)** – `type: string; valid values: "int", "long", "float", "double"; default: none.`

The type of the numeric values in the edge property specified by `edgeWeightProperty`.

If `edgeWeightProperty` is not provided, `edgeWeightType` is ignored. If a node contains a numeric property with the name specified by `edgeWeightProperty` but its value is a different numeric type than is specified by `edgeWeightType`, the value is typecast to the type specified by `edgeWeightType`. If both `vertexWeightType` and `edgeWeightType` are given, the type specified by `edgeWeightType` is used for both node and edge properties.

- **`traversalDirection` (optional)** – `type: string; default: "outbound".`

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

- **`maxIterations` (optional)** – `type: integer; default: 10.`

The maximum number of iterations to run.

- **`concurrency` (optional)** – `type: 0 or 1; default: 0.`

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## .labelPropagation outputs

- **node** – A key column of the input nodes.
- **community** – A key column of the corresponding communityId values for those nodes. All the nodes with the same communityId are in the same weakly-connected component.

If the input node list is empty, the output is empty.

## .labelPropagation query examples

This is a standalone example, where the source node list is explicitly provided in the query. It runs the algorithm over the whole graph, but only queries the component ID of one node:

```
CALL neptune.algo.labelPropagation(  
  ["101"],  
  {  
    edgeLabels: ["route"],  
    maxIterations: 10,  
    vertexLabel: "airport",  
    vertexWeightProperty: "runways",  
    vertexWeightType: "int",  
    edgeWeightProperty: "dist",  
    edgeWeightType: "int",  
    traversalDirection: "both",  
    concurrency: 2  
  }  
)  
YIELD node, community  
RETURN node, community
```

This is a query integration example, where .labelPropagation uses the output of a preceding MATCH clause as its source node list:

```
Match (n)  
CALL neptune.algo.labelPropagation(  
  n,  
  {  
    edgeLabels: ["route"],  
    maxIterations: 10,  
    vertexLabel: "airport",  
    vertexWeightProperty: "runways",  
  }  
)  
YIELD node, community  
RETURN node, community
```

```
    vertexWeightType: "int",
    edgeWeightProperty: "dist",
    edgeWeightType: "int",
    traversalDirection: "both",
    concurrency: 2
}
)
YIELD community
RETURN n, community
```

### Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample `.labelPropagation` output

Here is an example of the output returned by `.labelPropagation` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
"results": [
  "node": {
    "~id": "8",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "region": "US-TX",
      "runways": 7,
      "country": "US",
      "city": "Dallas",
      "type": "airport",
      "icao": "KDFW",
      "lon": -97.038002014160199,
      "code": "DFW",
      "lat": 32.896800994872997,
      "longest": 13401,
      "elev": 607,
      "desc": "Dallas/Fort Worth International Airport"
    }
  }
]
```

```
},
  "community": 2357352929952311
}, {
  "node": {
    "~id": "24",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "region": "US-CA",
      "runways": 3,
      "country": "US",
      "city": "San Jose",
      "type": "airport",
      "icao": "KSJC",
      "lon": -121.929000854492,
      "code": "SJC",
      "lat": 37.362598419189503,
      "longest": 11000,
      "elev": 62,
      "desc": "Norman Y. Mineta San Jose International Airport"
    }
  },
  "community": 2357352929952311
}]
```

## Label propagation mutate algorithm

[Label Propagation Algorithm \(LPA\)](#) is an algorithm for community detection that is also used in semi-supervised machine learning for data classification.

The `.labelPropagation.mutate` variant of the algorithm writes the derived community component ID of each node in the source list to a new property of that node.

### `.labelPropagation.mutate` syntax

```
CALL neptune.algo.labelPropagation.mutate(  
  {  
    writeProperty: the name for the node property to which to write component IDs,  
    edgeLabels: [list of edge labels for filtering (optional)],  
    vertexLabel: a node label for filtering (optional),  
    vertexWeightProperty: a numeric node property used to weight the community ID (optional),  
    vertexWeightType: numeric type of the specified vertexWeightProperty (optional),  
    edgeWeightProperty: a numeric edge property used to weight the community ID (optional),  
    edgeWeightType: numeric type of the specified edgeWeightProperty (optional),  
    maxIterations: the maximum number of iterations to run (optional, default: 10),  
    traversalDirection: traversal direction (optional, default: outbound),  
    concurrency: number of threads to use (optional)  
  }  
)
```

### `.labelPropagation.mutate` inputs

Inputs for `.labelPropagation.mutate` are passed in a configuration object that contains:

- **writeProperty** *(required)* – `type: string`; `default: none`.

A name for the new node property that will contain the computed community component ID of the node.

- **edgeLabels** *(optional)* – `type: a list of edge label strings`; `example: ["route", ...]`; `default: no edge filtering`.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel** (optional) – *type: string; default: none.*

A node label for node filtering. If a node label is provided, nodes matching the label are the only nodes that are included in the calculation, including nodes in the input list.

- **vertexWeightProperty** (optional) – *type: string; default: none.*

The node weight used in Label Propagation. When `vertexWeightProperty` is not specified, each node's `communityId` is treated equally, as if the node weight were 1.0. When the `vertexWeightProperty` is specified without an `edgeWeightProperty`, the weight of the `communityId` for each node is the value of the node weight property. When both `vertexWeightProperty` and `edgeWeightProperty` are specified, the weight of the `communityId` is the product of the node property value and edge property value.

Note that if multiple properties exist on the node with the name specified by `vertexWeightProperty`, one of those property values will be sampled at random.

- **vertexWeightType** (required if `vertexWeightProperty` is present) – *type: string; valid values: "int", "long", "float", "double"; default: empty.*

The type of the numeric values in the node property specified by `vertexWeightProperty`.

If `vertexWeightProperty` is not provided, `vertexWeightType` is ignored. If a node contains a numeric property with the name specified by `vertexWeightProperty` but its value is a different numeric type than is specified by `vertexWeightType`, the value is typecast to the type specified by `vertexWeightType`. If both `vertexWeightType` and `edgeWeightType` are given, the type specified by `edgeWeightType` is used for both node and edge properties.

- **edgeWeightProperty** (optional) – *type: string; default: none.*

The numeric edge property used as a weight in Label Propagation. When `vertexWeightProperty` is not specified, the default edge weight is 1.0, so each edge is treated equally. When only `edgeWeightProperty` is provided, the weight of the `communityId` is the value of that edge property. When both `vertexWeightProperty` and `edgeWeightProperty` are present, the weight of a `communityId` is the product of the edge property value and the node property value.

Note that if multiple properties exist on the edge with the name specified by `edgeWeightProperty`, one of those property values will be sampled at random.

- **edgeWeightType** (required if `edgeWeightProperty` is present) – *type: string; valid values: "int", "long", "float", "double"; default: none.*

The type of the numeric values in the edge property specified by `edgeWeightProperty`.

If `edgeWeightProperty` is not provided, `edgeWeightType` is ignored. If a node contains a numeric property with the name specified by `edgeWeightProperty` but its value is a different numeric type than is specified by `edgeWeightType`, the value is typecast to the type specified by `edgeWeightType`. If both `vertexWeightType` and `edgeWeightType` are given, the type specified by `edgeWeightType` is used for both node and edge properties.

- **traversalDirection** *(optional)* – `type: string; default: "outbound"`.

The direction of edge to follow. Must be one of: "inbound", "outbound", or "both".

- **maxIterations** *(optional)* – `type: integer; default: 10`.

The maximum number of iterations to run.

- **concurrency** *(optional)* – `type: 0 or 1; default: 0`.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `.labelPropagation.mutate` algorithm

The community component IDs are written as a new node property of each source node using the property name specified by `writeProperty`.

If the algorithm is invoked as a standalone query, there is no other output.

If the algorithm is invoked immediately after a MATCH clause that supplies its source node list, the algorithm outputs a key column of the source nodes from the MATCH clause and a value column of success flags (true or false) to indicate whether or not the write to the new node property of that node succeeded.

### `.labelPropagation.mutate` query example

```
CALL neptune.algo.labelPropagation.mutate(  
  {  
    writeProperty: "COMM_ID",
```

```
    edgeLabels: ["route"],
    maxIterations: 10,
    vertexLabel: "airport",
    vertexWeightProperty: "runways",
    vertexWeightType: "int",
    edgeWeightProperty: "dist",
    edgeWeightType: "int",
    traversalDirection: "both",
    concurrency: 2
}
)
```

## Sample `.labelPropagation.mutate` output

Here is an example of the output returned by `.labelPropagation.mutate` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.labelPropagation.mutate({writeProperty:
'communityId'}) YIELD success RETURN success" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "success": true
    }
  ]
}
```

## Strongly connected components algorithm

Strongly connected components (SCC) are the maximally connected subgraphs of a directed graph where every node is reachable from every other node (in other words, there exists a path between every node in the subgraph).

Neptune Analytics implements this algorithm using a modified multi-step approach (see [BFS and Coloring-based Parallel Algorithms for Strongly Connected Components and Related Problems](#), by George M. Slota, Sivasankaran Rajamanickam, and Kamesh Madduri, IPDPS 2014).

The time complexity of the `.scc` algorithm in the worst case is  $O(|V| + |E| * D)$ , where  $|V|$  is the number of nodes in the graph,  $|E|$  is the number of edges in the graph, and  $D$  is the diameter, defined as the length of the longest path from one node to another in the graph.

The space complexity is  $O(|V|)$ , where  $|V|$  is the number of vertices in the graph.

### .scc syntax

```
CALL neptune.algo.scc(
  [source-node list (required)],
  {
    edgeLabels: [list of edge labels for filtering (optional)],
    vertexLabel: a node label for filtering (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD node, component
RETURN node, component
```

### .scc inputs

- **a source node list (required)** – *type*: `Node[]` or `NodeId[]`; *default*: `none`.
- **a configuration object that contains:**
  - **edgeLabels (optional)** – *type*: a list of edge label strings; *example*: `["route", ...]`; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel (optional)** – *type*: `string`; *default*: `none`.

A node label to filter on.

- **concurrency (optional)** – *type: 0 or 1; default: 0.*

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## .scc outputs

For each source node:

- **node** – The source node.
- **component** – The component ID associated with the source node.

If the input node list is empty, the output is empty.

## .scc query examples

This openCypher query has an empty input list, and so will have no output:

```
Match (n)
CALL neptune.algo.scc(n, {edgeLabels: ["route", "contains"]})
YIELD component
RETURN n, component
```

This is a query integration example, where .scc follows a MATCH clause that generates its input node list:

```
Match (n)
CALL neptune.algo.scc(n, {})
Yield component
Return n, component
```

## ⚠ Warning

It is not good practice to use MATCH(n) without restriction in query integrations. Keep in mind that every node returned by the MATCH(n) clause invokes the algorithm once, which can result a very long-running query if a large number of nodes is returned. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .scc output

Here is an example of the output returned by .scc when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.scc({writeProperty: 'sccid'}) YIELD success RETURN
success" \
--language open_cypher \
/tmp/out.txt

cat /tmp/out.txt
{
  "results": [
    {
      "node": {
        "~id": "10",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 38.94449997,
          "elev": 313,
          "type": "airport",
          "code": "IAD",
          "lon": -77.45580292,
          "runways": 4,
          "longest": 11500,
          "communityId": 2357352929951971,
          "city": "Washington D.C.",
          "region": "US-VA",
          "desc": "Washington Dulles International Airport",
          "prscore": 0.002264724113047123,
          "degree": 312,
        }
      }
    }
  ]
}
```

```
        "wccid": 2357352929951779,
        "ccscore": 0.20877772569656373,
        "country": "US",
        "icao": "KIAD"
    },
},
"component": 2357352929966149
},
{
  "node": {
    "~id": "12",
    "~entityType": "node",
    "~labels": ["airport"],
    "~properties": {
      "lat": 40.63980103,
      "elev": 12,
      "type": "airport",
      "code": "JFK",
      "lon": -73.77890015,
      "runways": 4,
      "longest": 14511,
      "communityId": 2357352929951971,
      "city": "New York",
      "region": "US-NY",
      "desc": "New York John F. Kennedy International Airport",
      "prscore": 0.002885053399950266,
      "degree": 403,
      "wccid": 2357352929951779,
      "ccscore": 0.2199712097644806,
      "country": "US",
      "icao": "KJFK"
    }
  },
  "component": 2357352929966149
}
]
```

## Strongly connected components mutate algorithm

[Strongly connected components \(SCC\)](#) are the maximally connected subgraphs of a directed graph, where every node is reachable from every other node (in other words, there exists a path between every node in the subgraph).

The time complexity of the `.scc-mutate` algorithm in the worst case is  $O(|V| + |E| * D)$ , where  $|V|$  is the number of nodes in the graph,  $|E|$  is the number of edges in the graph, and  $D$  is the diameter, the length of the longest path from one node to another in the graph.

The space complexity is  $O(|V|)$ , where  $|V|$  is the number of vertices in the graph.

### `.scc.mutate` syntax

```
CALL neptune.algo.scc.mutate(
  {
    writeProperty: the name for the node property to which to write component IDs
    edgeLabels: [list of edge labels for filtering (optional)],
    vertexLabel: a node label for filtering (optional),
    concurrency: number of threads to use (optional)
  }
)
YIELD success
RETURN success
```

### Inputs for the `.scc.mutate` algorithm

Inputs for `.scc.mutate` are passed in a configuration object that contains:

- **writeProperty** *(required)* – `type: string; default: none`.

A name for the new node property where the component IDs will be written.

- **edgeLabels** *(optional)* – `type: a list of edge label strings; example: ["route", ...]; default: no edge filtering`.

To filter on one or more edge labels, provide a list of the ones to filter on. If no `edgeLabels` field is provided then all edge labels are processed during traversal.

- **vertexLabel** *(optional)* – `type: string; default: none`.

The node label to filter on for traversing. Only nodes matching this label will be traversed. For example: "airport".

- **concurrency** (optional) – *type: 0 or 1; default: 0.*

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `.scc.mutate` algorithm

The computed strongly connected component IDs are written as a new node property using the specified property name. A single success flag (true or false) is returned to indicate whether the computation and writes succeeded or failed.

### `.scc.mutate` query example

```
CALL neptune.algo.scc.mutate(  
  {  
    writeProperty: "SCOMM_ID",  
    edgeLabels: ["route", ...],  
    vertexLabel: "airport",  
    concurrency: 2  
  }  
)
```

### Sample `.scc.mutate` output

Here is an example of the output returned by `.scc.mutate` when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \  
  --graph-identifier ${graphIdentifier} \  
  --query-string "CALL neptune.algo.scc.mutate({writeProperty: 'sccid'}) YIELD success  
  RETURN success" \  
  --language open_cypher \  
  /tmp/out.txt  
  
cat /tmp/out.txt  
{  
  "results": [  
    {
```

```
  "success": true
}
]
}
```

## Louvain algorithm

The Louvain algorithm is a hierarchical clustering method for detecting community structures within networks. A community is defined as a subset of nodes with dense internal connections relative to sparse external connections. The algorithm iteratively optimizes modularity, which mathematically measures the strength of network division into communities by comparing the density of connections within communities to what would be expected in a random network with the same degree distribution.

Through a two-phase process of local optimization and network aggregation, the algorithm identifies hierarchical community structures that maximize this modularity measure. This method is particularly valuable in network science for decomposing complex networks into their natural organizational units, with applications ranging from social network analysis to biological systems.

The algorithm can run in unweighted or weighted mode based on the graph and user inputs. When an edge weight property is specified, the algorithm runs in weighted mode.

Here are several real-world applications of the Louvain algorithm for community detection:

- Fraud detection in financial transactions
- Cybersecurity threat analysis
- Identifying influencer communities on social networks
- Planning network coverage areas
- Protein-protein interaction networks

The Louvain algorithm is particularly useful in these cases because it:

- Handles large-scale networks efficiently
- Provides good quality results
- Works well with weighted networks
- Is computationally fast
- Can detect hierarchical community structures

### Note

- There can only be one Louvain algorithm call running at a time.

- Louvain is expected to run a long time, hence please set the query timeout to be large number to avoid query timeout. See [query-timeout-milliseconds](#) for more information on setting upper bounds on query run time.

## .louvain syntax

```
CALL neptune.algo.louvain(
  [node list (required)],
  {
    vertexLabels: [list of vertex labels for filtering (optional)],
    edgeLabels: [list of edge labels for filtering (optional)],
    edgeWeightProperty: a numeric edge property to use as weight (optional),
    edgeWeightType: numeric type of the specified edgeWeightProperty (optional),
    maxLevels: maximum number of levels to optimize at (optional, default: 10),
    maxIterations: maximum number of iterations per level (optional, default: 10),
    levelTolerance: minimum modularity change to continue to next level (optional,
    default: 0.01),
    iterationTolerance: minimum modularity change to continue to next iteration
    (optional, default: 0.0001),
    concurrency: number of threads to use (optional)
  }
)
YIELD node, community
RETURN node, community
```

## .louvain inputs

- **a node list (required)** – *type: Node[] or NodeId[]; default: none.*

The node or nodes for which the algorithm will return the computed community ids. If the algorithm is called following a MATCH clause (query algo integration), the node query list is the result returned by the MATCH clause.

- **a configuration object that contains:**

- **vertexLabels (optional)** – *type: a list of vertex label strings; example ["airport", ...]; default: no vertex filtering.*

Node labels for node filtering. To filter on one or more vertex labels, provide a list of node labels. Vertices matching any label in the vertexLabels list are the only vertices that are passed

to the algorithm computation. If no vertexLabels field is provided then all vertices are passed to the Louvain algorithm.

- **edgeLabels** *(optional)* – *type*: a list of edge label strings; *example*: `["route", ...]`; *default*: no edge filtering.

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **edgeWeightProperty** *(optional)* – *type*: string; *default*: `none`.

A string indicating the name of the edge weight property used as weight in Louvain. When the edgeWeightProperty is not specified, each edge is treated equally, i.e., the default value of the edge weight is 1.

Note that if multiple properties exist on the edge with the specified name, one of these values will be sampled at random.

- **edgeWeightType** *(required if edgeWeightProperty is present)* – *type*: string; valid values: `"int"`, `"long"`, `"float"`, `"double"`; *default*: `none`.

The type of the numeric values in the edge property specified by edgeWeightProperty. If the edgeWeightProperty is not given, the edgeWeightType is ignored even if it is specified. If an edge contains a property given by edgeWeightProperty, and its type is numeric but not matching the specified edgeWeightType, it will be typecast to the specified type.

- **maxLevels** *(optional)* – *type*: integer; *default*: 10.

The maximum number of levels of granularity at which the algorithm optimizes the modularity.

- **maxIterations** *(optional)* – *type*: integer; *default*: 10.

The maximum number of iterations to run at each level.

- **levelTolerance** *(optional)* – *type*: float; *default*: .01.

The minimum change in modularity required to continue to the next level.

- **iterationTolerance** *(optional)* – *type*: float; *default*: .0001.

The minimum change in modularity required to continue to the next iteration.

- **concurrency** *(optional)* – *type*: 0 or 1; *default*: 0.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## .louvain outputs

For each source node:

- **node** – A column of the input nodes.
- **community** – A column of the corresponding communityId values for those nodes. All the nodes with the same communityId are in the same community.

If the input node list is empty, the output is also empty.

## .louvain query examples

Unweighted example:

```
CALL neptune.algo.louvain(  
  ["101"],  
  {  
    vertexLabels: ["airport"],  
    edgeLabels: ["route"],  
    maxLevels: 3,  
    maxIterations: 10  
  }  
)  
YIELD node, community  
RETURN node, community
```

Weighted example:

Sample use case: you may want to identify natural communities of stops where there is high intra-connectivity — essentially, clusters of stops that are strongly interconnected based on passenger traffic

```
CALL neptune.algo.louvain(  
  ["101"],
```

```
{  
  vertexLabels: ["airport"],  
  edgeLabels: ["route"],  
  maxLevels: 3,  
  maxIterations: 10,  
  edgeWeightProperty: "weight",  
  edgeWeightType: "int"  
}  
)  
YIELD node, community  
RETURN node, community
```

This is a query integration example, where `.louvain` uses the output of a preceding `MATCH` clause as its node list:

```
Match (n)  
CALL neptune.algo.louvain(  
  n,  
  {  
    vertexLabels: ["airport"],  
    edgeLabels: ["route"],  
    maxLevels: 1,  
    maxIterations: 10,  
    edgeWeightProperty: "weight",  
    edgeWeightType: "int"  
  }  
)  
YIELD community  
RETURN n, community
```

## Warning

It is not good practice to use `MATCH(n)` without restriction in query integrations. Keep in mind that every node returned by the `MATCH(n)` clause invokes the algorithm once, which can result in a very long-running query if a large number of nodes is returned. Use `LIMIT` or put conditions on the `MATCH` clause to restrict its output appropriately.

The Louvain algorithm requires exclusive processing. Neptune will process only one Louvain algorithm execution at a time. Any subsequent algorithm requests submitted before the completion of an active process will result in an error response.

## Sample .louvain output

Here is an example of the output returned by .louvain when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
  --graph-identifier ${graphIdentifier} \
  --query-string 'query=Match (n) \
    CALL neptune.algo.louvain(n) \
    YIELD node, community \
    return node, community \
    limit 2' \
  --language open_cypher \
  /tmp/out.txt
cat /tmp/out.txt
{
  "results": [
    {
      "node": {
        "~id": "10",
        "~entityType": "node",
        "~labels": ["airport"],
        "~properties": {
          "lat": 38.944499970000003,
          "elev": 313,
          "type": "airport",
          "code": "IAD",
          "lon": -77.45580291999996,
          "runways": 4,
          "longest": 11500,
          "communityId": 2357352929951971,
          "city": "Washington D.C.",
          "region": "US-VA",
          "desc": "Washington Dulles International Airport",
          "degree": 312,
          "country": "US",
          "icao": "KIAD"
        }
      },
      "community": 2357352929951971
    },
    {
      "node": {
        "~id": "12",
        "~entityType": "node",
        "~properties": {
          "lat": 38.944499970000003,
          "elev": 313,
          "type": "airport",
          "code": "IAD",
          "lon": -77.45580291999996,
          "runways": 4,
          "longest": 11500,
          "communityId": 2357352929951971,
          "city": "Washington D.C.",
          "region": "US-VA",
          "desc": "Washington Dulles International Airport",
          "degree": 312,
          "country": "US",
          "icao": "KIAD"
        }
      },
      "community": 2357352929951971
    }
  ]
}
```

```
"~labels": ["airport"],
"~properties": {
  "lat": 40.63980103000001,
  "elev": 12,
  "type": "airport",
  "code": "JFK",
  "lon": -73.77890014999998,
  "runways": 4,
  "longest": 14511,
  "communityId": 2357352929951971,
  "city": "New York",
  "region": "US-NY",
  "desc": "New York John F. Kennedy International Airport",
  "degree": 403,
  "country": "US",
  "icao": "KJFK"
},
},
"community": 2357352929951971
}]
```

## Louvain mutate algorithm

The [Louvain algorithm](#) is a hierarchical clustering method for detecting community structures within networks.

.louvain.mutate is a variant of the Louvain algorithm that writes the derived community component ID of each node in the node list to a new property of that node.

### Note

- There can only be one Louvain algorithm call running at a time.
- Louvain is expected to run a long time, hence please set the query timeout to be large number to avoid query timeout. See [query-timeout-milliseconds](#) for more information on setting upper bounds on query run time.

## .louvain.mutate syntax

```
CALL neptune.algo.louvain.mutate(  
{  
    writeProperty: property name to store community IDs (require),  
    vertexLabels: [list of vertex labels for filtering (optional)],  
    edgeLabels: [list of edge labels for filtering (optional)],  
    edgeWeightProperty: a numeric edge property to use as weight (optional),  
    edgeWeightType: numeric type of the specified edgeWeightProperty (optional),  
    maxLevels: maximum number of levels to optimize at (optional, default: 10),  
    maxIterations: maximum number of iterations per level (optional, default: 10),  
    levelTolerance: minimum modularity change to continue to next level (optional, default: 0.01),  
    iterationTolerance: minimum modularity change to continue to next iteration (optional, default: 0.0001),  
    concurrency: number of threads to use (optional)  
}  
)  
YIELD success  
RETURN success
```

## Inputs for the .louvain.mutate algorithm

Inputs for .louvain.mutate are passed in a configuration object that contains:

- **writeProperty** (*required*) – *type: string; default: none.*

A name for the new node property that will contain the computed community ID of the nodes.

- **a configuration object that contains:**

- **vertexLabels** (*optional*) – *type: a list of vertex label strings; example ["airport", ...]; default: no vertex filtering.*

Node labels for node filtering. To filter on one or more vertex labels, provide a list of node labels. Vertices matching any label in the vertexLabels list are the only vertices that are passed to the algorithm computation. If no vertexLabels field is provided then all vertices are passed to the Louvain algorithm.

- **edgeLabels** (*optional*) – *type: a list of edge label strings; example: ["route", ...]; default: no edge filtering.*

To filter on one or more edge labels, provide a list of the ones to filter on. If no edgeLabels field is provided then all edge labels are processed during traversal.

- **edgeWeightProperty** (*optional*) – *type: string; default: none.*

A string indicating the name of the edge weight property used as weight in Louvain. When the edgeWeightProperty is not specified, each edge is treated equally, i.e., the default value of the edge weight is 1.

Note that if multiple properties exist on the edge with the specified name, one of these values will be sampled at random.

- **edgeWeightType** (*required if edgeWeightProperty is present*) – *type: string; valid values: "int", "long", "float", "double"; default: none.*

The type of the numeric values in the edge property specified by edgeWeightProperty. If the edgeWeightProperty is not given, the edgeWeightType is ignored even if it is specified. If an edge contains a property given by edgeWeightProperty, and its type is numeric but not matching the specified edgeWeightType, it will be typecast to the specified type.

- **maxLevels** (*optional*) – *type: integer; default: 10.*

The maximum number of levels of granularity at which the algorithm optimizes the modularity.

- **maxIterations** (*optional*) – *type: integer; default: 10.*

The maximum number of iterations to run at each level.

- **levelTolerance** *(optional)* – *type*: float; *default*: .01.

The minimum change in modularity required to continue to the next level.

- **iterationTolerance** *(optional)* – *type*: float; *default*: .0001.

The minimum change in modularity required to continue to the next iteration.

- **concurrency** *(optional)* – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## Outputs for the `.louvain.mutate` algorithm

The community IDs are written as a new node property using the property name specified by `writeProperty`. A single success flag (true or false) is returned to indicate whether the computation and writes succeeded or failed.

### `.louvain.mutate` query example

This is a standalone example, where the node list is explicitly provided in the query. It runs the algorithm over the whole graph, but only queries the community ID of one node:

Unweighted:

```
CALL neptune.algo.louvain.mutate(
  {
    writeProperty: "louvainCommId",
    vertexLabels: ["airport"],
    edgeLabels: ["route"],
    maxLevels: 3,
    maxIterations: 10
  }
)
YIELD success
RETURN success
```

## Weighted:

```
CALL neptune.algo.louvain.mutate(
  {
    writeProperty: "louvainCommId",
    vertexLabels: ["airport"],
    edgeLabels: ["route"],
    maxLevels: 3,
    maxIterations: 10,
    edgeWeightProperty: "weight",
    edgeWeightType: "int"
  }
)
YIELD success
RETURN success
```

## Sample .louvain.mutate output

Here is an example of the output returned by .louvain.mutate when run against the [sample air-routes dataset \[nodes\]](#), and [sample air-routes dataset \[edges\]](#), when using the following query:

```
aws neptune-graph execute-query \
  --graph-identifier ${graphIdentifier} \
  --query-string 'query=CALL neptune.algo.louvain.mutate({writeProperty:
  'communityId'}) \
    YIELD success RETURN success' \
  --language open_cypher \
  /tmp/out.txt
cat /tmp/out.txt
{
  "results": [
    {
      "success": true
    }
  ]
}
```

## Misc. graph procedures

The miscellaneous graph procedures can be ran on your graphs to give you insight into your graphs and their metrics.

Property Graph Information (`graph.pg_info`) summarizes some of the basic metrics of the graph, such as the number of vertices, the number of edges, the number of edge properties, the number of vertex properties, the number of edge labels, and the number of vertex labels.

The `neptune.graph.pg_schema()` procedure provides a comprehensive overview of the graph structure. It extracts and summarizes the current schema of a Neptune Analytics graph, i.e., customers can observe the property names and types that appear on vertices and edges of particular labels within the graph. The procedure is designed for use cases such as: schema visualization, integration with third-party applications, and inclusion in open-source tools.

## Topics

- [Property graph information](#)
- [Property graph schema](#)

## Property graph information

Property Graph Information (`graph.pg_info`) summarizes some of the basic metrics of the graph, such as the number of vertices, the number of edges, the number of edge properties, the number of vertex properties, the number of edge labels, and the number of vertex labels.

### Inputs for `graph.pg_info`

There are no inputs for `graph.pg_info`.

### Outputs for `graph.pg_info`

There are two columns in the output relation: the first column is the metric name and the second column is the count.

#### **metric: the metrics that `graph.pg_info` will return, which include:**

- `numVertices`: the number of vertices in the graph.
- `numEdges`: the number of edges in the graph.
- `numVertexProperties`: the number of node properties in the graph.
- `numEdgeProperties`: the number of edge properties in the graph.
- `numVertexLabels`: the number of unique vertex labels in the graph.
- `numEdgeLabels`: the number of unique edge labels in the graph.

## count

- count: the value of the above metrics.

## graph.pg\_info query example

```
## Syntax
CALL neptune.graph.pg_info()
YIELD metric, count
RETURN metric, count
```

## graph.pg\_info query integration

```
# sample query integration
CALL neptune.graph.pg_info()
YIELD metric, count
WHERE metric = 'numVertices'
RETURN count
```

## Sample graph.pg\_info output

```
# sample output of graph.pg_info
aws neptune-graph execute-query \
  --graph-identifier ${graphIdentifier} \
  --query-string "CALL neptune.graph.pg_info()
  YIELD metric, count
  RETURN metric, count" \
  --language open_cypher \
  /tmp/out.txt
cat /tmp/out.txt
{
  "results": [
    {
      "metric": "numVertices",
      "count": 3748
    },
    {
      "metric": "numEdges",
      "count": 57538
    },
    {
      "metric": "numVertexProperties",
      "count": 42773
    }
  ]
}
```

```
  }, {
    "metric": "numEdgeProperties",
    "count": 50532
  }, {
    "metric": "numVertexLabels",
    "count": 4
  }, {
    "metric": "numEdgeLabels",
    "count": 2
  }
]
}
```

## Property graph schema

The `neptune.graph.pg_schema()` procedure provides a comprehensive overview of the graph structure. It extracts and summarizes the current schema of a Neptune Analytics graph, i.e., customers can observe the property names and types that appear on vertices and edges of particular labels within the graph. The procedure is designed for use cases such as: schema visualization, integration with third-party applications, and inclusion in open-source tools.

### Benefits:

- **Node and edge label enumeration:** The procedure identifies and lists all unique labels for nodes and edges present in the graph (`nodeLabels` and `edgeLabels`, respectively).
- **Property and data type analysis:** For each node and edge label, it catalogs associated properties and their corresponding data types (`nodeLabelDetails` and `edgeLabelDetails`, respectively). This information is crucial for understanding the attributes of different graph elements.
- **Topological relationship mapping:** The procedure generates a set of triples in the format `(nodeLabel)-[edgeLabel]->(nodeLabel)`, effectively summarizing the graph's topology and the relationships between different node types (`labelTriples`).
- **Consistency across tools:** By providing a standardized schema representation, the procedure ensures consistency across various third-party and open-source tools that interact with the graph database.
- **Integration-friendly output:** The schema information is formatted in a way that facilitates easy integration with AI tools, visualization software, and reporting systems.

This procedure provides a unified method of complete and up-to-date information extraction to support a wide range of applications from AI-driven query generation to data visualization and reporting.

## Inputs for `neptune.graph.pg_schema()`

There are no inputs for `neptune.graph.pg_schema()`.

## Outputs for `neptune.graph.pg_schema()`

There is a single column in the output containing a map schema containing the following key components in the schema map:

- `nodeLabels`: A list of all unique labels assigned to nodes/vertices in the graph.
- `edgeLabels`: A list of all unique labels assigned to relationships/edges in the graph.
- `nodeLabelDetails`: For each node label, all properties associated with that node containing an enumeration of each property and the various data types it can manifest as across different nodes with the same label.
  - `label` - The node label or labels.
  - `properties` - An array of the superset of properties for the node:
    - `<key:> name` - The property name.
    - `<value:> A key-value dictionary (map)` - Stores data types that are available for the property.
      - `<key:> "datatypes"`,
      - `<value:> array[string]`
    - `e.g.,`

```
"contains": {  
    "properties": {  
        "weight": {  
            "datatypes": ["Int"]  
        }  
    }  
}
```

- `edgeLabelDetails`: For each edge label, all properties associated with edges that have that label containing an enumeration of each property and the various data types it can manifest as across different edges with the same label.

- **label** - The edge label.
- **properties** - A key-value dictionary (map) of properties for the edge label:
  - **<key:> name** - The property name
  - **<value:> A key-value dictionary (map)** - Stores data types that are available for the property.
    - **<key:> "datatypes"** ,
    - **<value:> array[string]**
- **labelTriples**: A set of `nodeLabel-edgeLabel->nodeLabel` combinations that represent the connections between different types of nodes in the graph. These triples summarize the graph's topology by showing how different node types are related through various edge types. Each entry is a key-value dictionary, holding the following:
  - **~type** - The edge label.
  - **~from** - The node label of the head node of the node-edge->node.
  - **~to** - The node label of the tail node of the node-edge->node.

## neptune.graph.pg\_schema() query example

```
## Syntax
CALL neptune.graph.pg_schema()
YIELD schema
RETURN schema
```

## neptune.graph.pg\_schema() query integration

```
# sample query integration.
# Calls pg_schema,
# Then acquires node labels,
# Then sorts them alphabetically,
# Then counts number of vertices with each label and returns it

CALL neptune.graph.pg_schema()
YIELD schema
WITH schema.nodeLabels as nl
UNWIND collSort(nl) as label
MATCH (n)
WHERE label in labels(n)
RETURN label, COUNT(n) as count
```

```
# output

{
  "results": [
    {
      "label": "airport",
      "count": 27
    },
    {
      "label": "country",
      "count": 3
    },
    {
      "label": "version",
      "count": 3
    }
  ]
}%
```

## Sample `neptune.graph.pg_schema()` output

```
% aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string 'CALL neptune.graph.pg_schema()
  YIELD schema
  RETURN schema' \
--language open_cypher \
/tmp/out.txt
{
  "results": [
    {
      "schema": {
        "edgeLabelDetails": {
          "route": {
            "properties": {
              "weight": {
                "datatype": ["Int"]
              },
              "dist": {
                "datatype": ["Int"]
              }
            }
          }
        },
        "contains": {
          "properties": {
            "weight": {
              "datatype": ["Int"]
            }
          }
        }
      }
    }
  ]
}
```

```
        }
    }
},
],
"edgeLabels": ["route", "contains"],
"nodeLabels": ["version", "airport", "continent", "country"],
"labelTriples": [
    {"~type": "route",
     "~from": "airport",
     "~to": "airport"
    },
    {"~type": "contains",
     "~from": "country",
     "~to": "airport"
    },
    {"~type": "contains",
     "~from": "continent",
     "~to": "airport"
    }
],
"nodeLabelDetails": {
    "continent": {
        "properties": {
            "type": {
                "datatypes": ["String"]
            },
            "code": {
                "datatypes": ["String"]
            },
            "desc": {
                "datatypes": ["String"]
            }
        }
    },
    "airport": {
        "properties": {
            "type": {
                "datatypes": ["String"]
            },
            "city": {
                "datatypes": ["String"]
            },
            "icao": {
                "datatypes": ["String"]
            }
        }
    }
}
```

```
  "code": {
    "datatype": ["String"]
  },
  "country": {
    "datatype": ["String"]
  },
  "lat": {
    "datatype": ["Double"]
  },
  "longest": {
    "datatype": ["Int"]
  },
  "runways": {
    "datatype": ["Int"]
  },
  "desc": {
    "datatype": ["String"]
  },
  "lon": {
    "datatype": ["Double"]
  },
  "region": {
    "datatype": ["String"]
  },
  "elev": {
    "datatype": ["Int"]
  }
}
},
"country": {
  "properties": {
    "type": {
      "datatype": ["String"]
    },
    "code": {
      "datatype": ["String"]
    },
    "desc": {
      "datatype": ["String"]
    }
  }
},
"version": {
  "properties": {
```

```
        "date": {
            "datatype": "String"
        },
        "desc": {
            "datatype": "String"
        },
        "author": {
            "datatype": "String"
        },
        "type": {
            "datatype": "String"
        },
        "code": {
            "datatype": "String"
        }
    }
}
}
]
}
```

# Working with vector similarity in Neptune Analytics

You can answer complex questions about your data by transforming data shapes into embeddings (that is, vectors). Using a vector search index lets you answer questions about the your data's context and its similarity and connection to other data.

For example, a support agent could translate a question that they receive into a vector and use it to search the support knowledge base for articles that are similar to the words in the question (implicit similarity). For the most applicable articles, they could then collect metadata about the author, previous cases, runbooks, and so on so as to provide additional context when answering the question (explicit data).

Vector similarity search in Neptune Analytics makes it easy for you to build machine learning (ML) augmented search experiences and generative artificial intelligence (GenAI) applications. It also gives you an overall lower total cost of ownership and simpler management overhead because you no longer need to manage separate data stores, build pipelines, or worry about keep the data stores in sync. You can use vector similarity search in Neptune Analytics to augment your LLMs by integrating graph queries for domain-specific context with the results from low-latency, nearest-neighbor similarity search on embeddings imported from LLMs hosted in Amazon Bedrock, Graph Neural Networks (GNNs) in GraphStorm, or other sources.

As an example, Bioinformatics researchers who are interested in re-purposing existing blood pressure drugs for other treatable diseases, want to use vector similarity search over in-house knowledge graphs to find patterns in protein interaction networks.

For another example, a large online book retailer may need to use known pirated material to quickly identify similar media in conjunction with a knowledge graph to identify patterns of deceptive listing behaviours and find malicious sellers.

In both cases, vector search over a knowledge graph increases accuracy and speed when building the solution. It reduces the operational overhead and complexity using the tools available today.

You can create a vector index for your graph to try out this feature. Neptune Analytics supports associating embeddings generated from LLMs with the nodes of your graphs.

## Contents

- [Vector indexing in Neptune Analytics](#)
  - [Vector index transaction support](#)

- [Loading vectors into a Neptune Analytics graph vector index](#)
  - [Load the vectors from graph data files Amazon S3](#)
  - [Using the vectors.upsert algorithm to load vectors for your graph](#)
- [Common errors you may encounter when loading embeddings](#)
- [Vector-search algorithms in Neptune Analytics](#)
- [Vector-similarity search \(VSS\) algorithms in Neptune Analytics](#)
  - [The .vectors.distance algorithm \(deprecated\)](#)
    - [.vectors.distance syntax](#)
    - [.vectors.distance inputs](#)
    - [.vectors.distance outputs](#)
    - [.vectors.distance query examples](#)
    - [Sample .vectors.distance output](#)
  - [The .vectors.distance.byIdNode algorithm](#)
    - [.vectors.distance.byIdNode syntax](#)
    - [.vectors.distance.byIdNode inputs](#)
    - [.vectors.distance.byIdNode outputs](#)
    - [.vectors.distance.byIdNode query examples](#)
    - [Sample .vectors.distance.byIdNode output](#)
  - [The .vectors.distanceByEmbedding algorithm \(deprecated\)](#)
    - [.vectors.distanceByEmbedding syntax](#)
    - [.vectors.distanceByEmbedding inputs](#)
    - [.vectors.distanceByEmbedding outputs](#)
    - [.vectors.distanceByEmbedding query examples](#)
    - [Sample .vectors.distanceByEmbedding output](#)
  - [The .vectors.distance.byIdEmbedding algorithm](#)
    - [.vectors.distance.byIdEmbedding syntax](#)
    - [.vectors.distance.byIdEmbedding inputs](#)
    - [.vectors.distance.byIdEmbedding outputs](#)
    - [.vectors.distance.byIdEmbedding query examples](#)
    - [Sample .vectors.distance.byIdEmbedding output](#)

- [The .vectors.get algorithm](#)
  - [.vectors.get syntax](#)
  - [.vectors.get input](#)
  - [.vectors.get outputs](#)
  - [.vectors.get query example](#)
  - [Sample .vectors.get output](#)
- [.vectors.topKByEmbedding algorithm \(deprecated\)](#)
  - [.vectors.topKByEmbedding syntax](#)
  - [.vectors.topKByEmbedding input](#)
  - [.vectors.topKByEmbedding outputs](#)
  - [.vectors.topKByEmbedding query example](#)
  - [Sample .vectors.topKByEmbedding output](#)
- [.vectors.topK.byEmbedding algorithm](#)
  - [.vectors.topK.byEmbedding syntax](#)
  - [.vectors.topK.byEmbedding input](#)
  - [.vectors.topK.byEmbedding outputs](#)
  - [.vectors.topK.byEmbedding query example](#)
  - [Sample .vectors.topKByEmbedding output](#)
- [.vectors.topKByNode algorithm \(deprecated\)](#)
  - [.vectors.topKByNode syntax](#)
  - [.vectors.topKByNode input](#)
  - [.vectors.topKByNode outputs](#)
  - [.vectors.topKByNode query example](#)
  - [Sample .vectors.topKByNode output](#)
- [.vectors.topK.byNode algorithm](#)
  - [.vectors.topK.byNode syntax](#)
  - [.vectors.topK.byNode input](#)
  - [.vectors.topK.byNode outputs](#)
  - [.vectors.topK.byNode query example](#)
  - [Sample .vectors.topK.byNode output](#)

- [.vectors.upsert algorithm](#)
  - [.vectors.upsert syntax](#)
  - [.vectors.upsert input](#)
  - [.vectors.upsert outputs](#)
  - [.vectors.upsert query examples](#)
  - [Sample .vectors.upsert output](#)
- [.vectors.remove algorithm](#)
  - [.vectors.remove syntax](#)
  - [.vectors.remove input](#)
  - [.vectors.remove outputs](#)
  - [.vectors.remove query examples](#)
  - [Sample .vectors.remove output](#)

# Vector indexing in Neptune Analytics

You can only create a vector search index for a Neptune Analytics graph at the time the graph is created. Neptune Analytics lets you create only one vector index for a graph, with a fixed dimension between 1 and 65,535 inclusive.

When you [create a Neptune Analytics graph in the console](#), you specify the index dimension under **Vector search settings** near the end of the process.

## Vector index transaction support

When using Neptune Analytics with a vector search index, it is important to understand that any updates performed on the vector index are not ACID compliant - specifically, any updates to the vector index are not atomic in nature. Atomicity in a database defines that when updates are performed, either all or none of them succeed. There are situations with the vector index where updating the embeddings may succeed, even when the remainder of the transaction fails:

- When one or more concurrent queries are executed against different vertices, then atomicity is guaranteed.
- When one or more concurrent queries are executed against the same vertex, then there is no serializable guarantee of the resulting stored data.
- If one or more queries, including `neptune.load()` updates, fail to complete then the resulting index may contain partial updates.

To minimize the potential for this issue to occur, it is recommended that you either run a single query on a single vertex at a time, or if you are running concurrent queries, that the set of vertices being updated are distinct.

## Loading vectors into a Neptune Analytics graph vector index

Note that the nodes in your graph must have at least one user property or label in order to associate them with embeddings. Also, Neptune Analytics does not support the special positive and negative infinity (INF, -INF) and not-a-number (NaN) floating-point values.

Neptune Analytics supports optional embeddings in the CSV file when the vector index is enabled. This means that not every node needs to be associated with an embedding.

Neptune Analytics does not currently support loading vectors from Neptune Database or a snapshot.

There are two ways you can load vectors associated with nodes in your graph:

## Load the vectors from graph data files Amazon S3

When you're loading graph data from files in Amazon S3 using the console or the [neptune.load{}](#) openCypher integration, you can add a column to your CSV data with an embedding:vector header. This column should contain a list of integer or floating-point values separated by semicolons ( ; ) that forms a vector of the required dimension and is the embedding for the node in question.

For example, associating a 4-dimensional vector with nodes in your graph in the openCypher CSV format would look like this:

```
:ID, name:String, embedding:Vector, :LABEL
v1,"ABC",0.1;0.5;0.8;-1.32,person
v2,"DEF",8.1;-0.2;0.432;-1.02,person
v3,"GHI",12323343;24324;2433554;-4343434,person
v4,"JKL",121.12213;3223.212;265;-1.32,person
```

In the Gremlin CSV format, the same thing would look like this:

```
~id, name, embedding:vector, ~label
v1,"ABC",0.1;0.5;0.8;-1.32,person
v2,"DEF",8.1;-0.2;0.432;-1.02,person
v3,"GHI",12323343;24324;2433554;-4343434,person
v4,"JKL",121.12213;3223.212;265;-1.32,person
```

## Using the `vectors.upsert` algorithm to load vectors for your graph

You can also use the [vectors.upsert](#) algorithm to insert or update embeddings in a Neptune Analytics graph that has a vector search index. For example, in openCypher you can call the algorithm like this:

```
CALL neptune.algo.vectors.upsert(
  "person933",
  [0.1, 0.2, 0.3, ...]
)
YIELD node, embedding, success
RETURN node, embedding, success
```

Another example is:

```
UNWIND [
  {id: "933", embedding: [1,2,3,4]},
  {id: "934", embedding: [-1,-2,-3,-4]}
] as entry
MATCH (n:person) WHERE id(n)=entry.id WITH n, entry.embedding as embedding
CALL neptune.algo.vectors.upsert(n, embedding)
YIELD success
RETURN n, embedding, success
```

## Common errors you may encounter when loading embeddings

- If the embeddings you are trying to load have a different dimension than is expected by the vector index, the load fails with parsing exception and a message like the following:

An error occurred (ParseException) when calling the ExecuteOpenCypherQuery operation: Could not load vector embedding: *(the embedding in question)*. Please check the dimensionality for this vector when parsing line *(line number)* in *[(file name)]*

- If the embeddings in a file are not properly formatted, Neptune Analytics reports a Parsing Exception before starting the load. For example, if the column header for the embedding column is not embedding:vector, Neptune Analytics would report an error like this:

An error occurred (ParseException) when calling the ExecuteOpenCypherQuery operation: Invalid data type encountered for header *embedding:Vectttor* when parsing line *[~id, name:string, embedding:Vectttor, ~label]* in *[(file name)]*

- If embeddings are present in a file to be loaded but no vector index is present, Neptune Analytics simply ignores the embeddings and loads the graph data without them.

## Vector-search algorithms in Neptune Analytics

Neptune Analytics supports a variety of vector-search algorithms that are listed in the [VSS algorithms](#) section.

# Vector-similarity search (VSS) algorithms in Neptune Analytics

Vector similarity search algorithms identify similar vectors based on the vector distance between them.

Neptune Analytics supports the following vector-similarity search algorithms:

## Note

The following special floating-point values are not supported in Neptune Analytics vector-similarity search algorithms:

- **INF** (infinity)
- **-INF** (negative infinity)
- **NaN** (not-a-number)

## Contents

- [The `.vectors.distance` algorithm \(deprecated\)](#)
  - [.vectors.distance syntax](#)
  - [.vectors.distance inputs](#)
  - [.vectors.distance outputs](#)
  - [.vectors.distance query examples](#)
  - [Sample .vectors.distance output](#)
- [The `.vectors.distance.byNode` algorithm](#)
  - [.vectors.distance.byNode syntax](#)
  - [.vectors.distance.byNode inputs](#)
  - [.vectors.distance.byNode outputs](#)
  - [.vectors.distance.byNode query examples](#)
  - [Sample .vectors.distance.byNode output](#)
- [The `.vectors.distanceByEmbedding` algorithm \(deprecated\)](#)
  - [.vectors.distanceByEmbedding syntax](#)
  - [.vectors.distanceByEmbedding inputs](#)
  - [.vectors.distanceByEmbedding outputs](#)

- [.vectors.distanceByEmbedding query examples](#)
- [Sample .vectors.distanceByEmbedding output](#)
- [The .vectors.distance.byEmbedding algorithm](#)
  - [.vectors.distance.byEmbedding syntax](#)
  - [.vectors.distance.byEmbedding inputs](#)
  - [.vectors.distance.byEmbedding outputs](#)
  - [.vectors.distance.byEmbedding query examples](#)
  - [Sample .vectors.distance.byEmbedding output](#)
- [The .vectors.get algorithm](#)
  - [.vectors.get syntax](#)
  - [.vectors.get input](#)
  - [.vectors.get outputs](#)
  - [.vectors.get query example](#)
  - [Sample .vectors.get output](#)
- [.vectors.topKByEmbedding algorithm \(deprecated\)](#)
  - [.vectors.topKByEmbedding syntax](#)
  - [.vectors.topKByEmbedding input](#)
  - [.vectors.topKByEmbedding outputs](#)
  - [.vectors.topKByEmbedding query example](#)
  - [Sample .vectors.topKByEmbedding output](#)
- [.vectors.topK.byEmbedding algorithm](#)
  - [.vectors.topK.byEmbedding syntax](#)
  - [.vectors.topK.byEmbedding input](#)
  - [.vectors.topK.byEmbedding outputs](#)
  - [.vectors.topK.byEmbedding query example](#)
  - [Sample .vectors.topKByEmbedding output](#)
- [.vectors.topKByNode algorithm \(deprecated\)](#)
  - [.vectors.topKByNode syntax](#)
  - [.vectors.topKByNode input](#)
  - [.vectors.topKByNode outputs](#)

- [.vectors.topKByNode query example](#)
- [Sample .vectors.topKByNode output](#)
- [.vectors.topK.byNode algorithm](#)
  - [.vectors.topK.byNode syntax](#)
  - [.vectors.topK.byNode input](#)
  - [.vectors.topK.byNode outputs](#)
  - [.vectors.topK.byNode query example](#)
  - [Sample .vectors.topK.byNode output](#)
- [.vectors.upsert algorithm](#)
  - [.vectors.upsert syntax](#)
  - [.vectors.upsert input](#)
  - [.vectors.upsert outputs](#)
  - [.vectors.upsert query examples](#)
  - [Sample .vectors.upsert output](#)
- [.vectors.remove algorithm](#)
  - [.vectors.remove syntax](#)
  - [.vectors.remove input](#)
  - [.vectors.remove outputs](#)
  - [.vectors.remove query examples](#)
  - [Sample .vectors.remove output](#)

## The `.vectors.distance` algorithm (deprecated)

The `.vectors.distance` algorithm computes the distance between two nodes based on their embeddings. The default distance is the squared L2 norm.

### `.vectors.distance` syntax

```

MATCH( n {`~id`: "the ID of the source node(s)"} )
MATCH( m {`~id`: "the ID of the target node(s)"} )
CALL neptune.algo.vectors.distance(n, m,
{
    metric: The distance computation metric (optional)
})
YIELD distance
RETURN n, m, distance

```

### `.vectors.distance` inputs

- **a source node list** (*required*) – *type*: `Node[]` or `NodeId[]`; *default*: `none`.

The result of a MATCH statement from which you want to get the source for the distance computations.

- **target node list** (*required*) – *type*: `Node[]` or `NodeId[]`; *default*: `none`.

The result of a MATCH statement from which you want to get the targets of the distance computations.

- **metric** (*optional*) – *type*: `string` *default*: `L2Squared`.

The distance metric to use for distance computation.

- Must be one of [`L2Squared`, `L2`, `CosineSimilarity`, `CosineDistance`, `DotProduct`].
- Case-insensitive.
- The descriptions for the metrics, where  $x$  and  $y$  are vectors,  $x_i$  and  $y_i$  are the components of  $x$  and  $y$  vectors,  $\theta$  is the angle between the  $x$  and  $y$  vectors,  $\|x\|$  denotes the magnitude (length, l2-norm, norm2) of vector  $x$ ,  $\Sigma$  denotes summation:
  - L2-Squared: Squared Euclidean distance between two vectors:

$$d(x, y) = \sum (x_i - y_i)^2$$

For more information on L2-Squared, see [https://en.wikipedia.org/wiki/Euclidean\\_distance#Squared\\_Euclidean\\_distance](https://en.wikipedia.org/wiki/Euclidean_distance#Squared_Euclidean_distance).

- L2: Euclidean distance (L2 norm) between two vectors:

$$d(x, y) = \sqrt{\sum (x_i - y_i)^2}$$

For more information on L2, see [https://en.wikipedia.org/wiki/Euclidean\\_distance](https://en.wikipedia.org/wiki/Euclidean_distance).

- Dot Product: Inner dot product of two vectors:

$$dot(x, y) = \sum (x_i y_i) = a_1 b_1 + a_2 b_2 + \dots + a_n b_n$$

For more information on Dot Product, see [https://en.wikipedia.org/wiki/Dot\\_product](https://en.wikipedia.org/wiki/Dot_product).

- Cosine Similarity: Measures the cosine of the angle between two vectors (higher value means more similar):

$$d(x, y) = \cos(\theta) = \frac{dot(x, y)}{||x|| \ ||y||}$$

Range: [-1, 1]

For more information on Cosine Similarity, see [https://en.wikipedia.org/wiki/Cosine\\_similarity](https://en.wikipedia.org/wiki/Cosine_similarity).

- Cosine Distance: Opposite of cosine similarity (lower value means more similar):

$$d(x, y) = 1 - \cos(\theta) = 1 - \frac{\text{dot}(x, y)}{\|x\| \|y\|}$$

Range: [0, 2]

For more information on Cosine Distance, see [https://en.wikipedia.org/wiki/Cosine\\_similarity#Cosine\\_distance](https://en.wikipedia.org/wiki/Cosine_similarity#Cosine_distance).

### ⚠ Warning

Be careful to limit MATCH(`n`) and MATCH(`m`) so that they don't return a large number of nodes. Keep in mind that every pair of `n` and `m` in the join result invokes `.vectors.distance` once. Too many inputs can therefore result in very long runtimes. Use `LIMIT` or put conditions on the `MATCH` clause to restrict its output appropriately.

## **.vectors.distance outputs**

For every pair of source node and target node:

- **source** – The source node.
- **target** – The target node.
- **distance** – The distance between source and target nodes.

## **.vectors.distance query examples**

```

MATCH ( n {`~id`: "106"} )
MATCH ( m {`~id`: "110" } )
CALL neptune.algo.vectors.distance( n, m )
YIELD distance
RETURN n, m, distance
  
```

```

MATCH ( n {`~id`: "106"} )
MATCH ( m {`~id`: "110" } )
CALL neptune.algo.vectors.distance( n, m, {metric: "CosineSimilarity"} )
  
```

```
YIELD distance
RETURN n, m, distance
```

## Sample `.vectors.distance` output

Here is an example of the output returned by `.vectors.distance` when run against a sample Wikipedia dataset using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH (n{`~id`: '0'})
                  MATCH (m{`~id`: '1'})
                  CALL neptune.algo.vectors.distance(n, m)
                  YIELD distance
                  RETURN n, m, distance" \
--language open_cypher \
/tmp/out.txt

{
  "results": [
    {
      "n": {
        "~id": "0",
        "~entityType": "node",
        "~labels": [],
        "~properties": {
          "title": "24-hour clock",
          "views": 2450.62548828125,
          "wiki_id": 9985,
          "paragraph_id": 0,
          "url": "https://simple.wikipedia.org/wiki?curid=9985",
          "langs": 30,
          "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called railway time. Also\\, the international standard notation of time (ISO 8601) is based on this format."
        }
      },
      "m": {
        "~id": "1",
```

```
  "entityType": "node",
  "labels": [],
  "properties": {
    "title": "24-hour clock",
    "views": 2450.62548828125,
    "wiki_id": 9985,
    "paragraph_id": 1,
    "url": "https://simple.wikipedia.org/wiki?curid=9985",
    "langs": 30,
    "text": "A time in the 24-hour clock is written in the form hours:minutes (for example\\, 01:23)\\, or hours:minutes:seconds (01:23:45). Numbers under 10 have a zero in front (called a leading zero); e.g. 09:07. Under the 24-hour clock system\\, the day begins at midnight\\, 00:00\\, and the last minute of the day begins at 23:59 and ends at 24:00\\, which is identical to 00:00 of the following day. 12:00 can only be mid-day. Midnight is called 24:00 and is used to mean the end of the day and 00:00 is used to mean the beginning of the day. For example\\, you would say \"Tuesday at 24:00\" and \"Wednesday at 00:00\" to mean exactly the same time."
  }
},
"distance": 27.762847900390626
}
]
}
```

## The `.vectors.distance.byNode` algorithm

The `.vectors.distance.byNode` algorithm computes the distance between two nodes based on their embeddings. The default distance is the squared L2 norm.

### `.vectors.distance.byNode` syntax

```

MATCH( n {`~id`: "the ID of the source node(s)"} )
MATCH( m {`~id`: "the ID of the target node(s)"} )
CALL neptune.algo.vectors.distance.byNode(n, m,
  {
    metric: The distance computation metric (optional)
  }
)
YIELD distance
RETURN n, m, distance

```

### `.vectors.distance.byNode` inputs

- **a source node list** *(required)* – `type: Node[] or NodeId[]`; `default: none`.

The result of a MATCH statement from which you want to get the source for the distance computations.

- **target node list** *(required)* – `type: Node[] or NodeId[]`; `default: none`.

The result of a MATCH statement from which you want to get the targets of the distance computations.

- **metric** *(optional)* – `type: string` `default: L2Squared`.

The distance metric to use for distance computation.

- Must be one of [L2Squared, L2, CosineSimilarity, CosineDistance, DotProduct].
- Case-insensitive.
- The descriptions for the metrics, where  $x$  and  $y$  are vectors,  $x_i$  and  $y_i$  are the components of  $x$  and  $y$  vectors,  $\theta$  is the angle between the  $x$  and  $y$  vectors,  $\|x\|$  denotes the magnitude (length, l2-norm, norm2) of vector  $x$ ,  $\Sigma$  denotes summation:
  - L2-Squared: Squared Euclidean distance between two vectors:

$$d(x, y) = \sum (x_i - y_i)^2$$

For more information on L2-Squared, see [https://en.wikipedia.org/wiki/Euclidean\\_distance#Squared\\_Euclidean\\_distance](https://en.wikipedia.org/wiki/Euclidean_distance#Squared_Euclidean_distance).

- L2: Euclidean distance (L2 norm) between two vectors:

$$d(x, y) = \sqrt{\sum (x_i - y_i)^2}$$

For more information on L2, see [https://en.wikipedia.org/wiki/Euclidean\\_distance](https://en.wikipedia.org/wiki/Euclidean_distance).

- Dot Product: Inner dot product of two vectors:

$$dot(x, y) = \sum (x_i y_i) = a_1 b_1 + a_2 b_2 + \dots + a_n b_n$$

For more information on Dot Product, see [https://en.wikipedia.org/wiki/Dot\\_product](https://en.wikipedia.org/wiki/Dot_product).

- Cosine Similarity: Measures the cosine of the angle between two vectors (higher value means more similar):

$$d(x, y) = \cos(\theta) = \frac{dot(x, y)}{||x|| \ ||y||}$$

Range: [-1, 1]

For more information on Cosine Similarity, see [https://en.wikipedia.org/wiki/Cosine\\_similarity](https://en.wikipedia.org/wiki/Cosine_similarity).

- Cosine Distance: Opposite of cosine similarity (lower value means more similar):

$$d(x, y) = 1 - \cos(\theta) = 1 - \frac{\text{dot}(x, y)}{\|x\| \|y\|}$$

Range: [0, 2]

For more information on Cosine Distance, see [https://en.wikipedia.org/wiki/Cosine\\_similarity#Cosine\\_distance](https://en.wikipedia.org/wiki/Cosine_similarity#Cosine_distance).

### Warning

Be careful to limit MATCH(`n`) and MATCH(`m`) so that they don't return a large number of nodes. Keep in mind that every pair of `n` and `m` in the join result invokes `.vectors.distance.byNode` once. Too many inputs can therefore result in very long runtimes. Use `LIMIT` or put conditions on the `MATCH` clause to restrict its output appropriately.

## `.vectors.distance.byNode` outputs

For every pair of source node and target node:

- **source** – The source node.
- **target** – The target node.
- **distance** – The distance between source and target nodes.

## `.vectors.distance.byNode` query examples

```

MATCH ( n {`~id`: "106"} )
MATCH ( m {`~id`: "110" } )
CALL neptune.algo.vectors.distance.byNode( n, m )
YIELD distance
RETURN n, m, distance
  
```

```

MATCH ( n {`~id`: "106"} )
MATCH ( m {`~id`: "110"} )
  
```

```
CALL neptune.algo.vectors.distance.byNode( n, m, {metric: "CosineSimilarity"} )  
YIELD distance  
RETURN n, m, distance
```

## Sample `.vectors.distance.byNode` output

Here is an example of the output returned by `.vectors.distance.byNode` when run against a sample Wikipedia dataset using the following query:

```
aws neptune-graph execute-query \  
  --graph-identifier ${graphIdentifier} \  
  --query-string "MATCH (n{`~id`: '0'})  
                  MATCH (m{`~id`: '1'})  
                  CALL neptune.algo.vectors.distance.byNode(n, m)  
                  YIELD distance  
                  RETURN n, m, distance" \  
  --language open_cypher \  
  /tmp/out.txt
```

```
{  
  "results": [  
    {  
      "n": {  
        "~id": "0",  
        "~entityType": "node",  
        "~labels": [],  
        "~properties": {  
          "title": "24-hour clock",  
          "views": 2450.62548828125,  
          "wiki_id": 9985,  
          "paragraph_id": 0,  
          "url": "https://simple.wikipedia.org/wiki?curid=9985",  
          "langs": 30,  
          "text": "The 24-hour clock is a way of telling the time in which the day  
runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to  
23. It does not use a.m. or p.m. This system is also referred to (only in the US and  
the English speaking parts of Canada) as military time or (only in the United Kingdom  
and now very rarely) as continental time. In some parts of the world\\, it is called  
railway time. Also\\, the international standard notation of time (ISO 8601) is based  
on this format."  
        }  
      },  
      "m": {
```

```
    "~id": "1",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
        "title": "24-hour clock",
        "views": 2450.62548828125,
        "wiki_id": 9985,
        "paragraph_id": 1,
        "url": "https://simple.wikipedia.org/wiki?curid=9985",
        "langs": 30,
        "text": "A time in the 24-hour clock is written in the form hours:minutes (for example\\, 01:23)\\, or hours:minutes:seconds (01:23:45). Numbers under 10 have a zero in front (called a leading zero); e.g. 09:07. Under the 24-hour clock system\\, the day begins at midnight\\, 00:00\\, and the last minute of the day begins at 23:59 and ends at 24:00\\, which is identical to 00:00 of the following day. 12:00 can only be mid-day. Midnight is called 24:00 and is used to mean the end of the day and 00:00 is used to mean the beginning of the day. For example\\, you would say \"Tuesday at 24:00\" and \"Wednesday at 00:00\" to mean exactly the same time."
    }
},
"distance": 27.762847900390626
}
]
}
```

## The `.vectors.distanceByEmbedding` algorithm (deprecated)

The `.vectors.distanceByEmbedding` algorithm computes the distance between an embedding vector and the embedding of an input node. The default distance is the squared L2 norm of the input (source) embedding vector and the embedding vector of the (target) input node.

### `.vectors.distanceByEmbedding` syntax

```
WITH [*an embedding*] as embedding
MATCH( n {`~id`: "the ID of the target node(s)"} )
CALL neptune.algo.vectors.distanceByEmbedding(embedding, n,
  {
    metric: The distance computation metric (optional)
  }
)
YIELD distance
RETURN embedding, n, distance
```

### `.vectors.distanceByEmbedding` inputs

- **a source embedding list** (*required*) – *type*: `float[]` or `double[]`;

The mebedding vector from which you want to use as the source for the distance computations.

- **a target node list** (*required*) – *type*: `Node[]` or `NodeId[]`; *default*: `none`.

The result of a MATCH statement from which you want to source distance computations.

- **metric** (*optional*) – *type*: `string` *default*: `L2Squared`.

The distance metric to use for distance computation.

- Must be one of [L2Squared, L2, CosineSimilarity, CosineDistance, DotProduct].
- Case-insensitive.
- The descriptions for the metrics, where  $x$  and  $y$  are vectors,  $x_i$  and  $y_i$  are the components of  $x$  and  $y$  vectors,  $\theta$  is the angle between the  $x$  and  $y$  vectors,  $\|x\|$  denotes the magnitude (length, l2-norm, norm2) of vector  $x$ ,  $\Sigma$  denotes summation:
  - L2-Squared: Squared Euclidean distance between two vectors:

$$d(x, y) = \sum (x_i - y_i)^2$$

For more information on L2-Squared, see [https://en.wikipedia.org/wiki/Euclidean\\_distance#Squared\\_Euclidean\\_distance](https://en.wikipedia.org/wiki/Euclidean_distance#Squared_Euclidean_distance).

- L2: Euclidean distance (L2 norm) between two vectors:

$$d(x, y) = \sqrt{\sum (x_i - y_i)^2}$$

For more information on L2, see [https://en.wikipedia.org/wiki/Euclidean\\_distance](https://en.wikipedia.org/wiki/Euclidean_distance).

- Dot Product: Inner dot product of two vectors:

$$dot(x, y) = \sum (x_i y_i) = a_1 b_1 + a_2 b_2 + \dots + a_n b_n$$

For more information on Dot Product, see [https://en.wikipedia.org/wiki/Dot\\_product](https://en.wikipedia.org/wiki/Dot_product).

- Cosine Similarity: Measures the cosine of the angle between two vectors (higher value means more similar):

$$d(x, y) = \cos(\theta) = \frac{dot(x, y)}{||x|| \ ||y||}$$

Range: [-1, 1]

For more information on Cosine Similarity, see [https://en.wikipedia.org/wiki/Cosine\\_similarity](https://en.wikipedia.org/wiki/Cosine_similarity).

- Cosine Distance: Opposite of cosine similarity (lower value means more similar):

$$d(x, y) = 1 - \cos(\theta) = 1 - \frac{\text{dot}(x, y)}{\|x\| \|y\|}$$

Range: [0, 2]

For more information on Cosine Distance, see [https://en.wikipedia.org/wiki/Cosine\\_similarity#Cosine\\_distance](https://en.wikipedia.org/wiki/Cosine_similarity#Cosine_distance).

## .vectors.distanceByEmbedding outputs

For every pair of source node and target node:

- **embedding** – The input source embedding vector.
- **target** – The target node.
- **distance** – The distance between the source embedding and the target node.

## .vectors.distanceByEmbedding query examples

```
WITH [1.1, 1.2, 1.3, 1.4] as embedding
MATCH (n)
WHERE id(n)="v1"
CALL neptune.algo.vectors.distanceByEmbedding(embedding, n)
YIELD distance
RETURN embedding, n, distance
```

```
WITH [1.1, 1.2, 1.3, 1.4] as embedding
MATCH (n)
WHERE id(n)="v1"
CALL neptune.algo.vectors.distanceByEmbedding(embedding, n, {metric:
  "CosineSimilarity" })
YIELD distance
return embedding, n, distance
```

```
UNWIND [ {id: "933", embedding: [1,2,3,4]}, 
          {id: "934", embedding: [-1,-2,-3,-4]} ] as entry
MATCH (n:person) WHERE id(n)=entry.id WITH n, entry.embedding as embedding
```

```
CALL neptune.algo.vectors.distanceByEmbedding(embedding, n)
YIELD distance
RETURN embedding, n, distance
```

## Sample `.vectors.distanceByEmbedding` output

Here is an example of the output returned by `.vectors.distanceByEmbedding` when run against a sample Wikipedia dataset using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "***embedding part***"
    MATCH (n{`~id`: '1'})
    CALL neptune.algo.vectors.distanceByEmbedding(embedding, n)
    YIELD distance
    RETURN embedding, n, distance" \
--language open_cypher \
/tmp/out.txt

{
  "results": [
    {
      "embedding": [***embedding***],
      "n": {
        "~id": "1",
        "~entityType": "node",
        "~labels": [],
        "~properties": {
          "title": "24-hour clock",
          "views": 2450.62548828125,
          "wiki_id": 9985,
          "paragraph_id": 1,
          "url": "https://simple.wikipedia.org/wiki?curid=9985",
          "langs": 30,
          "text": "A time in the 24-hour clock is written in the form hours:minutes (for example\\, 01:23)\\, or hours:minutes:seconds (01:23:45). Numbers under 10 have a zero in front (called a leading zero); e.g. 09:07. Under the 24-hour clock system\\, the day begins at midnight\\, 00:00\\, and the last minute of the day begins at 23:59 and ends at 24:00\\, which is identical to 00:00 of the following day. 12:00 can only be mid-day. Midnight is called 24:00 and is used to mean the end of the day and 00:00 is used to mean the beginning of the day. For example\\, you would say \"Tuesday at 24:00\" and \"Wednesday at 00:00\" to mean exactly the same time."
        }
      }
    }
  ]
}
```

```
  },
  "distance": 27.762847900390626
}
]
```

## The `.vectors.distance.byEmbedding` algorithm

The `.vectors.distance.byEmbedding` algorithm computes the distance between an embedding vector and the embedding of an input node. The default distance is the squared L2 norm of the input embedding vector and the embedding vector of the input node.

### `.vectors.distance.byEmbedding` syntax

```

MATCH( n {`~id`: "the ID of the input node(s)"} )
CALL neptune.algo.vectors.distance.byEmbedding(n,
  {
    metric: The distance computation metric (optional),
    embedding: [*an embedding*] (required)
  }
)
YIELD distance
RETURN n, distance

```

### `.vectors.distance.byEmbedding` inputs

- **an input node list** *(required)* – `type: node[]` or `NodeId[]`; `default: none`.

The result of a `'MATCH'` statement from which you want get the input nodes of the distance computations.

- **embedding** *(required)* – `type: float[]` or `double[]`;

The input embedding vector from which you want to use for the distance computations. The dimension of the embedding must match the declared dimension of the associated vector index.

The embedding may or may not exist in the database. If not, it can be any vector of the same dimension as is declared in the associated vector index.

- **metric** *(optional)* – `type: string` `default: L2Squared`.

The distance metric to use for distance computation.

- Must be one of [L2Squared, L2, CosineSimilarity, CosineDistance, DotProduct].
- Case-insensitive.
- The descriptions for the metrics, where  $x$  and  $y$  are vectors,  $x_i$  and  $y_i$  are the components of  $x$  and  $y$  vectors,  $\theta$  is the angle between the  $x$  and  $y$  vectors,  $\|x\|$  denotes the magnitude (length, l2-norm, norm2) of vector  $x$ ,  $\Sigma$  denotes summation:

- L2-Squared: Squared Euclidean distance between two vectors:

$$d(x, y) = \sum (x_i - y_i)^2$$

For more information on L2-Squared, see [https://en.wikipedia.org/wiki/Euclidean\\_distance#Squared\\_Euclidean\\_distance](https://en.wikipedia.org/wiki/Euclidean_distance#Squared_Euclidean_distance).

- L2: Euclidean distance (L2 norm) between two vectors:

$$d(x, y) = \sqrt{\sum (x_i - y_i)^2}$$

For more information on L2, see [https://en.wikipedia.org/wiki/Euclidean\\_distance](https://en.wikipedia.org/wiki/Euclidean_distance).

- Dot Product: Inner dot product of two vectors:

$$dot(x, y) = \sum (x_i y_i) = a_1 b_1 + a_2 b_2 + \dots + a_n b_n$$

For more information on Dot Product, see [https://en.wikipedia.org/wiki/Dot\\_product](https://en.wikipedia.org/wiki/Dot_product).

- Cosine Similarity: Measures the cosine of the angle between two vectors (higher value means more similar):

$$d(x, y) = \cos(\theta) = \frac{dot(x, y)}{\|x\| \|y\|}$$

Range: [-1, 1]

For more information on Cosine Similarity, see [https://en.wikipedia.org/wiki/Cosine\\_similarity](https://en.wikipedia.org/wiki/Cosine_similarity).

- Cosine Distance: Opposite of cosine similarity (lower value means more similar):

$$d(x, y) = 1 - \cos(\theta) = 1 - \frac{\text{dot}(x, y)}{\|x\| \|y\|}$$

Range: [0, 2]

For more information on Cosine Distance, see [https://en.wikipedia.org/wiki/Cosine\\_similarity#Cosine\\_distance](https://en.wikipedia.org/wiki/Cosine_similarity#Cosine_distance).

## .vectors.distance.byEmbedding outputs

For every target node:

- **target** – The target node.
- **distance** – The distance between the source embedding and the embedding of the target node.

## .vectors.distance.byEmbedding query examples

```

MATCH (n)
WHERE id(n)="v1"
CALL neptune.algo.vectors.distance.byEmbedding(n, {embedding: [1.1, 1.2, 1.3, 1.4],
metric: "L2Squared"})
YIELD distance
RETURN n, distance

```

```

MATCH (n:person) WHERE id(n)=entry.id WITH n
CALL neptune.algo.vectors.distance.byEmbedding(n, {embedding: [1,2,3,4], metric:
"CosineSimilarity"})
YIELD distance
RETURN n, distance

```

## Sample .vectors.distance.byEmbedding output

Here is an example of the output returned by .vectors.distance.byEmbedding when run against a sample Wikipedia dataset using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH (n{`~id`: '1'}) \
    CALL neptune.algo.vectors.distance.byEmbedding(n, {embedding: \
[*an embedding*]}) \
        YIELD distance \
        RETURN n, distance" \
--language open_cypher \
/tmp/out.txt

{

  "results": [
    {
      "n": {
        "~id": "1",
        "~entityType": "node",
        "~labels": [],
        "~properties": {
          "title": "24-hour clock",
          "views": 2450.62548828125,
          "wiki_id": 9985,
          "paragraph_id": 1,
          "url": "https://simple.wikipedia.org/wiki?curid=9985",
          "langs": 30,
          "text": "A time in the 24-hour clock is written in the form hours:minutes (for example\\\", 01:23)\\\", or hours:minutes:seconds (01:23:45). Numbers under 10 have a zero in front (called a leading zero); e.g. 09:07. Under the 24-hour clock system\\\", the day begins at midnight\\\", 00:00\\\", and the last minute of the day begins at 23:59 and ends at 24:00\\\", which is identical to 00:00 of the following day. 12:00 can only be mid-day. Midnight is called 24:00 and is used to mean the end of the day and 00:00 is used to mean the beginning of the day. For example\\\", you would say \\\"Tuesday at 24:00\\\" and \\\"Wednesday at 00:00\\\" to mean exactly the same time."
        }
      },
      "distance": 27.762847900390626
    }
  ]
}
```

## The `.vectors.get` algorithm

The `.vectors.get` algorithm retrieves the embedding for a node.

### `.vectors.get` syntax

```
MATCH( n {`~id`: "the ID of the node"} )  
CALL neptune.algo.vectors.get(n)  
YIELD embedding  
RETURN n, embedding
```

### `.vectors.get` input

- **a source node or nodes (required)** – `type: Node[] or NodeId[]; default: none.`

The result of a MATCH statement that produces the node(s) for which you want to retrieve the embedding.

#### **Warning**

Be careful to limit `MATCH(n)` so that it doesn't return a large number of nodes. Keep in mind that every source node in the `n` result invokes `.vectors.get` once. Too many inputs can therefore result in very long runtimes. Use `LIMIT` or put conditions on the `MATCH` clause to restrict its output appropriately.

### `.vectors.get` outputs

For each source node provided:

- **node** – The source node.
- **embedding** – The embedding of that source node.

### `.vectors.get` query example

```
MATCH ( n {`~id`: "0"} )  
CALL neptune.algo.vectors.get(n)  
YIELD embedding
```

```
RETURN n, embedding
```

## Sample `.vectors.get` output

Here is an example of the output returned by `.vectors.get` when run against the sample Wikipedia dataset using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH ( n {`~id`: '0'} ) \
                  CALL neptune.algo.vectors.get(n)
                  YIELD embedding
                  RETURN n, embedding" \
--language open_cypher \
/tmp/out.txt
{
  "results": [
    {
      "n": {
        "~id": "0",
        "~entityType": "node",
        "~labels": [],
        "~properties": {
          "title": "24-hour clock",
          "views": 2450.62548828125,
          "wiki_id": 9985,
          "paragraph_id": 0,
          "url": "https://simple.wikipedia.org/wiki?curid=9985",
          "langs": 30,
          "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called railway time. Also\\, the international standard notation of time (ISO 8601) is based on this format."
        }
      },
      "embedding": [
        0.07711287587881088,
        0.3197174072265625,
        -0.2051590085029602,
        0.6302579045295715,
      ]
    }
  ]
}
```

```
0.032093219459056857,  
0.200703963637352,  
0.16665680706501008,  
-0.31295087933540347,  
0.17575109004974366,  
0.5308129191398621,  
-0.37528499960899355,  
0.3338659405708313,  
-0.046272162348032,  
0.07841536402702332,  
-0.3490406274795532,  
0.27182886004447939,  
0.3073517680168152,  
-0.08306130766868592,  
0.5035958886146545,  
0.254621684551239,  
-0.40407684445381167,  
0.28878292441368105,  
-0.22588828206062318,  
-0.13185778260231019,  
-0.21559733152389527,  
0.4900434613227844,  
0.03866531699895859,  
0.507415771484375,  
-0.3067346513271332,  
0.10740984976291657,  
0.08998646587133408,  
-0.2652775049209595,  
-0.28492602705955508,  
0.33600345253944399,  
-0.27227747440338137,  
0.3691731095314026,  
-0.2815995514392853,  
0.0856710895895958,  
-0.13187488913536073,  
0.4753035008907318,  
-0.2241700142621994,  
0.20263174176216126,  
0.4390721619129181,  
0.06424559652805329,  
0.2463042289018631,  
-0.39631763100624087,  
0.2971232533454895,  
0.2415716052055359,
```

```
-0.02803819440305233,  
0.32105034589767458,  
-0.02222033031284809,  
-0.008510420098900795,  
-0.00032598740654066205,  
0.031057516112923623,  
-0.5332233309745789,  
0.45022767782211306,  
-0.6829474568367004,  
1.3313145637512208,  
0.19445496797561646,  
-0.15697629749774934,  
-0.09996363520622254,  
-0.2786232829093933,  
-0.09833164513111115,  
-0.17644722759723664,  
0.11717787384986878,  
0.2820119559764862,  
0.029635537415742875,  
0.5247654914855957,  
0.5323811173439026,  
-0.06254086643457413,  
-0.05274389684200287,  
0.3877565860748291,  
0.43260684609413149,  
0.5207982063293457,  
-0.27160540223121645,  
-0.06000519543886185,  
-0.032806672155857089,  
-0.3594319522380829,  
0.4218965470790863,  
-0.3766363263130188,  
0.44727250933647158,  
-0.04586323723196983,  
0.06902860850095749,  
0.3030509352684021,  
0.18945887684822083,  
0.21681705117225648,  
-0.014492596499621868,  
-0.38649576902389529,  
-0.1129651814699173,  
0.050081491470336917,  
-0.01697717048227787,  
0.1415158063173294,
```

```
-0.3284287750720978,  
-0.02309800498187542,  
-0.2051207274198532,  
-0.017861712723970414,  
-0.07372242212295532,  
-0.12263767421245575,  
0.21828559041023255,  
-0.36898064613342287,  
0.3558262288570404,  
-0.16924124956130982,  
-0.31757786870002749,  
0.5452765226364136,  
0.24666202068328858,  
-0.08289600908756256,  
-0.14674079418182374,  
-0.18049933016300202,  
0.3646247982978821,  
0.42489132285118105,  
0.0909421369433403,  
-0.1764664500951767,  
0.22471413016319276,  
0.049531541764736179,  
-0.022898104041814805,  
0.08607156574726105,  
0.14532636106014253,  
-0.205774188041687,  
-0.3457978069782257,  
-1.2771626710891724,  
0.2826114892959595,  
0.2066900134086609,  
-0.388444832801819,  
-0.3564482629299164,  
-0.25118574500083926,  
-0.728326141834259,  
0.5217206478118897,  
-0.43305152654647829,  
0.3510914444923401,  
0.5106240510940552,  
-0.11594267934560776,  
0.43993058800697329,  
0.25412991642951968,  
0.4275965392589569,  
0.1463870108127594,  
0.3510439395904541,
```

```
0.1619710624217987,  
0.11160195618867874,  
-0.22760489583015443,  
-0.23652249574661256,  
0.05374380201101303,  
0.7251803278923035,  
-0.13991153240203858,  
0.9363659024238586,  
-0.05858418717980385,  
0.5233941674232483,  
0.12388131022453308,  
0.6248424649238586,  
-0.11751417070627213,  
0.09689709544181824,  
0.7467237710952759,  
0.2247271090745926,  
-0.6747357845306397,  
-0.16039365530014039,  
-0.41555172204971316,  
-0.04566565155982971,  
0.21260707080364228,  
0.2549103796482086,  
0.24795542657375337,  
0.5625612735748291,  
0.8036459684371948,  
0.15800043940544129,  
0.04797195643186569,  
-0.15839435160160066,  
-0.06506697088479996,  
-0.2577322721481323,  
0.3262946903705597,  
0.5458049178123474,  
0.616370439529419,  
-0.35092639923095705,  
0.048758912831544879,  
0.11522434651851654,  
0.04175107553601265,  
-0.12269306182861328,  
0.1227836161851883,  
0.4020257890224457,  
0.07093577086925507,  
-0.1880340874195099,  
0.5334663391113281,  
0.46888044476509097,
```

```
0.18104688823223115,  
0.30756646394729617,  
0.29316428303718569,  
-0.10604366660118103,  
0.44999250769615176,  
0.18227706849575044,  
0.5962150692939758,  
0.38278165459632876,  
-0.40461188554763796,  
0.17775404453277589,  
-0.16349074244499207,  
0.06950787454843521,  
0.7547341585159302,  
-0.4842711389064789,  
0.4062837064266205,  
0.09000574052333832,  
0.03859427571296692,  
0.24143263697624207,  
-0.3383118510246277,  
0.3363209366798401,  
0.10778547078371048,  
0.3429640233516693,  
-0.20395530760288239,  
0.011477324180305004,  
0.6145590543746948,  
-0.5488739609718323,  
-0.26194247603416445,  
-0.09723474085330963,  
-0.19020821154117585,  
-0.18068274855613709,  
0.1601778119802475,  
0.038950759917497638,  
0.6372026205062866,  
-0.12897184491157533,  
0.10720998793840409,  
0.13482464849948884,  
-0.07540713250637055,  
-0.0881727784872055,  
0.5626690983772278,  
-0.31975486874580386,  
-0.029084375128149987,  
0.43618619441986086,  
0.32975345849990847,  
-0.4053913652896881,
```

```
0.15788795053958894,  
-0.3212168216705322,  
-0.20272433757781983,  
-0.8973743319511414,  
0.060059018433094028,  
-0.014103145338594914,  
-0.3387225568294525,  
-0.49839726090431216,  
-0.011007139459252358,  
-0.16101065278053285,  
-0.20850643515586854,  
0.4891682267189026,  
0.33551496267318728,  
-0.23595896363258363,  
-0.4257577359676361,  
-0.48884832859039309,  
0.48760101199150088,  
0.34031161665916445,  
0.1722799688577652,  
-0.35575979948043826,  
0.629051923751831,  
-0.8014369010925293,  
0.575096607208252,  
0.421142578125,  
-0.2668846547603607,  
-0.046029768884181979,  
0.2791147530078888,  
-0.22112232446670533,  
0.02008579671382904,  
0.22087614238262177,  
-0.17961964011192323,  
0.4235396981239319,  
0.295818567276001,  
-0.18260923027992249,  
0.3227207660675049,  
0.11412205547094345,  
0.04591478034853935,  
0.5127033591270447,  
0.428005576133728,  
0.20718106627464295,  
0.18405631184577943,  
-0.22416146099567414,  
0.4277373254299164,  
0.5384698510169983,
```

```
0.04109276458621025,  
0.5105301141738892,  
0.473961740732193,  
-0.6853302717208862,  
-0.16557902097702027,  
-0.12704522907733918,  
0.0026600745040923359,  
0.5272349715232849,  
0.12121742218732834,  
0.427141010761261,  
-0.3047095239162445,  
0.5948843359947205,  
0.335798442363739,  
0.35749775171279909,  
-0.18497343361377717,  
0.26501506567001345,  
0.1564970314502716,  
0.4210122525691986,  
-0.1915784478187561,  
0.057152874767780307,  
-0.28498271107673647,  
0.04969947412610054,  
0.7697478532791138,  
0.5546697974205017,  
0.0958070456981659,  
-0.3533228933811188,  
0.4784282147884369,  
0.624963104724884,  
0.2151053100824356,  
0.17361000180244447,  
0.22527147829532624,  
-0.12481484562158585,  
0.4212929904460907,  
-0.2926572859287262,  
0.2562543749809265,  
0.38751208782196047,  
0.1340814083814621,  
0.0680900365114212,  
0.2952287793159485,  
0.12217980623245239,  
-0.2869758605957031,  
0.15682946145534516,  
-0.022066200152039529,  
-0.09002991020679474,
```

```
-0.2826828360557556,  
0.84619140625,  
0.7544476985931397,  
0.5953861474990845,  
0.6517565250396729,  
-0.07932830601930618,  
0.22802823781967164,  
-0.135965958237648,  
-0.8263510465621948,  
-0.6325801610946655,  
-0.5928561091423035,  
0.4108763635158539,  
0.0964483916759491,  
-0.5045000910758972,  
-0.06772734969854355,  
-0.79107666015625,  
0.060380879789590839,  
0.015578197315335274,  
0.32540079951286318,  
-0.044692762196063998,  
-0.17132098972797395,  
-0.19123415648937226,  
0.17911623418331147,  
0.3269428014755249,  
-0.22874118387699128,  
0.4686919152736664,  
-0.15749554336071015,  
-0.25185921788215639,  
-0.21561351418495179,  
-0.10132477432489395,  
-0.057977184653282168,  
0.09759098291397095,  
0.16202516853809358,  
0.01888692006468773,  
0.1724688857793808,  
-0.3449697196483612,  
0.4449881315231323,  
0.10185430943965912,  
-0.2976726293563843,  
0.06075461208820343,  
0.21909406781196595,  
-0.07409229874610901,  
0.6881160140037537,  
0.17447273433208466,
```

```
-0.048471711575984958,  
0.5318611264228821,  
0.30954766273498537,  
-0.24350836873054505,  
0.14386573433876038,  
-0.10827953368425369,  
0.08575868606567383,  
0.14200334250926972,  
0.5095603466033936,  
-0.025056177750229837,  
0.24901045858860017,  
-0.23696841299533845,  
-0.03630203381180763,  
0.45206722617149355,  
0.5019969344139099,  
-0.21705971658229829,  
-0.08452687412500382,  
-0.10376924276351929,  
-0.3200875520706177,  
-0.2048267275094986,  
-0.2703971266746521,  
0.2925371825695038,  
0.3755778670310974,  
0.2522588074207306,  
0.22964833676815034,  
0.7995960116386414,  
0.12206973880529404,  
0.2896155118942261,  
0.04163726791739464,  
-0.12602514028549195,  
0.004978220444172621,  
0.3399927020072937,  
0.09124521911144257,  
-0.5452605485916138,  
0.2247130423784256,  
0.23503662645816804,  
0.06750215590000153,  
-0.2884872257709503,  
-0.2791622579097748,  
-0.1780446618795395,  
-0.44350507855415347,  
-0.1840016394853592,  
0.8970789909362793,  
-0.3687478303909302,
```

```
0.36603569984436037,  
0.23560358583927155,  
0.020292289555072786,  
0.2446030080318451,  
4.3314642906188969,  
0.194863960146904,  
-0.10218192636966706,  
0.5695234537124634,  
0.016988292336463929,  
-0.15768325328826905,  
0.050476688891649249,  
0.09948820620775223,  
-0.06554386019706726,  
0.22301962971687318,  
-0.05468735471367836,  
0.29051196575164797,  
0.12100572139024735,  
0.4127441644668579,  
0.1667146235704422,  
0.0587792843580246,  
-0.09758614003658295,  
-0.20510408282279969,  
-0.21746976673603059,  
0.43335747718811037,  
-0.32159093022346499,  
0.6942153573036194,  
0.6173154711723328,  
0.3104712665081024,  
0.5751503109931946,  
0.4174514412879944,  
-0.2948107421398163,  
0.3532458245754242,  
0.4869029223918915,  
0.3115881681442261,  
0.28135108947753909,  
0.38450825214385989,  
0.016915690153837205,  
-0.11598393321037293,  
-0.32250434160232546,  
-0.06988134980201721,  
0.22417351603507996,  
-0.35582518577575686,  
0.2677224576473236,  
0.008019124157726765,
```

```
-0.19177919626235963,  
0.5731900334358215,  
-0.03540642186999321,  
0.43302130699157717,  
0.1796148121356964,  
-0.005056577268987894,  
0.37953320145606997,  
0.13488957285881043,  
0.7240068912506104,  
-0.3088097870349884,  
0.5610846281051636,  
-0.29582735896110537,  
-0.20909856259822846,  
-0.2881403863430023,  
0.10329002141952515,  
0.49255961179733279,  
0.14558906853199006,  
0.41020694375038149,  
0.04002099484205246,  
-0.24476903676986695,  
-0.389543354511261,  
0.3901459574699402,  
0.6170359253883362,  
0.18917717039585114,  
-0.41235554218292239,  
-0.19313344359397889,  
-0.10294703394174576,  
0.5560699105262756,  
0.5773581266403198,  
-0.17282086610794068,  
0.28679269552230837,  
0.34322652220726015,  
-0.07227988541126251,  
-0.5244243741035461,  
-0.26529040932655337,  
-0.11131077259778977,  
-0.19524210691452027,  
0.4082769453525543,  
-0.009217939339578152,  
-0.1462743580341339,  
0.7264918684959412,  
-0.09149657934904099,  
-0.3374916911125183,  
-0.05742226541042328,
```

```
-0.3913151025772095,  
0.7185215950012207,  
-0.3785516619682312,  
-0.00010882654169108719,  
0.6655824780464172,  
0.4194306433200836,  
0.3726831376552582,  
-0.014721312560141087,  
0.5345744490623474,  
0.33022087812423708,  
-0.06344814598560333,  
-0.1560882031917572,  
0.22698232531547547,  
-3.8697707653045656,  
0.06812435388565064,  
-0.4368731677532196,  
-0.07041455805301666,  
-0.015291529707610608,  
-0.41140303015708926,  
0.31612321734428408,  
0.2914712429046631,  
-0.3867192566394806,  
-0.026363473385572435,  
-0.08788029104471207,  
-0.10701339691877365,  
-0.2673511505126953,  
0.27538666129112246,  
-0.3661351501941681,  
0.5879861116409302,  
0.06352981925010681,  
0.15547777712345124,  
0.0863194614648819,  
-0.021183960139751436,  
0.428565114736557,  
0.04859453812241554,  
0.35721391439437868,  
-0.3864029347896576,  
-0.20986808836460114,  
0.15433000028133393,  
0.25567296147346499,  
0.25359275937080386,  
-0.4783596396446228,  
-0.010366495698690415,  
0.4777776598930359,
```

```
-0.029405448585748674,  
0.3631121814250946,  
-0.18738743662834168,  
0.2193489819765091,  
0.7861229777336121,  
-0.01961355283856392,  
0.16653983294963838,  
-0.4193624258041382,  
0.3085209131240845,  
-0.03517897054553032,  
-0.035910699516534808,  
0.37241387367248537,  
-0.13769084215164185,  
-0.08015040308237076,  
0.4384872615337372,  
-0.12396809458732605,  
0.15661391615867616,  
-0.3919837176799774,  
-0.6586825251579285,  
0.5687432885169983,  
0.0396936871111393,  
-0.09660491347312927,  
0.05788198113441467,  
0.48911261558532717,  
0.5213083028793335,  
0.3355415165424347,  
-0.006735790055245161,  
-0.11381038278341294,  
0.09182903915643692,  
-0.11055094748735428,  
-0.28275448083877566,  
0.24975340068340302,  
0.11746659129858017,  
-0.42452141642570498,  
-0.2323901206254959,  
-0.38694220781326296,  
0.015501483343541623,  
0.6440262198448181,  
-0.3121536672115326,  
-0.08778296411037445,  
-0.14549347758293153,  
0.01749151013791561,  
-0.5398207902908325,  
0.4124368131160736,
```

```
0.5154116749763489,  
-0.34769660234451296,  
0.5662841796875,  
0.4989481270313263,  
0.06761053949594498,  
0.014184223487973214,  
0.601079523563385,  
-0.3859538435935974,  
0.3446619212627411,  
2.190366744995117,  
0.4051366150379181,  
2.288928508758545,  
0.5293960571289063,  
-0.3505767583847046,  
0.5397417545318604,  
-0.6520821452140808,  
0.4239364266395569,  
0.2618080675601959,  
0.20174439251422883,  
0.030146604403853418,  
0.0610184520483017,  
0.062213074415922168,  
-0.11276254057884217,  
-0.1301877349615097,  
-0.19404706358909608,  
0.5268515348434448,  
-0.7370991706848145,  
0.028712594881653787,  
-0.4024544954299927,  
0.18225152790546418,  
0.7267741560935974,  
-0.2734072208404541,  
0.1759040206670761,  
-0.2950340211391449,  
0.14166314899921418,  
0.6515365242958069,  
-0.29643580317497256,  
-0.06734377890825272,  
0.09662584215402603,  
-0.010966300964355469,  
-0.3204823136329651,  
0.6417866349220276,  
-0.051218003034591678,  
-0.008819818496704102,
```

```
0.5098630785942078,  
-0.21459998190402986,  
4.437846660614014,  
-0.24779054522514344,  
0.018799694254994394,  
-0.01747281290590763,  
-0.0487254373729229,  
0.6121163964271545,  
0.4686623811721802,  
-0.22926479578018189,  
-0.03692511469125748,  
-0.4286654591560364,  
0.46073317527770998,  
0.16875289380550385,  
-0.014255600981414318,  
-0.07684683054685593,  
0.12223237752914429,  
-0.30599895119667055,  
0.39215049147605898,  
0.22453786432743073,  
0.5624862313270569,  
-0.011985340155661106,  
0.05180392041802406,  
0.030400553718209268,  
0.08391892164945603,  
0.10214067250490189,  
-0.4449590742588043,  
0.2225639522075653,  
0.3862999975681305,  
0.24732927978038789,  
-0.05571140721440315,  
-0.021564822643995286,  
0.28468334674835207,  
5.213898658752441,  
0.13289497792720796,  
-0.1400047093629837,  
-0.39865049719810488,  
0.12139834463596344,  
0.45539018511772158,  
-0.1865275651216507,  
-0.08270177245140076,  
-0.38520801067352297,  
0.08869948983192444,  
-0.05266271159052849,
```

```
0.14364486932754517,  
-0.2860695719718933,  
0.4430652856826782,  
0.7777798771858215,  
0.21114271879196168,  
-0.358752578496933,  
-0.3664247989654541,  
0.6665846109390259,  
-0.40493687987327578,  
0.1747705042362213,  
-0.06670021265745163,  
0.20972059667110444,  
-0.19101694226264954,  
0.23892535269260407,  
-0.08149895817041397,  
0.018510373309254648,  
0.8112999796867371,  
0.07871513813734055,  
0.09570053964853287,  
0.5030911564826965,  
0.21463628113269807,  
-0.31457462906837466,  
0.3051794767379761,  
-0.39506298303604128,  
0.06605447828769684,  
0.6144300699234009,  
-0.4566810429096222,  
0.3146623373031616,  
0.1887989640235901,  
0.9544244408607483,  
0.5103438496589661,  
-0.4859951138496399,  
-0.32647767663002016,  
-0.07584235072135925,  
0.21474787592887879,  
-0.1920636147260666,  
-0.4472030997276306,  
0.08618132770061493,  
-0.17384092509746552,  
-0.20969024300575257,  
-0.1831870973110199,  
0.8782939314842224,  
-0.15720084309577943,  
0.37347128987312319,
```

```
0.5088165998458862,  
0.29395583271980288,  
-0.3580363988876343,  
-0.17590023577213288,  
-0.508141279220581,  
0.4661521315574646,  
0.142064169049263,  
-0.05615571141242981,  
0.592810869216919,  
0.37807324528694155,  
-0.14052101969718934,  
-0.19951890408992768,  
-0.12800109386444093,  
0.748070478439331,  
0.13753947615623475,  
-0.08446942269802094,  
0.3747580945491791,  
-0.12847286462783814,  
-0.13892321288585664,  
0.08525972813367844,  
0.12516680359840394,  
0.5701874494552612,  
-0.24708901345729829,  
0.0679594948887825,  
0.10870008915662766,  
0.20561885833740235,  
-0.7872452139854431,  
0.07303950190544129,  
0.35694700479507449,  
0.245212584733963,  
0.3299793303012848,  
-0.010669616051018238,  
-0.12047348916530609,  
0.3540535271167755,  
0.32180890440940859,  
0.3066200911998749,  
0.021576205268502237,  
0.17679384350776673,  
-0.23050960898399354,  
0.1292697787284851,  
0.022921407595276834,  
0.5460971593856812,  
0.3612038493156433,  
0.1963733434677124,
```

```
0.4622957706451416,  
0.16855642199516297,  
0.2564740478992462,  
-0.27637141942977908,  
-0.16345584392547608,  
0.08119463175535202,  
0.07851938903331757,  
-0.5181471109390259,  
-0.5290305614471436,  
0.5271350741386414,  
0.3391841650009155,  
0.501441240310669,  
0.740936279296875,  
-0.26713573932647707,  
0.030347898602485658,  
0.05174243822693825  
]  
}  
]  
}
```

## .vectors.topKByEmbedding algorithm (deprecated)

The `.vectors.topKByEmbedding` algorithm finds the topK nearest neighbors of an embedding based on the distance of their vector embeddings.

### .vectors.topKByEmbedding syntax

```
CALL neptune.algo.vectors.topKByEmbedding(  
  [an embedding (required)],  
  {  
    topK: the number of result nodes to return (optional, default: 10),  
    concurrency: the number of cores to use to run the algorithm (optional)  
  }  
)  
YIELD embedding, node, score  
RETURN embedding, node, score
```

### .vectors.topKByEmbedding input

- **an embedding** (*required*) *type*: a list of floating-point values.

The source input embedding to use to compute the distance to the embeddings of the candidate target nodes. The dimension of the embedding must match the declared dimension of the associated vector index.

The embedding may or may not exist in the database. If not, it can be any vector of the same dimension as is declared in the associated vector index.

- **topK** (*optional*) *type*: a positive integer; *default*: 10.

The number of result nodes to return.

- **concurrency** (*optional*) – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## .vectors.topKByEmbedding outputs

For each node returned:

- **embedding** – The input embedding.
- **node** – A node whose embedding is at one of the topK nearest distances from the input embedding.
- **score** – The distance between the input embedding and the embedding of this node.

## .vectors.topKByEmbedding query example

You can provide the embedding explicitly in the query, although embeddings tend to be very large:

```
CALL neptune.algo.vectors.topKByEmbedding(  
  [0.1, 0.2, 0.3, ...],  
  {  
    topK: 7,  
    concurrency: 1  
  }  
)  
YIELD embedding, node, score  
RETURN embedding, node, score
```

Most often, you will be generating embeddings to pass to the algorithm. For example:

```
MATCH ( n:airport {code: 'ANC'} )  
CALL neptune.algo.vectors.get(n) YIELD embedding AS vector WITH vector  
CALL neptune.algo.vectors.topKByEmbedding(  
  vector,  
  {  
    topK: 10,  
    concurrency: 1  
  }  
)  
YIELD node, score  
RETURN vector, node, score
```

## ⚠ Warning

In queries like the one above, be careful to limit MATCH(n) so that it doesn't return a large number of nodes. Keep in mind that every node in n invokes a separate run of both .vectors.get and .vectors.topKByEmbedding. Too many inputs can therefore result in very long runtimes. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .vectors.topKByEmbedding output

Here is an example of the output returned by .vectors.topKByEmbedding when run against the sample Wikipedia dataset using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH ( n {`~id`: '0'}) \
    CALL neptune.algo.vectors.get(n) YIELD embedding AS vector \
    CALL neptune.algo.vectors.topKByEmbedding( vector, { topK: 3 } ) \
    YIELD node, score \
    RETURN node, score"
--language open_cypher \
/tmp/out.txt
{
  "results": [
    {
      "node": {
        "~id": "0",
        "~entityType": "node",
        "~labels": [],
        "~properties": {
          "title": "24-hour clock",
          "views": 2450.62548828125,
          "wiki_id": 9985,
          "paragraph_id": 0,
          "url": "https://simple.wikipedia.org/wiki?curid=9985",
          "langs": 30,
          "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called"
        }
      }
    }
  ]
}
```

```
railway time. Also\\, the international standard notation of time (ISO 8601) is based
on this format."
    }
},
"score": 0.0
},
{
  "node": {
    "~id": "2",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
      "title": "24-hour clock",
      "views": 2450.62548828125,
      "wiki_id": 9985,
      "paragraph_id": 2,
      "url": "https://simple.wikipedia.org/wiki?curid=9985",
      "langs": 30,
      "text": "However\\, the US military prefers not to say 24:00 - they do not
like to have two names for the same thing\\, so they always say \"23:59\"\\, which is
one minute before midnight."
    }
  },
  "score": 24.000200271606447
},
{
  "node": {
    "~id": "3",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
      "title": "24-hour clock",
      "views": 2450.62548828125,
      "wiki_id": 9985,
      "paragraph_id": 3,
      "url": "https://simple.wikipedia.org/wiki?curid=9985",
      "langs": 30,
      "text": "24-hour clock time is used in computers\\, military\\, public safety
\\, and transport. In many Asian\\, European and Latin American countries people use it
to write the time. Many European people use it in speaking."
    }
  },
  "score": 25.013729095458986
}
```

```
]  
}
```

## .vectors.topK.byEmbedding algorithm

The `.vectors.topKByEmbedding` algorithm finds the topK nearest neighbors of an embedding based on the distance of their vector embeddings.

### .vectors.topK.byEmbedding syntax

```
CALL neptune.algo.vectors.topK.byEmbedding(
  {
    embedding: [*an embedding*] (required),
    topK: the number of result nodes to return (optional, default: 10),
    vertexFilter: a json structure that encodes vertex label or property filters
    (optional, default: empty),
    concurrency: the number of cores to use to run the algorithm (optional,
    default: 0)
  }
)
YIELD node, score
RETURN node, score
```

### .vectors.topK.byEmbedding input

- **embedding** *(required)* `type: float[]` or `double[]`.

The input embedding to use to compute the distance to the embeddings of the candidate target nodes. The dimension of the embedding must match the declared dimension of the associated vector index.

The embedding may or may not exist in the database. If not, it can be any vector of the same dimension as is declared in the associated vector index. Note that the input embedding must be static, aka, the input embedding can't be the output of another query.

- **topK** *(optional)* `type: a positive integer; default: 10`.

The number of result nodes to return.

- **vertexFilter** *(optional)* `type: a json string default: empty`.

The vertexFilter is a json structure encoding filters to use on the vertex labels and properties during computation. In it, there are two operation types: a joiner operation and a single operation. A joiner operation includes `andAll` and `orAll` , which is an array of joiner and/or single operations. A single operation includes the rest of the filters. A vertex filter can be used for

either vertex labels or vertex properties or a combination of both. Among the single operations, only equals and notEquals support vertex label filtering. The details of all the operations are as follows:

- *andAll*: Nodes are returned if their properties fulfill all the filter conditions inside this list. It is an array of joiner and/or single operations. It must contain minimum two items.

Example: `{andAll: [{equals:{property: "~label", value: "Airport"}}, {greaterThan:{property: "runways", value: 3}}]}` → the Airport vertices that have more than 3 runways.

- *orAll*: Nodes are returned if their properties fulfill all the filter conditions inside this list. It is an array of joiner and/or single operations. It must contain minimum two items.

Example: `{orAll: [{equals:{property: "dist", value: 10}}, {notEquals:{property: "runways", value: "2"}}]}` → the vertices whose dist is equals to 10 or whose runways is not equal to 2.

- *equals*: Nodes are returned if they contain a property whose name matches the property and whose value matches the value, or they have the vertex label whose label name matches the value.

The property must be a string. It can either be a vertex property name or ~label.

The value can be boolean, numeric or string if the property is a vertex property. The value can only be string if the property is ~label.

Example for vertex property: `{equals:{property: "dist", value: 10}}`

Example for vertex label: `{equals:{property: "~label", value: "Person"}}`

- *notEquals*: Nodes are returned if they contain a property whose name matches the property and whose value doesn't match the value , or they have the vertex label whose label name doesn't match the value.

The property must be a string. It can either be a vertex property name or ~label.

The value can be boolean, numeric or string if the property is a vertex property. The value can only be string if the property is ~label.

Example for vertex property: `{notEquals:{property: "dist", value: 10}}`

Example for vertex label: `{notEquals:{property: "~label", value: "Person"}}`

- *greaterThan*: Nodes are returned if they contain a property whose name matches the property and whose value is greater than the value. The value must be numeric.

Example: {greaterThan:{property: "dist", value: 10}}

- *greaterThanOrEquals*: Nodes are returned if they contain a property whose name matches the property and whose value is greater than or equal to the value. The value must be numeric.
- *lessThan*: Nodes are returned if they contain a property whose name matches the property and whose value is less than the value. The value must be numeric.

Example: {lessThan:{property: "dist", value: 10}}

- *lessThanOrEquals*: Nodes are returned if they contain a property whose name matches the property and whose value is less than or equal to the value. The value must be numeric.

Example: {lessThanOrEquals:{property: "dist", value: 10}}

- *in*: Nodes are returned if they contain a property whose name matches the property and whose value is in the specified value list, or they have the vertex label whose label name matches the values in the value list.

The property must be a string. It can either be a vertex property name or `~label`.

The value list can be a mix list of booleans, numbers or strings if the property is a vertex property. The value can only be a list of strings if the property is `~label`.

Example for vertex property: {in:{property: "country", value: ["US", "UK"]}}

Example for vertex label: {in:{property: "`~label`", value: ["US", "UK"]}}

- *notIn*: Nodes are returned if they contain a property whose name matches the property and whose value is not in the specified value list, or they have the vertex label whose label name does not match the values in the value list.

The property must be a string. It can either be a vertex property name or `~label`.

The value list can be a mix list of booleans, numbers or strings if the property is a vertex property. The value can only be a list of strings if the property is `~label`.

Example for vertex property: {in:{property: "country", value: ["US", "UK"]}}

Example for vertex label: {in:{property: "`~label`", value: ["US", "UK"]}}

- *startsWith*: Nodes are returned if they contain a property whose name matches the property and whose value starts with the value. The value must be a string.

Example: {startsWith:{property: "country", value "U"}}

- **stringContains**: Nodes are returned if they contain a property whose name matches the property and whose value is one of the following:

A string that contains the value as a substring. The following example would return data sources with an animal property that contains the substring at (for example cat).

Example: {stringContains: { property: "animal", value: "at" }}

- **concurrency (optional)** – *type*: 0 or 1; *default*: 0.

Controls the number of concurrent threads used to run the algorithm.

If set to 0, uses all available threads to complete execution of the individual algorithm invocation. If set to 1, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

## .vectors.topK.byEmbedding outputs

For each node returned:

- **node** – A node whose embedding is at one of the topK nearest distances from the input embedding.
- **score** – The distance between the input embedding and the embedding of this node.

## .vectors.topK.byEmbedding query example

```
CALL neptune.algo.vectors.topK.byEmbedding(
  {
    embedding: [0.1, 0.2, 0.3, ...],
    topK: 3,
    concurrency: 1
  }
)
YIELD node, score
RETURN node, score
```

## ⚠ Warning

Using `MATCH (n)` or `WITH` as the prefix of `CALL neptune.algo.vectors.topK.byEmbedding` is forbidden. MATCH(n) can return a large number of nodes. Keep in mind that every node in (n) invokes a separate run of .vectors.topK.byEmbedding. Too many inputs can therefore result in very long runtimes and many outputs.

## Sample .vectors.topKByEmbedding output

Here is an example of the output returned by .vectors.topK.byEmbedding when run against the sample Wikipedia dataset using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "CALL neptune.algo.vectors.topK.byEmbedding({ embedding: [*an
embedding*], topK: 3 })
    YIELD node, score
    RETURN node, score"
--language open_cypher \
/tmp/out.txt
{
  "results": [
    {
      "node": {
        "~id": "0",
        "~entityType": "node",
        "~labels": [],
        "~properties": {
          "title": "24-hour clock",
          "views": 2450.62548828125,
          "wiki_id": 9985,
          "paragraph_id": 0,
          "url": "https://simple.wikipedia.org/wiki?curid=9985",
          "langs": 30,
          "text": "The 24-hour clock is a way of telling the time in which the day
runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to
23. It does not use a.m. or p.m. This system is also referred to (only in the US and
the English speaking parts of Canada) as military time or (only in the United Kingdom
and now very rarely) as continental time. In some parts of the world\\, it is called
"
        }
      }
    }
  ]
}
```

```
railway time. Also\\, the international standard notation of time (ISO 8601) is based
on this format."
    }
},
"score": 0.0
},
{
  "node": {
    "~id": "2",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
      "title": "24-hour clock",
      "views": 2450.62548828125,
      "wiki_id": 9985,
      "paragraph_id": 2,
      "url": "https://simple.wikipedia.org/wiki?curid=9985",
      "langs": 30,
      "text": "However\\, the US military prefers not to say 24:00 - they do not
like to have two names for the same thing\\, so they always say \"23:59\"\\, which is
one minute before midnight."
    }
  },
  "score": 24.000200271606447
},
{
  "node": {
    "~id": "3",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
      "title": "24-hour clock",
      "views": 2450.62548828125,
      "wiki_id": 9985,
      "paragraph_id": 3,
      "url": "https://simple.wikipedia.org/wiki?curid=9985",
      "langs": 30,
      "text": "24-hour clock time is used in computers\\, military\\, public safety
\\, and transport. In many Asian\\, European and Latin American countries people use it
to write the time. Many European people use it in speaking."
    }
  },
  "score": 25.013729095458986
}
```

```
]  
}
```

## .vectors.topKByNode algorithm (deprecated)

The `.vectors.topKByNode` algorithm finds the topK nearest neighbors of a node based on the distance of their vector embeddings from the node.

### .vectors.topKByNode syntax

```
CALL neptune.algo.vectors.topKByNode(  
  [a list of one or more nodes (required)],  
  {  
    topK: the number of result nodes to return (optional, default: 10),  
    concurrency: the number of cores to use to run the algorithm (optional)  
  }  
)  
YIELD node, score  
RETURN node, score
```

### .vectors.topKByNode input

- **a list of one or more source nodes (required)** – `type: Node[]` or `NodeId[]`.

If the source-node list is empty then the query result is also empty.

- **topK (optional)** `type: a positive integer`; `default: 10`.

The number of result nodes to return.

- **concurrency (optional)** – `type: 0 or 1`; `default: 0`.

Controls the number of concurrent threads used to run the algorithm.

If set to `0`, uses all available threads to complete execution of the individual algorithm invocation. If set to `1`, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

### .vectors.topKByNode outputs

For each source node:

- **source** – The source node.
- **node** – A node whose embedding is at one of the topK nearest distances from the source node's embedding.

- **score** – The distance between the source node's embedding and the embedding of the close node.

## .vectors.topKByNode query example

```
MATCH ( n:airport {code: 'ANC'} )
CALL neptune.algo.vectors.topKByNode(
  n,
  {
    topK: 10,
    concurrency: 1
  }
)
YIELD node, score
RETURN n, node, score
```

### Warning

In queries like the one above, be careful to limit MATCH(n) so that it doesn't return a large number of nodes. Keep in mind that every node in n invokes a separate run of .vectors.topKByNode. Too many inputs can therefore result in very long runtimes. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .vectors.topKByNode output

Here is an example of the output returned by .vectors.topKByNode when run against the sample Wikipedia dataset using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH ( n {`~id`: '0'} )
  CALL neptune.algo.vectors.topKByNode(n, {topK: 3})
  YIELD node, score
  RETURN n, node, score" \
--language open_cypher \
/tmp/out.txt
{ "results": [
  {
```

```
"n": {
  "~id": "0",
  "~entityType": "node",
  "~labels": [],
  "~properties": {
    "title": "24-hour clock",
    "views": 2450.62548828125,
    "wiki_id": 9985,
    "paragraph_id": 0,
    "url": "https://simple.wikipedia.org/wiki?curid=9985",
    "langs": 30,
    "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called railway time. Also\\, the international standard notation of time (ISO 8601) is based on this format."
  }
},
"node": {
  "~id": "0",
  "~entityType": "node",
  "~labels": [],
  "~properties": {
    "title": "24-hour clock",
    "views": 2450.62548828125,
    "wiki_id": 9985,
    "paragraph_id": 0,
    "url": "https://simple.wikipedia.org/wiki?curid=9985",
    "langs": 30,
    "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called railway time. Also\\, the international standard notation of time (ISO 8601) is based on this format."
  }
},
"score": 0.0
},
{
  "n": {
```

```
    "~id": "0",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
        "title": "24-hour clock",
        "views": 2450.62548828125,
        "wiki_id": 9985,
        "paragraph_id": 0,
        "url": "https://simple.wikipedia.org/wiki?curid=9985",
        "langs": 30,
        "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called railway time. Also\\, the international standard notation of time (ISO 8601) is based on this format."
    }
},
"node": {
    "~id": "2",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
        "title": "24-hour clock",
        "views": 2450.62548828125,
        "wiki_id": 9985,
        "paragraph_id": 2,
        "url": "https://simple.wikipedia.org/wiki?curid=9985",
        "langs": 30,
        "text": "However\\, the US military prefers not to say 24:00 - they do not like to have two names for the same thing\\, so they always say \"23:59\"\\, which is one minute before midnight."
    }
},
"score": 24.000200271606447
},
{
    "n": {
        "~id": "0",
        "~entityType": "node",
        "~labels": [],
        "~properties": {
            "title": "24-hour clock",

```

```
        "views": 2450.62548828125,
        "wiki_id": 9985,
        "paragraph_id": 0,
        "url": "https://simple.wikipedia.org/wiki?curid=9985",
        "langs": 30,
        "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called railway time. Also\\, the international standard notation of time (ISO 8601) is based on this format."
    }
},
"node": {
    "~id": "3",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
        "title": "24-hour clock",
        "views": 2450.62548828125,
        "wiki_id": 9985,
        "paragraph_id": 3,
        "url": "https://simple.wikipedia.org/wiki?curid=9985",
        "langs": 30,
        "text": "24-hour clock time is used in computers\\, military\\, public safety\\, and transport. In many Asian\\, European and Latin American countries people use it to write the time. Many European people use it in speaking."
    }
},
"score": 25.013729095458986
}
]
```

## .vectors.topK.byNode algorithm

The `.vectors.topK.byNode` algorithm finds the `topK` nearest neighbors of a node based on the distance of their vector embeddings from the node.

### .vectors.topK.byNode syntax

```
CALL neptune.algo.vectors.topK.byNode(  
  [a list of one or more nodes (required)],  
  {  
    topK: the number of result nodes to return (optional, default: 10),  
    concurrency: the number of cores to use to run the algorithm (optional)  
  }  
)  
YIELD node, score  
RETURN node, score
```

### .vectors.topK.byNode input

- **a list of one or more source nodes (required)** – `type: Node[]` or `NodeId[]`.

If the source-node list is empty then the query result is also empty.

- **topK (optional)** `type: a positive integer`; `default: 10`.

The number of result nodes to return.

- **concurrency (optional)** – `type: 0 or 1`; `default: 0`.

Controls the number of concurrent threads used to run the algorithm.

If set to `0`, uses all available threads to complete execution of the individual algorithm invocation. If set to `1`, uses a single thread. This can be useful when requiring the invocation of many algorithms concurrently.

### .vectors.topK.byNode outputs

For each source node:

- **source** – The source node.
- **node** – A node whose embedding is at one of the `topK` nearest distances from the source node's embedding.

- **score** – The distance between the source node's embedding and the embedding of the close node.

## .vectors.topK.byNode query example

```
MATCH ( n:airport {code: 'ANC'} )  
CALL neptune.algo.vectors.topK.byNode(  
    n,  
    {  
        topK: 10,  
        concurrency: 1  
    }  
)  
YIELD node, score  
RETURN n, node, score
```

### Warning

In queries like the one above, be careful to limit MATCH(n) so that it doesn't return a large number of nodes. Keep in mind that every node in n invokes a separate run of .vectors.topK.byNode. Too many inputs can therefore result in very long runtimes. Use LIMIT or put conditions on the MATCH clause to restrict its output appropriately.

## Sample .vectors.topK.byNode output

Here is an example of the output returned by .vectors.topK.byNode when run against the sample Wikipedia dataset using the following query:

```
aws neptune-graph execute-query \  
  --graph-identifier ${graphIdentifier} \  
  --query-string "MATCH ( n {`~id`: '0'} )  
    CALL neptune.algo.vectors.topK.byNode(n, {topK: 3})  
    YIELD node, score  
    RETURN n, node, score" \  
  --language open_cypher \  
  /tmp/out.txt  
{  
  "results": [  
    {
```

```
"n": {
  "~id": "0",
  "~entityType": "node",
  "~labels": [],
  "~properties": {
    "title": "24-hour clock",
    "views": 2450.62548828125,
    "wiki_id": 9985,
    "paragraph_id": 0,
    "url": "https://simple.wikipedia.org/wiki?curid=9985",
    "langs": 30,
    "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called railway time. Also\\, the international standard notation of time (ISO 8601) is based on this format."
  }
},
"node": {
  "~id": "0",
  "~entityType": "node",
  "~labels": [],
  "~properties": {
    "title": "24-hour clock",
    "views": 2450.62548828125,
    "wiki_id": 9985,
    "paragraph_id": 0,
    "url": "https://simple.wikipedia.org/wiki?curid=9985",
    "langs": 30,
    "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called railway time. Also\\, the international standard notation of time (ISO 8601) is based on this format."
  }
},
"score": 0.0
},
{
  "n": {
```

```
    "~id": "0",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
        "title": "24-hour clock",
        "views": 2450.62548828125,
        "wiki_id": 9985,
        "paragraph_id": 0,
        "url": "https://simple.wikipedia.org/wiki?curid=9985",
        "langs": 30,
        "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called railway time. Also\\, the international standard notation of time (ISO 8601) is based on this format."
    }
},
"node": {
    "~id": "2",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
        "title": "24-hour clock",
        "views": 2450.62548828125,
        "wiki_id": 9985,
        "paragraph_id": 2,
        "url": "https://simple.wikipedia.org/wiki?curid=9985",
        "langs": 30,
        "text": "However\\, the US military prefers not to say 24:00 - they do not like to have two names for the same thing\\, so they always say \"23:59\"\\, which is one minute before midnight."
    }
},
"score": 24.000200271606447
},
{
    "n": {
        "~id": "0",
        "~entityType": "node",
        "~labels": [],
        "~properties": {
            "title": "24-hour clock",

```

```
        "views": 2450.62548828125,
        "wiki_id": 9985,
        "paragraph_id": 0,
        "url": "https://simple.wikipedia.org/wiki?curid=9985",
        "langs": 30,
        "text": "The 24-hour clock is a way of telling the time in which the day runs from midnight to midnight and is divided into 24 hours\\, numbered from 0 to 23. It does not use a.m. or p.m. This system is also referred to (only in the US and the English speaking parts of Canada) as military time or (only in the United Kingdom and now very rarely) as continental time. In some parts of the world\\, it is called railway time. Also\\, the international standard notation of time (ISO 8601) is based on this format."
    }
},
"node": {
    "~id": "3",
    "~entityType": "node",
    "~labels": [],
    "~properties": {
        "title": "24-hour clock",
        "views": 2450.62548828125,
        "wiki_id": 9985,
        "paragraph_id": 3,
        "url": "https://simple.wikipedia.org/wiki?curid=9985",
        "langs": 30,
        "text": "24-hour clock time is used in computers\\, military\\, public safety\\, and transport. In many Asian\\, European and Latin American countries people use it to write the time. Many European people use it in speaking."
    }
},
"score": 25.013729095458986
}
]
```

## .vectors.upsert algorithm

The `.vectors.upsert` algorithm is used to add a new embedding or update an existing one for a node.

### .vectors.upsert syntax

```
CALL neptune.algo.vectors.upsert(  
  "a target node (required)",  
  [the embedding to upsert for the target node (required)]  
)  
YIELD node, embedding, success  
RETURN node, embedding, success
```

### .vectors.upsert input

- **a target node (required)** – *type*: Node or NodeId.

The node for which you want to upsert an embedding.

- **an embedding (required)** – *type*: a list of floating-point values.

The embedding that you want to upsert for the target node.

If the node has an existing embedding, this must match the dimension of the existing one or an exception is thrown.

### .vectors.upsert outputs

If the target node already has an existing embedding then `.vectors.upsert` replaces it with the one supplied. Otherwise `.vectors.upsert` adds the supplied embedding for the target node.

- **node** – The target node.
- **embedding** – The embedding that was supplied to be upserted.
- **success** – A Boolean value: `true` indicates that the upsert succeeded, and `false` that it failed.

### .vectors.upsert query examples

```
CALL neptune.algo.vectors.upsert(  
  "person933",
```

```

[0.1, 0.2, 0.3, ...]
)
YIELD node, embedding, success
RETURN node, embedding, success

```

```

UNWIND [
  {id: "933", embedding: [1,2,3,4]},
  {id: "934", embedding: [-1,-2,-3,-4]}
] as entry
MATCH (n:person) WHERE id(n)=entry.id WITH n, entry.embedding as embedding
CALL neptune.algo.vectors.upsert(n, embedding)
YIELD success
RETURN n, embedding, success

```

## Sample `.vectors.upsert` output

Here is an example of the output returned by `.vectors.upsert` when run against the sample Wikipedia dataset using the following query:

```

aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH (n{`~id`:'0'}) \
  CALL neptune.algo.vectors.get(n) \
  YIELD embedding AS vector \
  MATCH (m{`~id`:'1'}) \
  CALL neptune.algo.vectors.upsert(m, vector) \
  YIELD node, embedding, success \
  RETURN node, embedding, success" \
--language open_cypher \
/tmp/out.txt
{
  "results": [
    {
      "node": {
        "~id": "1",
        "~entityType": "node",
        "~labels": [],
        "~properties": {
          "title": "24-hour clock",
          "views": 2450.62548828125,
          "wiki_id": 9985,
          "paragraph_id": 1,

```

```
        "url": "https://simple.wikipedia.org/wiki?curid=9985",
        "langs": 30,
        "text": "A time in the 24-hour clock is written in the form hours:minutes (for example\\, 01:23)\\, or hours:minutes:seconds (01:23:45). Numbers under 10 have a zero in front (called a leading zero); e.g. 09:07. Under the 24-hour clock system\\, the day begins at midnight\\, 00:00\\, and the last minute of the day begins at 23:59 and ends at 24:00\\, which is identical to 00:00 of the following day. 12:00 can only be mid-day. Midnight is called 24:00 and is used to mean the end of the day and 00:00 is used to mean the beginning of the day. For example\\, you would say \"Tuesday at 24:00\" and \"Wednesday at 00:00\" to mean exactly the same time."
    },
    "embedding": [
        0.07711287587881088,
        0.3197174072265625,
        -0.2051590085029602,
        0.6302579045295715,
        0.032093219459056857,
        0.200703963637352,
        0.16665680706501008,
        -0.31295087933540347,
        0.17575109004974366,
        0.5308129191398621,
        -0.37528499960899355,
        0.3338659405708313,
        -0.046272162348032,
        0.07841536402702332,
        -0.3490406274795532,
        0.27182886004447939,
        0.3073517680168152,
        -0.08306130766868592,
        0.5035958886146545,
        0.254621684551239,
        -0.40407684445381167,
        0.28878292441368105,
        -0.22588828206062318,
        -0.13185778260231019,
        -0.21559733152389527,
        0.4900434613227844,
        0.03866531699895859,
        0.507415771484375,
        -0.3067346513271332,
        0.10740984976291657,
        0.08998646587133408,
```

```
-0.2652775049209595,  
-0.28492602705955508,  
0.33600345253944399,  
-0.27227747440338137,  
0.3691731095314026,  
-0.2815995514392853,  
0.0856710895895958,  
-0.13187488913536073,  
0.4753035008907318,  
-0.2241700142621994,  
0.20263174176216126,  
0.4390721619129181,  
0.06424559652805329,  
0.2463042289018631,  
-0.39631763100624087,  
0.2971232533454895,  
0.2415716052055359,  
-0.02803819440305233,  
0.32105034589767458,  
-0.02222033031284809,  
-0.008510420098900795,  
-0.00032598740654066205,  
0.031057516112923623,  
-0.5332233309745789,  
0.45022767782211306,  
-0.6829474568367004,  
1.3313145637512208,  
0.19445496797561646,  
-0.15697629749774934,  
-0.09996363520622254,  
-0.2786232829093933,  
-0.09833164513111115,  
-0.17644722759723664,  
0.11717787384986878,  
0.2820119559764862,  
0.029635537415742875,  
0.5247654914855957,  
0.5323811173439026,  
-0.06254086643457413,  
-0.05274389684200287,  
0.3877565860748291,  
0.43260684609413149,  
0.5207982063293457,  
-0.27160540223121645,
```

```
-0.06000519543886185,  
-0.032806672155857089,  
-0.3594319522380829,  
0.4218965470790863,  
-0.3766363263130188,  
0.44727250933647158,  
-0.04586323723196983,  
0.06902860850095749,  
0.3030509352684021,  
0.18945887684822083,  
0.21681705117225648,  
-0.014492596499621868,  
-0.38649576902389529,  
-0.1129651814699173,  
0.050081491470336917,  
-0.01697717048227787,  
0.1415158063173294,  
-0.3284287750720978,  
-0.02309800498187542,  
-0.2051207274198532,  
-0.017861712723970414,  
-0.07372242212295532,  
-0.12263767421245575,  
0.21828559041023255,  
-0.36898064613342287,  
0.3558262288570404,  
-0.16924124956130982,  
-0.31757786870002749,  
0.5452765226364136,  
0.24666202068328858,  
-0.08289600908756256,  
-0.14674079418182374,  
-0.18049933016300202,  
0.3646247982978821,  
0.42489132285118105,  
0.0909421369433403,  
-0.1764664500951767,  
0.22471413016319276,  
0.049531541764736179,  
-0.022898104041814805,  
0.08607156574726105,  
0.14532636106014253,  
-0.205774188041687,  
-0.3457978069782257,
```

```
-1.2771626710891724,  
0.2826114892959595,  
0.2066900134086609,  
-0.3884444832801819,  
-0.3564482629299164,  
-0.25118574500083926,  
-0.728326141834259,  
0.5217206478118897,  
-0.43305152654647829,  
0.3510914444923401,  
0.5106240510940552,  
-0.11594267934560776,  
0.43993058800697329,  
0.25412991642951968,  
0.4275965392589569,  
0.1463870108127594,  
0.3510439395904541,  
0.1619710624217987,  
0.11160195618867874,  
-0.22760489583015443,  
-0.23652249574661256,  
0.05374380201101303,  
0.7251803278923035,  
-0.13991153240203858,  
0.9363659024238586,  
-0.05858418717980385,  
0.5233941674232483,  
0.12388131022453308,  
0.6248424649238586,  
-0.11751417070627213,  
0.09689709544181824,  
0.7467237710952759,  
0.2247271090745926,  
-0.6747357845306397,  
-0.16039365530014039,  
-0.41555172204971316,  
-0.04566565155982971,  
0.21260707080364228,  
0.2549103796482086,  
0.24795542657375337,  
0.5625612735748291,  
0.8036459684371948,  
0.15800043940544129,  
0.04797195643186569,
```

```
-0.15839435160160066,  
-0.06506697088479996,  
-0.2577322721481323,  
0.3262946903705597,  
0.5458049178123474,  
0.616370439529419,  
-0.35092639923095705,  
0.048758912831544879,  
0.11522434651851654,  
0.04175107553601265,  
-0.12269306182861328,  
0.1227836161851883,  
0.4020257890224457,  
0.07093577086925507,  
-0.1880340874195099,  
0.5334663391113281,  
0.46888044476509097,  
0.18104688823223115,  
0.30756646394729617,  
0.29316428303718569,  
-0.10604366660118103,  
0.44999250769615176,  
0.18227706849575044,  
0.5962150692939758,  
0.38278165459632876,  
-0.40461188554763796,  
0.17775404453277589,  
-0.16349074244499207,  
0.06950787454843521,  
0.7547341585159302,  
-0.4842711389064789,  
0.4062837064266205,  
0.09000574052333832,  
0.03859427571296692,  
0.24143263697624207,  
-0.3383118510246277,  
0.3363209366798401,  
0.10778547078371048,  
0.3429640233516693,  
-0.20395530760288239,  
0.011477324180305004,  
0.6145590543746948,  
-0.5488739609718323,  
-0.26194247603416445,
```

```
-0.09723474085330963,  
-0.19020821154117585,  
-0.18068274855613709,  
0.1601778119802475,  
0.038950759917497638,  
0.6372026205062866,  
-0.12897184491157533,  
0.10720998793840409,  
0.13482464849948884,  
-0.07540713250637055,  
-0.0881727784872055,  
0.5626690983772278,  
-0.31975486874580386,  
-0.029084375128149987,  
0.43618619441986086,  
0.32975345849990847,  
-0.4053913652896881,  
0.15788795053958894,  
-0.3212168216705322,  
-0.20272433757781983,  
-0.8973743319511414,  
0.060059018433094028,  
-0.014103145338594914,  
-0.3387225568294525,  
-0.49839726090431216,  
-0.011007139459252358,  
-0.16101065278053285,  
-0.20850643515586854,  
0.4891682267189026,  
0.33551496267318728,  
-0.23595896363258363,  
-0.4257577359676361,  
-0.48884832859039309,  
0.48760101199150088,  
0.34031161665916445,  
0.1722799688577652,  
-0.35575979948043826,  
0.629051923751831,  
-0.8014369010925293,  
0.575096607208252,  
0.421142578125,  
-0.2668846547603607,  
-0.046029768884181979,  
0.2791147530078888,
```

```
-0.22112232446670533,  
0.02008579671382904,  
0.22087614238262177,  
-0.17961964011192323,  
0.4235396981239319,  
0.295818567276001,  
-0.18260923027992249,  
0.3227207660675049,  
0.11412205547094345,  
0.04591478034853935,  
0.5127033591270447,  
0.428005576133728,  
0.20718106627464295,  
0.18405631184577943,  
-0.22416146099567414,  
0.4277373254299164,  
0.5384698510169983,  
0.04109276458621025,  
0.5105301141738892,  
0.473961740732193,  
-0.6853302717208862,  
-0.16557902097702027,  
-0.12704522907733918,  
0.0026600745040923359,  
0.5272349715232849,  
0.12121742218732834,  
0.427141010761261,  
-0.3047095239162445,  
0.5948843359947205,  
0.335798442363739,  
0.35749775171279909,  
-0.18497343361377717,  
0.26501506567001345,  
0.1564970314502716,  
0.4210122525691986,  
-0.1915784478187561,  
0.057152874767780307,  
-0.28498271107673647,  
0.04969947412610054,  
0.7697478532791138,  
0.5546697974205017,  
0.0958070456981659,  
-0.3533228933811188,  
0.4784282147884369,
```

```
0.624963104724884,  
0.2151053100824356,  
0.17361000180244447,  
0.22527147829532624,  
-0.12481484562158585,  
0.4212929904460907,  
-0.2926572859287262,  
0.2562543749809265,  
0.38751208782196047,  
0.1340814083814621,  
0.0680900365114212,  
0.2952287793159485,  
0.12217980623245239,  
-0.2869758605957031,  
0.15682946145534516,  
-0.022066200152039529,  
-0.09002991020679474,  
-0.2826828360557556,  
0.84619140625,  
0.7544476985931397,  
0.5953861474990845,  
0.6517565250396729,  
-0.07932830601930618,  
0.22802823781967164,  
-0.135965958237648,  
-0.8263510465621948,  
-0.6325801610946655,  
-0.5928561091423035,  
0.4108763635158539,  
0.0964483916759491,  
-0.5045000910758972,  
-0.06772734969854355,  
-0.79107666015625,  
0.060380879789590839,  
0.015578197315335274,  
0.32540079951286318,  
-0.044692762196063998,  
-0.17132098972797395,  
-0.19123415648937226,  
0.17911623418331147,  
0.3269428014755249,  
-0.22874118387699128,  
0.4686919152736664,  
-0.15749554336071015,
```

```
-0.25185921788215639,  
-0.21561351418495179,  
-0.10132477432489395,  
-0.057977184653282168,  
0.09759098291397095,  
0.16202516853809358,  
0.01888692006468773,  
0.1724688857793808,  
-0.3449697196483612,  
0.4449881315231323,  
0.10185430943965912,  
-0.2976726293563843,  
0.06075461208820343,  
0.21909406781196595,  
-0.07409229874610901,  
0.6881160140037537,  
0.17447273433208466,  
-0.048471711575984958,  
0.5318611264228821,  
0.30954766273498537,  
-0.24350836873054505,  
0.14386573433876038,  
-0.10827953368425369,  
0.08575868606567383,  
0.14200334250926972,  
0.5095603466033936,  
-0.025056177750229837,  
0.24901045858860017,  
-0.23696841299533845,  
-0.03630203381180763,  
0.45206722617149355,  
0.5019969344139099,  
-0.21705971658229829,  
-0.08452687412500382,  
-0.10376924276351929,  
-0.3200875520706177,  
-0.2048267275094986,  
-0.2703971266746521,  
0.2925371825695038,  
0.3755778670310974,  
0.2522588074207306,  
0.22964833676815034,  
0.7995960116386414,  
0.12206973880529404,
```

```
0.2896155118942261,  
0.04163726791739464,  
-0.12602514028549195,  
0.004978220444172621,  
0.3399927020072937,  
0.09124521911144257,  
-0.5452605485916138,  
0.2247130423784256,  
0.23503662645816804,  
0.06750215590000153,  
-0.2884872257709503,  
-0.2791622579097748,  
-0.1780446618795395,  
-0.44350507855415347,  
-0.1840016394853592,  
0.8970789909362793,  
-0.3687478303909302,  
0.36603569984436037,  
0.23560358583927155,  
0.020292289555072786,  
0.2446030080318451,  
4.3314642906188969,  
0.194863960146904,  
-0.10218192636966706,  
0.5695234537124634,  
0.016988292336463929,  
-0.15768325328826905,  
0.050476688891649249,  
0.09948820620775223,  
-0.06554386019706726,  
0.22301962971687318,  
-0.05468735471367836,  
0.29051196575164797,  
0.12100572139024735,  
0.4127441644668579,  
0.1667146235704422,  
0.0587792843580246,  
-0.09758614003658295,  
-0.20510408282279969,  
-0.21746976673603059,  
0.43335747718811037,  
-0.32159093022346499,  
0.6942153573036194,  
0.6173154711723328,
```

```
0.3104712665081024,  
0.5751503109931946,  
0.4174514412879944,  
-0.2948107421398163,  
0.3532458245754242,  
0.4869029223918915,  
0.3115881681442261,  
0.28135108947753909,  
0.38450825214385989,  
0.016915690153837205,  
-0.11598393321037293,  
-0.32250434160232546,  
-0.06988134980201721,  
0.22417351603507996,  
-0.35582518577575686,  
0.2677224576473236,  
0.008019124157726765,  
-0.19177919626235963,  
0.5731900334358215,  
-0.03540642186999321,  
0.43302130699157717,  
0.1796148121356964,  
-0.005056577268987894,  
0.37953320145606997,  
0.13488957285881043,  
0.7240068912506104,  
-0.3088097870349884,  
0.5610846281051636,  
-0.29582735896110537,  
-0.20909856259822846,  
-0.2881403863430023,  
0.10329002141952515,  
0.49255961179733279,  
0.14558906853199006,  
0.41020694375038149,  
0.04002099484205246,  
-0.24476903676986695,  
-0.389543354511261,  
0.3901459574699402,  
0.6170359253883362,  
0.18917717039585114,  
-0.41235554218292239,  
-0.19313344359397889,  
-0.10294703394174576,
```

```
0.5560699105262756,  
0.5773581266403198,  
-0.17282086610794068,  
0.28679269552230837,  
0.34322652220726015,  
-0.07227988541126251,  
-0.5244243741035461,  
-0.26529040932655337,  
-0.11131077259778977,  
-0.19524210691452027,  
0.4082769453525543,  
-0.009217939339578152,  
-0.1462743580341339,  
0.7264918684959412,  
-0.09149657934904099,  
-0.3374916911125183,  
-0.05742226541042328,  
-0.3913151025772095,  
0.7185215950012207,  
-0.3785516619682312,  
-0.00010882654169108719,  
0.6655824780464172,  
0.4194306433200836,  
0.3726831376552582,  
-0.014721312560141087,  
0.5345744490623474,  
0.33022087812423708,  
-0.06344814598560333,  
-0.1560882031917572,  
0.22698232531547547,  
-3.8697707653045656,  
0.06812435388565064,  
-0.4368731677532196,  
-0.07041455805301666,  
-0.015291529707610608,  
-0.41140303015708926,  
0.31612321734428408,  
0.2914712429046631,  
-0.3867192566394806,  
-0.026363473385572435,  
-0.08788029104471207,  
-0.10701339691877365,  
-0.2673511505126953,  
0.27538666129112246,
```

```
-0.3661351501941681,  
0.5879861116409302,  
0.06352981925010681,  
0.15547777712345124,  
0.0863194614648819,  
-0.021183960139751436,  
0.428565114736557,  
0.04859453812241554,  
0.35721391439437868,  
-0.3864029347896576,  
-0.20986808836460114,  
0.15433000028133393,  
0.25567296147346499,  
0.25359275937080386,  
-0.4783596396446228,  
-0.010366495698690415,  
0.4777776598930359,  
-0.029405448585748674,  
0.3631121814250946,  
-0.18738743662834168,  
0.2193489819765091,  
0.7861229777336121,  
-0.01961355283856392,  
0.16653983294963838,  
-0.4193624258041382,  
0.3085209131240845,  
-0.03517897054553032,  
-0.035910699516534808,  
0.37241387367248537,  
-0.13769084215164185,  
-0.08015040308237076,  
0.4384872615337372,  
-0.12396809458732605,  
0.15661391615867616,  
-0.3919837176799774,  
-0.6586825251579285,  
0.5687432885169983,  
0.0396936871111393,  
-0.09660491347312927,  
0.05788198113441467,  
0.48911261558532717,  
0.5213083028793335,  
0.3355415165424347,  
-0.006735790055245161,
```

```
-0.11381038278341294,  
0.09182903915643692,  
-0.11055094748735428,  
-0.28275448083877566,  
0.24975340068340302,  
0.11746659129858017,  
-0.42452141642570498,  
-0.2323901206254959,  
-0.38694220781326296,  
0.015501483343541623,  
0.6440262198448181,  
-0.3121536672115326,  
-0.08778296411037445,  
-0.14549347758293153,  
0.01749151013791561,  
-0.5398207902908325,  
0.4124368131160736,  
0.5154116749763489,  
-0.34769660234451296,  
0.5662841796875,  
0.4989481270313263,  
0.06761053949594498,  
0.014184223487973214,  
0.601079523563385,  
-0.3859538435935974,  
0.3446619212627411,  
2.190366744995117,  
0.4051366150379181,  
2.288928508758545,  
0.5293960571289063,  
-0.3505767583847046,  
0.5397417545318604,  
-0.6520821452140808,  
0.4239364266395569,  
0.2618080675601959,  
0.20174439251422883,  
0.030146604403853418,  
0.0610184520483017,  
0.062213074415922168,  
-0.11276254057884217,  
-0.1301877349615097,  
-0.19404706358909608,  
0.5268515348434448,  
-0.7370991706848145,
```

```
0.028712594881653787,  
-0.4024544954299927,  
0.18225152790546418,  
0.7267741560935974,  
-0.2734072208404541,  
0.1759040206670761,  
-0.2950340211391449,  
0.14166314899921418,  
0.6515365242958069,  
-0.29643580317497256,  
-0.06734377890825272,  
0.09662584215402603,  
-0.010966300964355469,  
-0.3204823136329651,  
0.6417866349220276,  
-0.051218003034591678,  
-0.008819818496704102,  
0.5098630785942078,  
-0.21459998190402986,  
4.437846660614014,  
-0.24779054522514344,  
0.018799694254994394,  
-0.01747281290590763,  
-0.0487254373729229,  
0.6121163964271545,  
0.4686623811721802,  
-0.22926479578018189,  
-0.03692511469125748,  
-0.4286654591560364,  
0.46073317527770998,  
0.16875289380550385,  
-0.014255600981414318,  
-0.07684683054685593,  
0.12223237752914429,  
-0.30599895119667055,  
0.39215049147605898,  
0.22453786432743073,  
0.5624862313270569,  
-0.011985340155661106,  
0.05180392041802406,  
0.030400553718209268,  
0.08391892164945603,  
0.10214067250490189,  
-0.4449590742588043,
```

```
0.2225639522075653,  
0.3862999975681305,  
0.24732927978038789,  
-0.05571140721440315,  
-0.021564822643995286,  
0.28468334674835207,  
5.213898658752441,  
0.13289497792720796,  
-0.1400047093629837,  
-0.39865049719810488,  
0.12139834463596344,  
0.45539018511772158,  
-0.1865275651216507,  
-0.08270177245140076,  
-0.38520801067352297,  
0.08869948983192444,  
-0.05266271159052849,  
0.14364486932754517,  
-0.2860695719718933,  
0.4430652856826782,  
0.7777798771858215,  
0.21114271879196168,  
-0.358752578496933,  
-0.3664247989654541,  
0.6665846109390259,  
-0.40493687987327578,  
0.1747705042362213,  
-0.06670021265745163,  
0.20972059667110444,  
-0.19101694226264954,  
0.23892535269260407,  
-0.08149895817041397,  
0.018510373309254648,  
0.8112999796867371,  
0.07871513813734055,  
0.09570053964853287,  
0.5030911564826965,  
0.21463628113269807,  
-0.31457462906837466,  
0.3051794767379761,  
-0.39506298303604128,  
0.06605447828769684,  
0.6144300699234009,  
-0.4566810429096222,
```

```
0.3146623373031616,  
0.1887989640235901,  
0.9544244408607483,  
0.5103438496589661,  
-0.4859951138496399,  
-0.32647767663002016,  
-0.07584235072135925,  
0.21474787592887879,  
-0.1920636147260666,  
-0.4472030997276306,  
0.08618132770061493,  
-0.17384092509746552,  
-0.20969024300575257,  
-0.1831870973110199,  
0.8782939314842224,  
-0.15720084309577943,  
0.37347128987312319,  
0.5088165998458862,  
0.29395583271980288,  
-0.3580363988876343,  
-0.17590023577213288,  
-0.508141279220581,  
0.4661521315574646,  
0.142064169049263,  
-0.05615571141242981,  
0.592810869216919,  
0.37807324528694155,  
-0.14052101969718934,  
-0.19951890408992768,  
-0.12800109386444093,  
0.748070478439331,  
0.13753947615623475,  
-0.08446942269802094,  
0.3747580945491791,  
-0.12847286462783814,  
-0.13892321288585664,  
0.08525972813367844,  
0.12516680359840394,  
0.5701874494552612,  
-0.24708901345729829,  
0.0679594948887825,  
0.10870008915662766,  
0.20561885833740235,  
-0.7872452139854431,
```

```
0.07303950190544129,  
0.35694700479507449,  
0.245212584733963,  
0.3299793303012848,  
-0.010669616051018238,  
-0.12047348916530609,  
0.3540535271167755,  
0.32180890440940859,  
0.3066200911998749,  
0.021576205268502237,  
0.17679384350776673,  
-0.23050960898399354,  
0.1292697787284851,  
0.022921407595276834,  
0.5460971593856812,  
0.3612038493156433,  
0.1963733434677124,  
0.4622957706451416,  
0.16855642199516297,  
0.2564740478992462,  
-0.27637141942977908,  
-0.16345584392547608,  
0.08119463175535202,  
0.07851938903331757,  
-0.5181471109390259,  
-0.5290305614471436,  
0.5271350741386414,  
0.3391841650009155,  
0.501441240310669,  
0.740936279296875,  
-0.26713573932647707,  
0.030347898602485658,  
0.05174243822693825
```

```
],
```

```
"success": true
```

```
}
```

```
]
```

```
}
```

## .vectors.remove algorithm

The `.vectors.remove` algorithm is used to remove the embedding from a node.

### .vectors.remove syntax

```
CALL neptune.algo.vectors.remove(  
  [a list of one or more nodes]  
)  
YIELD node, success  
RETURN node, success
```

### .vectors.remove input

- **a target node list (required)** – `type: Node[] or NodeId[]`.

The node(s) from which you want to remove the embedding. If an empty list is supplied, the result will be empty.

### .vectors.remove outputs

The following outputs are returned for each target node, and if the node has an embedding, the embedding is removed:

- **node** – The target node.
- **success** – A Boolean value: `true` indicates that the removal succeeded for the node, and `false` indicates that it failed.

### .vectors.remove query examples

```
CALL neptune.algo.vectors.remove( ["person933"] )  
YIELD node, success  
RETURN node, success
```

```
MATCH (n: Student)  
CALL neptune.algo.vectors.remove(n)  
YIELD status  
RETURN n, success
```

## Sample `.vectors.remove` output

Here is an example of the output returned by `.vectors.remove` when run against the sample Wikipedia dataset using the following query:

```
aws neptune-graph execute-query \
--graph-identifier ${graphIdentifier} \
--query-string "MATCH (n {`~id`: '1'}) \
    CALL neptune.algo.vectors.remove(n) \
    YIELD node, success \
    RETURN node, success" \
--language open_cypher \
/tmp/out.txt
{
  "results": [
    {
      "node": {
        "~id": "1",
        "~entityType": "node",
        "~labels": [],
        "~properties": {
          "title": "24-hour clock",
          "views": 2450.62548828125,
          "wiki_id": 9985,
          "paragraph_id": 1,
          "url": "https://simple.wikipedia.org/wiki?curid=9985",
          "langs": 30,
          "text": "A time in the 24-hour clock is written in the form hours:minutes (for example\\\", 01:23)\\\", or hours:minutes:seconds (01:23:45). Numbers under 10 have a zero in front (called a leading zero); e.g. 09:07. Under the 24-hour clock system\\\", the day begins at midnight\\\", 00:00\\\", and the last minute of the day begins at 23:59 and ends at 24:00\\\", which is identical to 00:00 of the following day. 12:00 can only be mid-day. Midnight is called 24:00 and is used to mean the end of the day and 00:00 is used to mean the beginning of the day. For example\\\", you would say \\\"Tuesday at 24:00\\\" and \\\"Wednesday at 00:00\\\" to mean exactly the same time."
        }
      },
      "success": true
    }
  ]
}
```

# Best practices

The following are some general recommendations for working with Neptune Analytics. Use this information as a reference to quickly find recommendations for maximizing performance while using Neptune Analytics.

## Contents

- [openCypher query best practices](#)
- [Use the SET clause to remove multiple properties at once](#)
- [Use parameterized queries](#)
- [Use flattened maps instead of nested maps in UNWIND clause](#)
- [Place more restrictive nodes on the left side in Variable-Length Path \(VLP\) expressions](#)
- [Avoid redundant node label checks by using granular relationship names](#)
- [Specify edge labels where possible](#)
- [Avoid using the WITH clause when possible](#)
- [Place restrictive filters as early in the query as possible](#)
- [Explicitly check whether properties exist](#)
- [Do not use named path \(unless it is required\)](#)
- [Avoid COLLECT\(DISTINCT\(\)\)](#)
- [Prefer the properties function over individual property lookup when retrieving all property values](#)
- [Perform static computations outside of the query](#)
- [Batch inputs using UNWIND instead of individual statements](#)
- [Prefer using custom IDs for node](#)
- [Avoid doing ~id computations in the query](#)

## openCypher query best practices

### Use the SET clause to remove multiple properties at once

When using the openCypher language, REMOVE is used to remove properties from an entity. In Neptune Analytics, each property being removed requires a separate operation, adding query

latency. You can instead use SET with a map to set all property values to null, which in Neptune Analytics is equivalent to removing properties. Neptune Analytics will have increased performance when multiple properties on a single entity are required to be removed.

Use:

```
WITH {prop1: null, prop2: null, prop3: null} as propertiesToRemove
MATCH (n)
SET n += propertiesToRemove
```

Instead of:

```
MATCH (n)
REMOVE n.prop1, n.prop2, n.prop3
```

## Use parameterized queries

It is recommended to always use parameterized queries when querying using openCypher. The query engine can leverage repeated parameterized queries for features like query plan cache, where repeated invocation of the same parameterized structure with different parameters can leverage the cached plans. The query plan generated for parameterized queries is cached and reused only when it completes within 100ms and the parameter types are either NUMBER, BOOLEAN or STRING.

Use:

```
MATCH (n:foo) WHERE id(n) = $id RETURN n
```

With parameters:

```
parameters={"id": "first"}
parameters={"id": "second"}
parameters={"id": "third"}
```

Instead of:

```
MATCH (n:foo) WHERE id(n) = "first" RETURN n
MATCH (n:foo) WHERE id(n) = "second" RETURN n
MATCH (n:foo) WHERE id(n) = "third" RETURN n
```

You can determine if the query is using a cached plan by observing the `plan cache hits: value` in the output of the [openCypher explain endpoint](#).

## Use flattened maps instead of nested maps in UNWIND clause

Deep nested structure can restrict the ability of the query engine to generate an optimal query plan. To partially alleviate this issue, the following defined patterns will create optimal plans for the following scenarios:

- Scenario 1: UNWIND with a list of cypher literals, which includes NUMBER, STRING and BOOLEAN.
- Scenario 2: UNWIND with a list of flattened maps, which includes only cypher literals (NUMBER, STRING, BOOLEAN) as values.

When writing a query containing UNWIND clause, use the above recommendation to improve performance.

Scenario 1 example:

```
UNWIND $ids as x
MATCH(t:ticket {`~id`: x})
```

With parameters:

```
parameters={
  "ids": [1, 2, 3]
}
```

An example for Scenario 2 is to generate a list of nodes to CREATE or MERGE. Instead of issuing multiple statements, use the following pattern to define the properties as a set of flattened maps:

```
UNWIND $props as p
CREATE(t:ticket {title: p.title, severity:p.severity})
```

With parameters:

```
parameters={
  "props": [
```

```

  {"title": "food poisoning", "severity": "2"},  

  {"title": "Simone is in office", "severity": "3"}  

]  

}

```

Instead of nested node objects like:

```

UNWIND $nodes as n
CREATE(t:ticket n.properties)

```

With parameters:

```

parameters={  

  "nodes": [  

    {"id": "ticket1", "properties": {"title": "food poisoning", "severity": "2"}},  

    {"id": "ticket2", "properties": {"title": "Simone is in office", "severity": "3"}},  

  ]  

}

```

## Place more restrictive nodes on the left side in Variable-Length Path (VLP) expressions

In Variable-Length Path (VLP) queries, the query engine optimizes the evaluation by choosing to start the traversal on the left or right side of the expression. The decision is based on the cardinality of the patterns on the left and right side. Cardinality is the number of nodes matching the specified pattern.

- If the right pattern has a cardinality of one, then the right side will be the starting point.
- If the left and the right side have cardinality of one, the expansion is checked on both sides and starts on the side with the smaller expansion. Expansion is the number of outgoing or incoming edges for the node on the left and the node on the right side of the VLP expression. This part of the optimization is only used if the VLP relationship is unidirectional and the relationship type is provided.
- Otherwise, the left side will be the starting point.

For a chain of VLP expressions, this optimization can only be applied to the first expression. The other VLPs are evaluated starting with the left side. As an example, let the cardinality of (a), (b) be one, and the cardinality of (c) be greater than one.

- (a)-[\*1..]->(c): Evaluation starts with (a).
- (c)-[\*1..]->(a): Evaluation starts with (a).
- (a)-[\*1..]-(c): Evaluation starts with (a).
- (c)-[\*1..]-(a): Evaluation starts with (a).

Now let the incoming edges of (a) be two, and the outgoing edges of (a) be three, the incoming edges of (b) be four, and the outgoing edges of (b) be five.

- (a)-[\*1..]->(b): Evaluation starts with (a) as the outgoing edges of (a) are less than the incoming edges of (b).
- (a)<-[\*1..]-(b): Evaluation starts with (a) as the incoming edges of (a) are less than the outgoing edges of (b).

As a general rule, place the more restrictive pattern on the left side of a VLP expression.

## Avoid redundant node label checks by using granular relationship names

When optimizing for performance, using relationship labels that are exclusive to node patterns allows the removal of label filtering on nodes. Consider a graph model where the relationship `likes` is only used to define a relationship between two person nodes. We could write the following query to find this pattern:

```
MATCH (n:person)-[:likes]->(m:person)
RETURN n, m
```

The person label check on `n` and `m` is redundant, as we defined the relationship to only appear when both are of the type person. To optimize on performance, we can write the query as follows:

```
MATCH (n)-[:likes]->(m)
RETURN n, m
```

This pattern can also apply when properties are exclusive to a single node label. Assume that only person nodes have the property `email`, therefore verifying the node label matches `person` is redundant. Writing this query as:

```
MATCH (n:person)
WHERE n.email = 'xxx@gmail.com'
RETURN n
```

Is less efficient than writing this query as:

```
MATCH (n)
WHERE n.email = 'xxx@gmail.com'
RETURN n
```

You should only adopt this pattern when performance is important and you have checks in your modeling process to ensure these edge labels are not reused for patterns involving other node labels. If you later introduce an `email` property on another node label such as `company`, then the results will differ between these two versions of the query.

## Specify edge labels where possible

It is recommended to provide an edge label where possible when specifying an edge in a pattern. Consider the following example query, which is used to link all of the people living in a city with all of the people who visited that city.

```
MATCH (person)-->(city {country: "US"})-->(anotherPerson)
RETURN person, anotherPerson
```

If your graph model links people to nodes other than just cities using multiple edge labels, by not specifying the end label, Neptune will need to evaluate additional paths that will later be discarded. In the above query, as an edge label was not given, the engine does more work first and then filters out values to obtain the correct result. A better version of above query might be:

```
MATCH (person)-[:livesIn]->(city {country: "US"})-[:visitedBy]->(anotherPerson)
RETURN person, anotherPerson
```

This not only helps in evaluation, but enables the query planner to create better plans. You could even combine this best practice with redundant node label checks to remove the city label check and write the query as:

```
MATCH (person)-[:livesIn]->({country: "US"})-[:visitedBy]->(anotherPerson)
```

```
RETURN person, anotherPerson
```

## Avoid using the WITH clause when possible

The WITH clause in openCypher acts as a boundary where everything before it executes, and then the resulting values are passed to the remaining portions of the query. The WITH clause is needed when you require interim aggregation or want to limit the number of results, but aside from that you should try to avoid using the WITH clause. The general guidance is to remove these simple WITH clauses (without aggregation, order by or limit) to enable the query planner to work on the entire query to create a globally optimal plan. As an example, assume you wrote a query to return all people living in India:

```
MATCH (person)-[:lives_in]->(city)
WITH person, city
MATCH (city)-[:part_of]->(country {name: 'India'})
RETURN collect(person) AS result
```

In the above version, the WITH clause restricts the placement of the pattern (city)-[:part\_of]->(country {name: 'India'}) (which is more restrictive) before (person)-[:lives\_in]->(city). This makes the plan sub-optimal. An optimization on this query would be to remove the WITH clause and let the planner compute the best plan.

```
MATCH (person)-[:lives_in]->(city)
MATCH (city)-[:part_of]->(country {name: 'India'})
RETURN collect(person) AS result
```

## Place restrictive filters as early in the query as possible

In all scenarios, early placement of filters in the query helps in reducing the intermediate solutions a query plan must consider. This means less memory and fewer compute resources are needed to execute the query.

The following example helps you understand these impacts. Suppose you write a query to return all of the people who live in India. One version of the query could be:

```
MATCH (n)-[:lives_in]->(city)-[:part_of]->(country)
WITH country, collect(n.firstName + " " + n.lastName) AS result
WHERE country.name = 'India'
```

```
RETURN result
```

The above version of the query is not the most optimal way to achieve this use case. The filter `country.name = 'India'` appears later in the query pattern. It will first collect all persons and where they live, and group them by country, then filter for only the group for `country.name = India`. The optimal way to query for only people living in India and then perform the collect aggregation.

```
MATCH (n)-[:lives_in]->(city)-[:part_of]->(country)
WHERE country.name = 'India'
RETURN collect(n.firstName + " " + n.lastName) AS result
```

A general rule is to place a filter as soon as possible after the variable is introduced.

## Explicitly check whether properties exist

Based on openCypher semantics, when a property is accessed it is equivalent to an optional join and must retain all rows even if the property does not exist. If you know based on your graph schema that a particular property will always exist for that entity, explicitly checking that property for existence allows the query engine to create optimal plans and improve performance.

Consider a graph model where nodes of type `person` always have a property `name`. Instead of doing this:

```
MATCH (n:person)
RETURN n.name
```

Explicitly verify the property existence in the query with an `IS NOT NULL` check:

```
MATCH (n:person)
WHERE n.name IS NOT NULL
RETURN n.name
```

## Do not use named path (unless it is required)

Named path in a query always comes at an additional cost, which can add penalties in terms of higher latency and memory usage. Consider the following query:

```
MATCH p = (n)-[:commentedOn]->(m)
```

```

WITH p, m, n, n.score + m.score as total
WHERE total > 100
MATCH (m)-[:commentedON]->(o)
WITH p, m, n, distinct(o) as o1
RETURN p, m.name, n.name, o1.name

```

In the above query, assuming we only want to know the properties of the nodes, the use of path “p” is unnecessary. By specifying the named path as a variable, the aggregation operation using DISTINCT will get expensive both in terms of time and memory usage. A more optimized version of above query could be:

```

MATCH (n)-[:commentedOn]->(m)
WITH m, n, n.score + m.score as total
WHERE total > 100
MATCH (m)-[:commentedON]->(o)
WITH m, n, distinct(o) as o1
RETURN m.name, n.name, o1.name

```

## Avoid COLLECT(DISTINCT())

COLLECT(DISTINCT()) is used whenever a list is to be formed containing distinct values. COLLECT is an aggregation function, and grouping is done based on additional keys being projected in the same statement. When distinct is used, the input is split in multiple chunks where each chunk denotes one group for reduction. Performance will be impacted as the number of groups increases. In Neptune Analytics, it is much more efficient to perform DISTINCT before actually collecting/ forming the list. This allows grouping to be done directly on the grouping keys for the whole chunk.

Consider the following query:

```

MATCH (n:Person)-[:commented_on]->(p:Post)
WITH n, collect(distinct(p.post_id)) as post_list
RETURN n, post_list

```

A more optimal way of writing this query is:

```

MATCH (n:Person)-[:commented_on]->(p:Post)
WITH DISTINCT n, p.post_id as postId
WITH n, collect(postId) as post_list
RETURN n, post_list

```

## Prefer the properties function over individual property lookup when retrieving all property values

The `properties()` function is used to return a map containing all properties for an entity, and is much more efficient than returning properties individually.

Assuming your Person nodes contain 5 properties, `firstName`, `lastName`, `age`, `dept`, and `company`, the following query would be preferred:

```
MATCH (n:Person)
WHERE n.dept = 'AWS'
RETURN properties(n) as personDetails
```

Rather than using:

```
MATCH (n:Person)
WHERE n.dept = 'AWS'
RETURN n.firstName, n.lastName, n.age, n.dept, n.company

==== OR ===

MATCH (n:Person)
WHERE n.dept = 'AWS'
RETURN {firstName: n.firstName, lastName: n.lastName, age: n.age,
department: n.dept, company: n.company} as personDetails
```

## Perform static computations outside of the query

It is recommended to resolve static computations (simple mathematical/string operations) on the client-side. Consider this example where you want to find all people one year older or less than the author:

```
MATCH (m:Message)-[:HAS_CREATOR]->(p:person)
WHERE p.age <= ($age + 1)
RETURN m
```

Here, `$age` is injected into the query via parameters, and is then added to a fixed value. This value is then compared with `p.age`. Instead, a better approach would be doing the addition on the client-side and passing the calculated value as a parameter `$ageplusone`. This helps the query

engine to create optimized plans, and avoids static computation for each incoming row. Following these guidelines, a more efficient version of the query would be:

```
MATCH (m:Message)-[:HAS_CREATOR]->(p:person)
WHERE p.age <= $ageplusone
RETURN m
```

## Batch inputs using UNWIND instead of individual statements

Whenever the same query needs to be executed for different inputs, instead of executing one query per input, it would be much more performant to run a query for a batch of inputs.

If you want to merge on a set of nodes, one option is to run a merge query per input:

```
MERGE (n:Person {`~id`: $id})
SET n.name = $name, n.age = $age, n.employer = $employer
```

With parameters:

```
params = {id: '1', name: 'john', age: 25, employer: 'Amazon'}
```

The above query needs to be executed for every input. While this approach works, it may require many queries to be executed for a large set of input. In this scenario, batching may help reduce the number of queries executed on the server, as well as improve the overall throughput.

Use the following pattern:

```
UNWIND $persons as person
MERGE (n:Person {`~id`: person.id})
SET n += person
```

With parameters:

```
params = {persons: [{id: '1', name: 'john', age: 25, employer: 'Amazon'},
{id: '2', name: 'jack', age: 28, employer: 'Amazon'},
{id: '3', name: 'alice', age: 24, employer: 'Amazon'}...]}
```

Experimentation with different batch sizes is recommended to determine what works best for your workload.

## Prefer using custom IDs for node

Neptune Analytics allows users to explicitly assign IDs on nodes. The ID must be globally unique in the dataset and deterministic to be useful. A deterministic ID can be used as a lookup or a filtering mechanism just like properties; however, using an ID is much more optimized from query execution perspective than using properties. There are several benefits to using custom IDs -

- Properties can be null for an existing entity, but the ID must exist. This allows the query engine to use an optimized join during execution.
- When concurrent mutation queries are executed, the chances of [concurrent modification exceptions](#) (CMEs) are reduced significantly when IDs are used to access nodes because fewer locks are taking on IDs than properties due to their enforced uniqueness.
- Using IDs avoids the chance of creating duplicate data as Neptune enforces uniqueness on IDs, unlike properties.

The following query example uses a custom ID:

 **Note**

The property `~id` is used to specify the ID, whereas `id` is just stored as any other property.

```
CREATE (n:Person {`~id`: '1', name: 'alice'})
```

Without using a custom ID:

```
CREATE (n:Person {id: '1', name: 'alice'})
```

If using the latter mechanism, there is no uniqueness enforcement and you could later execute the query:

```
CREATE (n:Person {id: '1', name: 'john'})
```

This creates a second node with `id=1` named `john`. In this scenario, you would now have two nodes with `id=1`, each having a different name - (`alice` and `john`).

## Avoid doing `~id` computations in the query

When using custom IDs in the queries, always perform static computations outside the queries and provide these values in the parameters. When static values are provided, the engine is better able to optimize lookups and avoid scanning and filtering these values.

If you want to create edges between nodes that are existing in the database, one option could be:

```
UNWIND $sections as section
MATCH (s:Section {`~id`: 'Sec-' + section.id})
MERGE (s)-[:IS_PART_OF]->(g:Group {`~id`: 'g1'})
```

With parameters:

```
parameters={sections: [{id: '1'}, {id: '2'}]}
```

In the query above, the `id` of the section is being computed in the query. Since the computation is dynamic, the engine cannot statically inline ids and ends up scanning all section nodes. The engine then performs post-filtering for required nodes. This can be costly if there are many section nodes in the database.

A better way to achieve this is to have `Sec-` prepended in the ids being passed into the database:

```
UNWIND $sections as section
MATCH (s:Section {`~id`: section.id})
MERGE (s)-[:IS_PART_OF]->(g:Group {`~id`: 'g1'})
```

With parameters:

```
parameters={sections: [{id: 'Sec-1'}, {id: 'Sec-2'}]}
```

# Neptune Analytics tools and utilities

Neptune Analytics provides tools and utilities that can simplify and automate your work with a graph. Among these are the following:

## Neptune Analytics tools

- **Nodestream** – Nodestream is a framework for dealing with semantically modeling data as a graph. It is designed to be flexible and extensible, allowing you to define how data is collected and modeled as a graph. It uses a pipeline-based approach to define how data is collected and processed, and it provides a way to define how the graph should be updated when the schema changes.

## Nodestream

Nodestream is a framework for dealing with semantically modeling data as a graph. It is designed to be flexible and extensible, allowing you to define how data is collected and modeled as a graph. It uses a pipeline-based approach to define how data is collected and processed, and it provides a way to define how the graph should be updated when the schema changes. All of this is done using a simple, human-readable configuration file in yaml format. To accomplish this, Nodestream uses a number of core concepts, including pipelines, extractors, transformers, filters, interpreters, interpretations, and migrations.

Beginning with Nodestream 0.12, Amazon Neptune is supported for both Neptune Database and Neptune Analytics.

Please view the Nodestream documentation for details on how to configure and use Nodestream with Neptune : Nodestream support for Amazon Neptune.

Nodestream with Neptune currently supports standard ETL pipelines as well as time to live (TTL) pipelines. ETL pipelines enable bulk data ingestion into Neptune from a much broader range of data sources and formats than have previously been possible in Neptune including:

- Software Bill of Materials
- Files including CSV, JSON, JSONL, Parquet, txt and yaml
- Kafka
- Athena

- [REST APIs](#)

Nodestream fully supports IAM authentication when connecting to Amazon Neptune, as long as credentials are properly configured. See the [boto3 credentials guide](#) for more information on correctly configuring credentials.

[Nodestream's TTL mechanism](#) also enables new capabilities not previously available in Neptune . By annotating ingested graph elements with timestamps, Nodestream can create pipelines which automatically expire and remove data that has passed a configured lifespan.

# Limits for Neptune Analytics

## Regions

Neptune Analytics is available in the following AWS Regions:

- US East (N. Virginia): us-east-1
- US East (Ohio): us-east-2
- US West (Oregon): us-west-2
- Asia Pacific (Singapore): ap-southeast-1
- Asia Pacific (Sydney): ap-southeast-2
- Asia Pacific (Tokyo): ap-northeast-1
- Asia Pacific (Mumbai): ap-south-1
- Europe (Ireland): eu-west-1
- Europe (London): eu-west-2
- Europe (Frankfurt): eu-central-1
- Canada (Central): ca-central-1

## Quotas

Your AWS account has default quotas, formerly referred to as limits, for each AWS service. Unless otherwise noted, each quota is Region-specific. You can request increases for some quotas, and other quotas cannot be increased.

To view the quotas for Neptune Analytics, open the [Service Quotas console](#). In the navigation pane, choose **AWS services** and select **Neptune Analytics**.

To request a quota increase, see [Requesting a Quota Increase](#) in the *Service Quotas User Guide*. If the quota is not yet available in Service Quotas, use the [limit increase form](#).

## Vertex enumeration is not memory bounded

The following quotas and limits apply to Neptune Analytics:

The current implementation of vertex enumeration and counting is not memory bounded. As a consequence, queries such as `MATCH (n) RETURN count(n)` will require a significant amount of memory and, depending on the chosen capacity and dataset shape, may run into out-of-memory exceptions.

Where possible, we recommend replacing such queries with queries that operate on a per-label basis. For instance, a query such as `MATCH (n : Person) RETURN count(n)` will be significantly more efficient, both in terms of memory consumption and memory utilization.

## Parameterized openCypher queries not supported for algorithms

Neptune Analytics supports [parameterized openCypher queries](#) with the limitation that parameters are not allowed inside algorithms.

For instance, a query such as `CALL neptune.algo.degree($id)` where `$id` is passed in as a parameter is currently not supported.

## Size limits on properties, labels and strings

The maximum length of the strings supported is 1,048,062 bytes. The limit would be lower for strings with unicode characters since some unicode characters are represented using multiple bytes.

## Labelless vertices with only embeddings are not supported

Neptune Analytics supports labelless vertices, which are vertices without vertex labels. The labelless vertices may or may not have vertex properties. However, there is a limitation that labelless vertices with only vector embeddings are not supported. They must either have a vertex label or a vertex property.

# API reference

The [Neptune Analytics API reference](#) is available for more information.